

A

# C A T A L O G U E

with about 10 F

## Trees, Shrubs, Plants, Flower Roots, Seeds, &c.

SOLD BY

### GORDON, DERMER, and THOMSON, SEED and NURSERYMEN,

*At Mile End, near London.*

---

Those marked \* are desirable in every Collection for the beauty or fragrance of their Foliage, Flowers, Statesmeh of Growth, Season of Flowering, or some other striking property agreeable to the Eye.  
+ are Evergreens.

#### H A R D Y P L A N T S.

- |              |     |                   |                           |
|--------------|-----|-------------------|---------------------------|
| <i>See</i> — | 1   | Tataricum         | Tatarian Maple            |
|              | 2   | Pseudoplatanus    | Greater Maple or Sycamore |
|              | 3*  | Var. fol. varieg. | Ditto with striped leaves |
|              | 4*  | Rubrum            | Scarlet flowering Maple   |
|              | 5*  | Flore pallido     | Sir Charles Wager's ditto |
|              | 6   | Saccharinum       | American Sugar ditto      |
|              | 7*  | Platanoides       | Norway ditto              |
|              | 8   | Pennsylvanicum    | Mountain ditto            |
|              | 9   | Campbellie        | Common English ditto      |
|              | 10  | Monspellianum     | Montpelier ditto          |
|              | 11* | Creticum          | Cretan ditto              |

<i>Acer</i>	-	12* <i>Negundo</i>	Ash leaved ditto
		13 <i>Floridanum</i>	Florida ditto
		14* <i>Opalus</i>	Italian ditto
		15* <i>Fol. Incinatis</i>	Cut leaved ditto
		16* <i>Canadense</i>	Striped bark ditto
		17* <i>Sempervirens</i>	Evergreen ditto
<i>Aesculus</i>		1* <i>Hippocastanum</i>	Horse Chestnut
		2* <i>Luteo Variegat:</i>	Yellow striped ditto
		3* <i>Albo Variegat:</i>	White striped ditto
		4* <i>Pavia</i>	Scarlet flowering ditto
		5* <i>Flore flavo</i>	Yellow ditto ditto
<i>Anagyrba</i>		<i>Fruticosa</i>	Bastard Indigo
<i>Amygdales</i>		1 <i>Persica</i>	Peach Tree
		2* <i>Var. fl. pleno</i>	Double flowering ditto
		3* <i>Communis</i>	Common Almond
		4* <i>Nana</i>	Dwarf ditto
		5 <i>Dulcis</i>	Sweet ditto
		6 <i>Amara</i>	Bitter ditto
	-	7* <i>Pomila fl. pleno</i>	Double dwarf ditto
<i>Andromeda</i>		1*† <i>Polifolia Major</i>	Great American Rose leaved Andromeda, Marsh Cistus
	-	2*† <i>Polifolia minor</i>	Lesser English ditto
	-	3*† <i>Polifolia minima</i>	Smallest ditto ditto
	-	4* <i>Mariana fol. ovalat:</i>	Maryland Andromeda with o leaves
	-	5* <i>Mariana fol. lan-</i> <i>coelatia</i>	Maryland Andromeda with l shaped leaves
			<i>Andro</i>

<i>Andromeda</i>	6. <i>Paniculata</i>	Virginian Andromeda with exserted leaves, and the flowers in panicles
-+	7. <i>Racemosa</i>	Pensylvanian branching Andromeda with oblong serrated leaves
-+	8*. <i>Arborescens</i>	Carolina tree like, Andromeda, or Scarlet Tree with oblong sharp pointed leaves
+	9†* <i>Calycularia</i>	Canada Andromeda with box shaped, dotted leaves
-+	10* <i>Dabortii</i>	Irish Whorl, or Andromeda with beautiful, large, red flowers, commonly called Cantabrian Heath
	11. <i>Ferruginea</i>	Andromeda with ferruginous ovate leaves
+	12†* <i>Lucida</i>	Andromeda with broad thinning leaves
+	13†* <i>Myrtifolia</i>	Myrtle leaved Andromeda
+	14† <i>Axillaris latifolia</i>	Broad leaved Andromeda, with the flowers growing out of the side of the leaves
+	15† <i>Axillaris angustifolia</i>	Narrow leaved <del>late</del> Andromeda
-+	16. <i>Globalifera</i>	Andromeda with round white flowers

<i>Andromeda</i>	17 Pilulifera	Andromeda with small white flowers growing in clusters
+ 18+	Serratifolia	Andromeda with sharp pointed sawed leaves
<i>Anemone</i>	1 Triloba 2 Glabra	Three corner'd Custard Apple Smooth-bark'd ditto
<i>Aralia</i>	1 *Spinosa 2 Nudicaulis	Prickly Angelica Tree Naked stalk'd ditto
<i>Arbutus</i>	1+*Unedo latifol.	Strawberry Tree with white flowers and broad leaves
=	2+*Var: flore rubro	Scarlet flowering ditto
+ 3+	*Var: flore pleno	Double flowering ditto
	4+*Var: angustifolia	Narrow leaved ditto
	5+*Var: fol. crisp.	Curled leaved ditto
+ 6+	*Andachne	Eastern broad leaved ditto
+ 7+	*Uva Ursi major	Bearberry or Arbutus, with trailing branches
	8+ Alpina	Alpine Arbutus, with trailing branches
<i>Aristolochia</i>	1 Arboreocens 2 *Odonatillima	Tree Birthwort Birthwort with large heart shaped leaves, and twining shrubby stalks
<i>Ajuga</i>	Croce Andecae	Yellow flowering St. Peter's-wort, commonly called St. Andrew's Cross
<i>Ajragalus</i>	Trapacanthus	Goat's Thorn
<i>Argemone</i>	Aspina	Alpine Clematis

*Anemone*

<i>Ariplex</i>	<i>Haleirus</i>	Sea Purlane Tree
<i>Azalea</i>	1* <i>Vifocia alba</i>	American upright Honey-sack-kle, with white vifocia flowers
	2* <i>Vifocia variegat:</i>	Azalea with pink and white striped, vifocia flowers, and procumbent branches
+	3* <i>Glaeca glacea</i>	Azalea with smooth, azure, or sea green leaves, and late white flowers
	4* <i>Glaeca scabia</i>	Azalea with sea green, rough leaves, and early white flowers
	5* <i>Nudiflora variegat:</i>	Azalea with broad, rough leaves and white flowers, with pink colour'd tubes and filaments most beautiful
+	6* <i>Nudiflora carnea</i>	Azalea with early, naked, flesh coloured flowers, and broad rough leaves
	7* <i>Nudiflora rubra</i>	Azalea with deep red, early, naked flowers
	8* <i>Nudiflora crista</i>	Azalea with early, naked, frizzled, variegated flowers
	9* <i>Coccinea</i>	Azalea with brilliant deep scarlet flowers, most beautiful
+	10* <i>Tomentosa</i>	Azalea with white downy leaves and late flesh coloured flowers

<i>Berberis</i>	<i>Halimifolia</i>	Groundsel Tree
<i>Berberis</i>	1 <i>Vulgaris</i>	Common Berberry
	2 <i>Var. fine nucleo</i>	Berry without flounce
<i>Betula</i>	1 <i>Alba</i>	Common Birch
	2 <i>Nigra</i>	Black ditto
	3 <i>Lenta</i>	Poplar leaved ditto
+/-	4* <i>Nana</i>	Dwarf ditto
	5* <i>Pumila canadensis</i>	Dwarfish bushy Canada ditto
	6* <i>Excella canadensis</i>	Tall Canada ditto
	7* <i>Papyrifera</i>	Paper ditto
	8 <i>Alnus</i>	Common Alder
	9* <i>Var. laciniata</i>	Cut leaved ditto
	10 <i>Var. incana</i>	Hoary leaved ditto
	11* <i>Var. glomerata</i>	Round leaved ditto
	12 <i>Var. americana</i>	Dwarf American ditto
<i>Bignonia</i>	1 <i>Catalpa</i>	Trumpet flower, with single heart shaped leaves
+/-	2* <i>Radicans</i>	Scarlet trumpet flower, with pinnated cut leaves
	3* <i>Ditto minor</i>	Lesser ditto
	4*† <i>Unguis Cati</i>	Evergreen four leaved ditto
<i>Bupleurum</i>	<i>Fruticosum</i>	Ethiopian Hartwort
<i>Buxus</i>	-/- 1*† <i>Sempervirens</i>	Evergreen Box Tree
	-/- 2*† <i>Myrtifolia</i>	Myrtle leaved ditto
	-/- 3*† <i>Argentata</i>	Silver striped ditto
	-/- 4*† <i>Aureo Variegata</i>	Gold ditto
	-/- 5† <i>Suffruticosa</i>	Dwarf ditto

		[ 7 ]	
<i>Calycanthus</i>	1. * <i>Floridus</i>		Carolina Allspice, with the interior leaves of the flower, longer than the outside ones
	2. * <i>Praecox</i>		Early Carolina Allspice, with the interior leaves of the flowers, smaller than the outside ones
<i>Carpinus</i>	1. <i>Betulus</i>		Common Hornbeam
	2. Var: <i>Quercifolia</i>		Oak leaved ditto
	3. <i>Ostrya</i>		Hop ditto
	4. <i>Orientalis</i>		Eastern ditto
<i>Casuarina</i>	1. † <i>Fergusonii</i>		South Sea Tea Tree, with alternate leaves
	2. † <i>Oppositifolia</i>		Ditto with opposite leaves
<i>Ceanothus</i>	1. " <i>Americanus</i>		New Jersey Tea
<i>Celastrus</i>	1. <i>Scandens</i>		Climbing Staff Tree
	2. <i>Bullatus</i>		Round leaved ditto
<i>Celtis</i>	1. <i>Australis</i>		European Nettle Tree
	2. <i>Orientalis</i>		Eastern ditto
	3. Var <i>variegata</i> :		Ditto with striped leaves
	4. <i>Occidentalis</i>		American ditto
<i>Cyathocarpus</i>	1. <i>Occidentalis</i>		Button Wood
<i>Cercis</i>	1. † <i>Siliquastrum</i>		Eastern Judas Tree, with orbicular smooth leaves
	2. <i>Canadensis</i>		American ditto with downy heart shaped leaves
<i>Chionanthus</i>	1. † <i>Virginica</i>		American Snow Drop Tree
	2. *Var <i>latifolia</i> :		Broad leaved ditto
<i>Cytisus</i>	1. † <i>Populinifolium</i>		Poplar leaved Rock Rose

Cliffs-

<i>Citrus</i>	2*†Laurifolius	Laurel leaved Citrus
+	3*†Ladaniferus	Gum ditto
+	4 †Montpelieriſis	Montpelier ditto
+	5 †Incanus	Hoary leaved ditto
+	6 †Salvifolius	Sage leaved ditto
+	7 †Crispus	Curled leaved ditto
+	8 †Italicus	Italian ditto
+	9 †Hellenanthemum	Dwarf ditto
+	10 †Apenninus	Apennine ditto
<i>Clematis</i>	1 Vipiba	Common Virgins Bower, or Travellers Joy
-	2 *Crispa	Curled flowered ditto
-	3 Viticella	Single purple ditto
-	4 *Var; flore pleno	Double ditto ditto
-	5 Var; flore rubro	Single red ditto
-	6 Var; flore ceruleo	Single blue ditto
-	7 Viorna	Carolina ditto
-	8 *Orientalis	Eastern ditto, with glaucous leaves, and greenish, yellow flowers
+	9*†Cinerea	Virgins Bower, with pear shaped cut leaves, growing singly, and by threes
-	10 *Virginiana	Virginian three leaved sweet scented ditto
-	11 Flammula	Virgins Bower with divided and entire leaves

<i>Clematis</i>	12	<i>Maritima</i>	Upright ditt., with a six leaved stalk.
	13	<i>Erecta</i>	Upright ditt., with flowers composed of four, or five leaves
+	14	<i>Integrifolia</i>	Upright blue ditt., with leafy petals
<i>Clethra.</i>	+	<i>Alinifolia</i>	Narrow leaved Clethra
		<i>Var : nana</i>	Dwarf broad leaved ditt.
<i>Clethra</i>	+	1 <i>Trilocular</i>	Widow Wall
<i>Celtis</i>	+	1 <i>Arborescens</i>	Common Bladder Senna
	2*	<i>Orientalis</i>	Eastern ditt.
+	3	<i>Melia</i>	Pocock's ditt.
<i>Ceratonia</i>	1	<i>Myrtifolia</i>	Myrtle leaved Sumach
<i>Cornus</i>	1	<i>Florida</i>	Great flowering Dogwood
	2	<i>Mascula</i>	Cornelian Cherry
	3	<i>Fascicula</i>	Female Dogwood
	4*	<i>Sanguinea</i>	Red stalk'd ditt.
	5	<i>Alba</i>	Newfoundland ditt.
	6	<i>Nova Belgia</i>	New Holland ditt.
	7	<i>Strigata</i>	Upright ditt.
<i>Cornus</i>	+	1 <i>Emarginata</i>	Scorpion Senna
	2	<i>Coronata</i>	Jointed podded Cobnut
<i>Corylus</i>	1	<i>Avellana</i>	Common Hazel
	2	<i>Sativa</i>	White Filbert
	3	<i>Var : fructu rubro</i>	Red kernel'd ditt.

<i>Corylus</i>	4. Var : fructu max :	Cob Nut
	5* <i>Columna</i>	Constantinople Hazel
	6. <i>Cornuta</i>	American Cuckold Nut
<i>Cratagis</i>	1. <i>Aria</i>	White Beam
	2. <i>Terminalia</i>	Wild Service
	3* <i>Coccinea</i>	Great American Azarole
+ 4	<i>Crus Galli</i>	Cockspur Thorn
	5. <i>Tomentosa</i>	Gooseberry leaved ditto
	6. <i>Oxyacantha</i>	Common Hawthorn
- 7	7* Var : flore pleno	Double flowering ditto
	8. <i>Praecox</i>	Glastonbury ditto
	9* <i>Fruktu flavo</i>	Yellow berried ditto
	10* <i>Azarella</i>	Great Azarole
	11. <i>Dulcis</i>	Sweet fruited ditto
	12. <i>Prunifolia</i>	Plum leaved ditto
	13* <i>Salicifolia</i>	Willow leaved ditto
	14* <i>Acerifolia</i>	Maple leaved ditto
	15. <i>Pyrifolia</i>	Pear leaved ditto
	16. Var : <i>flava</i>	Yellow pear shaped ditto
	17. <i>Pensylvanica</i>	Pensylvanian ditto
<i>Cupressus</i> +	1* + <i>Sempervirens</i>	Upright Cypress
	2* + <i>Horizontalis</i>	Male spreading ditto
	3. + <i>Lusitanica</i>	Cedar of Goa
	4. + <i>Thyoides</i>	White Cedar
+ 5	5* <i>Disticha</i>	Deciduous Cypress
+ 6	1* <i>Laburnum angustifol.</i>	Narrow leaved Laburnum, a Pale Trefoil Tree

<i>Cytisus</i>	+	2* Var : latifolia	Broad leaved Scotch ditto
		3 Var : foliis varieg.	Striped leaved ditto
	+	4* Nigricans	Black ditto
		5* Scutellifolius	<i>Cytisus secundus</i>
		6 † Hirsutus	Hairy evergreen ditto
		7 Spinus	Trailing ditto
	1.	8 Austriscus	Austrian ditto
	+	9 Tataricum	Tartarian ditto
		10 Glutinosus	Clammy ditto
<i>Daphne</i>	+	1* † Laureola	Wood Laurel
	+	2* Mezereum rub:	Red Mezereon
	+	3* Var : fl: rub: prae:	Early red ditto
	†	4* Var: fl: alb: prae:	White ditto
		5* Alpina	Alpine Wood Laurel
	+	6* Cneorum	Narrow leaved ditto, most beautiful
		7 Tartonraira	Tarton Raire with silvery leaves
<i>Elaeagnus</i>	1	Lotus	Indian Date Plum, with the surface of its leaves of dif- ferent colours
	2	Virginiana	Pithamin Plum, with the surface of the leaves of one colour
<i>Fragaria</i>	1	Palustris	Marsh Leatherwood
<i>Ligustrum</i>	1	† Angustifolia	Narrow leaved Wild Olive

<i>Elaeagnus</i>	2* <i>Rotundifolia</i>	Round leaved ditto
	3 <i>Latifolia</i>	Broad leaved ditto
<i>Eriobotrya</i>	1 <i>+Nigra</i>	Cranberry
<i>Ephedra</i>	1 <i>+Diffachya</i>	Shrubby Horse Tail
	2 <i>+Monostachia</i>	Dwarf ditto
<i>Epigaea</i>	1 <i>+Repens</i>	Trailing Arbutus, with entire oval rough hoary leaves
<i>Erica</i>	1 <i>+Vulgaris</i>	Common Heath
	2 <i>+Teretiflora</i>	Four leaved ditto
	3* <i>Multiflora</i>	Many flowered ditto
	4 <i>+Australis</i>	Southern ditto most beautiful
	5* <i>Triflora</i>	White African ditto, with the flowers by threes
	6* <i>+Mediterranea</i>	This should be planted against a South Wall.
	7 <i>Cinerea</i>	Purple flowering ditto
	8 <i>Ciliaris</i>	This should be planted under or against a South Wall.
		Fine leaved ditto
		Hairy three leaved ditto
<i>Euonymus</i>	1* <i>Euonymus</i>	Common Spindle Tree
	2* <i>Latifolius</i>	Broad leaved ditto
	3 <i>+Americanus</i>	Evergreen ditto
	4 <i>Longifolius</i>	Long leaved ditto
	5 <i>Verrucosus</i>	Warted ditto
	6* <i>Atropurpureus</i>	Dusk purple ditto

<i>Fagus</i>	1. <i>Castanea</i>	Common Spanish Chestnut
	2* Var : <i>nana</i>	Dwarf ditto
	3* Var : <i>foli : varieg</i>	Striped leaved ditto
	4. <i>Pumila</i>	Chinquapin dwarf Chestnut
	5. <i>Sylvatica</i>	Common Beech
	6* Var : <i>latifolia</i>	Broad leaved ditto
	7* Var : <i>foli : purp</i>	Purple leaved ditto
<i>Fothergilla</i>	1* <i>Gardenia</i>	This plant takes its Name from Dr. Fothergill, who first introduced it into Europe.
	2* <i>Lanceolata</i>	Ditto with spear shaped leaves
<i>Fraxinus</i>	1. <i>Excelsior</i>	Common Ash
	2. <i>Ornus</i>	Dwarf ditto
	3. <i>Rotundifolia</i>	Manna ditto
	4. <i>Americana</i>	American ditto
	5. <i>Alba</i>	White ditto
	6. <i>Carolinianensis</i>	Carolina ditto
	7. <i>Integrifolia</i>	Entire leaved ditto
	8. <i>Paniculata</i>	Flowering ditto
<i>Gaultheria</i> -	1*; <i>Procumbens</i>	Dwarf Canada Evergreen Wortleberry
<i>Griselia</i>	1. <i>Candicans</i>	Montpelier Broom
	2. <i>Sagittalis</i>	Dwarf jointed ditto
	3. <i>Florida</i>	Spanish dyers ditto
	4. <i>Tinctoria</i>	English dyend
	5. <i>Italica</i>	Lacca ditto

<i>Ginkgo</i>	+	6* <i>Biloba</i>	Japanese Maiden Hair Tree
<i>Gleditsia</i>	+	1* <i>Triacanthos</i>	Three Thorned Acacia
		2* <i>Monospermum</i>	Water ditto
		3* <i>Inermis</i>	Eastern Thornless ditto
		4* <i>Horrida purpur.</i>	Chinese Acacia, with purple stalks, and very long thorns
		5* Var : caul : virid :	Ditto with green stalks
<i>Glycine</i>	+	1* <i>Fruetiformis</i>	Carolina Kidney Bean Tree
	+	2* <i>Apios</i>	Virginian ditto
<i>Gaultheria</i>		1* <i>Dinica</i>	Canada Bonduc
<i>Halesia</i>	+	1* <i>Tetrapeta</i>	Halesia with a four sided feed-vessel, and snow drop like flowers
		2* <i>Diptera</i>	Ditto with a two sided feed-vessel
<i>Hamamelis</i>		* <i>Virginica</i>	Bastard Wych Hazel
<i>Hedera</i>		1* <i>Helix</i>	Common Ivy
	+	2*† Var : fol : varieg :	Striped ditto
	+	3* <i>Ovalifolia</i>	Five leaved ditto, commonly called Virginia Creeper
<i>Hibiscus</i>	+	1* <i>Syracus purp.</i>	Athaea Frutescens, with purple flowers
	+	2* Var : Flore rubro	Ditto with red flowers
	+	3* Var : Flore albo	Ditto with white flowers
		4* Var : Flore varieg :	Ditto with striped flowers
	+	5* Var : Fol : varieg : argent :	Ditto with white striped silvery leaves
		6* Var : Fol varieg : lat:	Ditto with yellow striped leaves
			<i>Hippophae</i>

<i>Hippophae</i>	Rhamnoides	Sea Buckthorn
<i>Hydrangea</i>	Arborescens	Hydrangea with opposite oblong heart shaped leaves
<i>Hypericum</i> - 1 Androfemum		Tutsan, or St. John's-wort
- 2* Ascyon		Eastern ditto
- 3 Olympicum		Olympian ditto
- 4* Prolificum		Proliferous ditto
- 5 Canariense		Canary ditto
- 6 Hircinum		Stinking shrubby ditto
- 7* Fructu coccin :		St. John's wort with Scarlet fruit
<i>Iasmine</i> - 1* Officinale		White Jasmine
- 2* Var : fol : argente :		White striped leaved ditto
3* Var : fol : aureo :		Yellow striped ditto
varieg :		
- 4 Humile		Italian dwarf ditto
- 5 Fruticans		Common yellow ditto
- 6 - 7 Aquifolium		Common Holly
- 8 - 9 Var : varieg :		Striped ditto, many sorts
- 10 +Carolinensis		Broad leaved Carolina ditto
- 11 +Cassine		Dahoon ditto
- 12 +Var : angustifol		Narrow leaved ditto
		The two last should be planted against a South Wall
- 13 +Echinata		Green Hedge-hog Holly
- 14 +Var : aur : varieg:		Gold striped ditto

<i>Ilex</i>	+	8*+Var: argentea var: ting:	Silver striped disco-
<i>Ilex</i>	+	1* <i>Virginica major</i>	Greater Virginian Ilex
		2* Var: <i>minor</i>	Lesser ditto
<i>Ilex</i>		3 <i>Fraternalis</i>	Bastard Jesuits Bark
<i>Juglans</i>		1 <i>Regia</i>	Common Walnut
		2 <i>Nigra</i>	Black ditto
		3 <i>Alba</i>	White ditto
		4 <i>Cinerea</i>	Shag bark ditto
<i>Juniperus</i>		1 + <i>Communis</i>	Common Juniper
		2 + <i>Oxycedrus</i>	Great Spanish ditto
		3*+ <i>Lycia</i>	Lycian Cedar
		4*+ <i>Phoenicea</i>	Phoenician ditto
		5*+ <i>Virginiana</i>	Virginian red ditto
		6*+ <i>Succisa</i>	Swedish Juniper
	+	7 + <i>Salsina</i>	Common Savin
	+	8*+Var: fol: varieg:	Striped ditto
		9 + <i>Lusitanica</i>	Upright Berry bearing ditto
<i>Kalmia</i>	+	1*+ <i>Angustifolia</i>	Narrow leaved dwarf Ameri-
			can Laurel most delicate
	+	2*+ <i>Latifolia</i>	Broad leaved ditto, the most
			beautiful of all Shrubs
	+	3*+ <i>Polyfolia glauca</i>	Canada ditto, with smooth
			shining glaucous leaves
<i>Lavandula</i>	+	1 <i>Spica</i>	Spiked Lavender
		2 <i>Latifolia</i>	Broad leaved ditto

<i>Lavandula</i>	3 <i>Stachys</i>	French dittu
<i>Laurus</i>	1*† <i>Nobilis latifolia</i>	Broad leaved Sweet Bay
	2*† <i>Var: angustifolia</i>	Narrow leaved ditto
	3 <i>Benzoin</i>	Benjamin Tree
	4* <i>Sassafras</i>	Sassafras Tree
	5 <i>Ailanthus</i>	Deciduous Bay
		This should be planted against a South Wall.
<i>Ledum</i>	1*† <i>Latifolium</i>	Broad leaved Labrador Tea, or Marsh Cistus
	2*† <i>Longifolium</i>	Long leaved ditto
	3*† <i>Angustifolium</i>	Narrow leaved ditto
	4*† <i>Thymifolium</i>	Thyme leaved ditto, com- monly called Thyme leaved Kalmia
	5*† <i>Var: fol: Varieg:</i>	Striped leaved ditto
<i>Ligustrum</i>	1 <i>Vulgare</i>	Common Privet
	2 † <i>Sempervirens</i>	Evergreen ditto
	3 † <i>Latifolium</i>	Broad leaved Carolina ditto
<i>Liquidambar</i>	1 * <i>Syacatum</i>	Sweet Gum, with Maple leaves
	2 * <i>Peregrinata</i>	Ditto with Fern leaves
<i>Liriodendron</i>	1 * <i>Tulipifera</i>	Cut leaved Tulip Tree
<i>Lonicera</i>	1 * <i>Caprifolium</i>	Early White Honey-suckle
	2 * <i>Italica</i>	Italian ditto
	3*† <i>Sempervirens</i>	Trumpet ditto
	4*† <i>Var: micros</i>	Lesser Trumpet ditto
	5 * <i>Pectinatum</i>	Dutch ditto

<i>Laurus</i>	6 "Germanica	Long blowing ditto
"	7 "Serotina	Late red ditto
"	8 "Quercifolia	Oak leaved ditto
"	9 "Campbellis	Late white ditto
"	10 "Americana	Evergreen ditto
"	11 "Balearica	Minoeca ditto
	12 Nigra	Black berried ditto
	13 Cornuta	Blue ditto ditto
	14 Tartaria	Tartarian ditto
"	15 Xylosteum	Fly ditto
	16 Alpigena	Upright Fly ditto
"	17 Symphoricarpos	Shrubby St. Peter's-wort
	18 Diervilla	Dwarf yellow ditto
	19 Glauca	Ditto with bluish, green leaves
<i>Lathyrus</i>	1 Hirsutus	Hairy Bird's-foot Trefoil
	2 Rectus	Upright ditto
<i>Magnolia</i>	1 "Grandiflora	Larch leaved Tulip Tree
	2 "Var: ferruginea	Ditto with the leaves of an Irony cast on the under side
"	3 "Glauca	Ditto with a whitish cast on the under side of the leaves, commonly called Swamp or Small sweet scented Magnolia
	4 "Var: florae plena	Small Magnolia, with double flowers

<i>Afogatis</i>	5 * <i>Acuminata</i>	Bluz flowering Magnolia, commonly called Deciduous Magnolia
	6 * <i>Tripetala</i>	Umbrella Tree
<i>Afoniiformis</i>	1 * <i>Canadense</i>	Canada Moon Seed
	2 <i>Virginicum</i>	Virginian ditto
<i>Afophilus</i>	1 <i>Germanica</i>	Dutch Medlar
1	2 *† <i>Pyracantha</i>	Evergreen Thorn
	3 * <i>Arbutifolia</i>	Arbutus leaved Meliphus
	4 * <i>Pumila</i>	Dwarf ditto
	5 * <i>Amelanchier</i>	Alpine ditto
	6 <i>Chamae Meliphus</i>	Baldard Service
	7 <i>Cotoneaster</i>	Quince leaved ditto
+	8 * <i>Canadensis</i>	Snowy ditto
<i>Afostyla</i>	1 * <i>Pinnatifida</i>	Acacia with pinnated leaves,
	2 * <i>Arborescens</i>	Tree Sensitive plant, most beautiful
<i>Afornis</i>	1 <i>Alba</i>	White Mulberry
	2 <i>Rubra</i>	Red ditto
	3 <i>Nigra</i>	Black ditto
	4 * <i>Papyrifera</i>	Paper ditto with cut leaves
<i>Ajania</i>	1 * <i>Gale</i>	Sweet Gale, or Myrtle
+	2 * <i>Cerifera</i>	Candleberry Myrtle
	3 *† <i>Vas. Semperflorens</i>	Evergreen ditto
<i>Aqfia</i>	1 * <i>Aquatica</i>	Water Tupelo Tree, with bread sharp in pointed dent-ed leaves

<i>Nyssa</i>	2 <i>Integrifolia</i>	Tupelo Tree, with broad sharp-pointed leaves, not indented, commonly called Upland Tupelo Tree
	3 <i>*Rotundifolia</i>	Tupelo Tree, with roundish shining leaves
<i>Olea</i>	1*† <i>Europaea</i>	Common Olive Tree, with small oblong fruit
	2*† <i>Buxifolia</i>	Box leaved ditto
	3*† <i>Sylvestris</i>	Wild Olive, with spear shaped leaves, white on the under-side
	4*† <i>Hispanica</i>	Spanish Olive, with large oval fruit
		N. B. The four Sorts of Olives should be planted against a South Wall.
<i>Osmunda</i> .	1 <i>*Fruticosa</i>	Shrubby Rock Harrow, with red flowers
	2 <i>Alba</i>	White ditto ditto
<i>Pafffia</i> ..	1 <i>*Coriacea</i>	Common Passion Flower
<i>Periplan</i>	2 <i>*Graca</i>	Virginian Silk
<i>Philadelphus</i>	1 <i>*Coronarius</i>	White Syringa, commonly called Mock Orange
	2 <i>*Inodorus</i>	Dwarf ditto
	3*† <i>Aromaticus</i>	Sweet Scented New Zealand Tea Tree
		N. B. This should be planted against a South Wall.

*Phillyrea*

<i>Phillyrea</i>	1*† <i>Media</i>	Olive leaved Phillyrea, or Mock Privet
	2*† <i>Angustifolia</i>	Narrow leaved ditto
—†	3*† <i>Latifolia Serrata</i>	Phillyrea, with oval beauty shaped serrated leaves
—	4*† <i>Var: Lat. non Serrata</i>	Ditto with smooth leaves not serrated
	5*† <i>Buxifolia</i>	Box leaved ditto
<i>Phamis</i>	1 * <i>Pratensis</i>	Shrubby Jerusalem Sage Tree
	2 Var: <i>Angustifol:</i>	Narrow leaved ditto
	3 <i>Purpurea</i>	Purple flowering ditto
<i>Pine</i>	1 † <i>Sylvestris</i>	Scotch Pine
	2*† <i>Latifolius</i>	Pinaffter
	3*† <i>Pinea</i>	Stone Pine
	4 † <i>Taeda</i>	Frankincense ditto
	5*† <i>Cembra</i>	Siberian Stone ditto
	6*† <i>Strobos</i>	Weymouth ditto
	7*† <i>Cedrus</i>	Cedar of Lebanon
	8 † <i>Larix</i>	Common Larch
	9 Var: <i>Nigra</i>	Black ditto
	10 *Var: <i>Repens</i>	Creeping ditto
	11*† <i>Picea</i>	Silver Fir
	12*† <i>Balsamea</i>	Balm of Gilead ditto
	13*† <i>Canadensis</i>	White Spruce ditto
	14*† <i>Rubra</i>	Red ditto ditto
	15*† <i>Var: Nigra</i>	Black ditto ditto
	16*† <i>Abies</i>	Norway ditto ditto

<i>Pinus</i>	17 <sup>o</sup> † <i>Paleastris</i>	Swamp Pine
	18 † <i>Halepensis</i>	Aleppo ditto
	19 <sup>o</sup> † <i>Americanus</i>	Hemlock Spruce Fir
	20 † <i>Virginiana</i>	Jersey Pine
<i>Platanus</i>	1 <sup>o</sup> † <i>Orientalis</i>	Eastern Plane Tree
	2 " <i>Occidentalis</i>	Western ditto
	3 " <i>Hispanica</i>	Spanish ditto
<i>Populus</i>	1 Alba	White Poplar
	2 Var: fol: Lobat:	Ditto with cut leaves
	3 Tremula	Aspen Tree
	4 " <i>Nigra</i>	Black Poplar
	5 " <i>Paderensis</i>	Lombardy, Po, or Pyramidal Poplar
	6 " <i>Carolinensis</i>	Carolina ditto
	7 " <i>Canadensis</i>	Canada ditto
	8 " <i>Cordifolia</i>	Poplar with heart shaped leaves
	9 " <i>Heterophylla</i>	Various leaved ditto
<i>-</i>	10 " <i>Graeca</i>	Athenian ditto
	11 " <i>Balsamifera</i>	Tacamahac ditto
	12 " Var: major	Greater ditto
	13 " Var: fol: Varieg:	Ditto with striped leaves
<i>Fragaria</i>	1 <i>Verticillatum</i>	Winter Berry, with leaves longitudinally serrated
<i>-</i>	2 <sup>o</sup> † <i>Glaber</i>	Evergreen ditto, with the top of the leaves serrated
	3 <i>Padus</i>	Common Bird Cherry
	4 † <i>Virginiana</i>	Virginia ditto

<i>Prunus</i>	3. <i>Canadensis</i>	Dwarf Canada ditto
	4. <sup>*</sup> † <i>Lusitanica</i>	Portugal Laurel
	5. <i>Mahaleb</i>	Perfumed Cherry
	6. * <i>Cerasus</i> fl. pl.	Double flowering ditto
	7. * <i>Strigata</i>	Upright Canada Bird Cherry
	8. <i>Nigra</i>	Black ditto
	9. <sup>*</sup> † <i>Lauro Cerasus</i>	Common Laurel
	10. <sup>*</sup> † Var: <i>Fol. Argent.</i>	Silver striped ditto
	Varieg:	
	11. <sup>*</sup> † Var: <i>Fol. Aur. Varieg:</i>	Gold striped ditto
	12. <sup>*</sup> † Var: <i>Angustifol.</i>	Narrow leaved ditto
	13. * <i>Flore Pleno</i>	Double flowering Damson
<i>Pyrus</i>	1. * <i>Trifoliata</i>	Three leaved Shrubby Trefoil
<i>Punica</i>	1. * <i>Granatum</i>	Single Pomegranate
	2. * <i>Flore pleno</i>	Double flowering ditto
		These two last should be planted against a South Wall.
<i>Pyrus</i>	1. * <i>Fol. Varieg:</i>	Striped leaved Pear Tree
	2. * <i>Fl. pleno</i>	Double flowering ditto
	3. * <i>Coronaria</i>	Sweet Scented Crab
	4. <sup>*</sup> † <i>Sempervirens</i>	Evergreen ditto
	5. * <i>Baccata</i>	Siberian ditto
<i>Quercus</i>	1. <i>Phellos</i>	Willow leaved Oak
	2. Var: <i>fol. oblonga</i>	Long leaved ditto
	3. Var: <i>fol. brevibarba</i>	Short leaved ditto

<i>Quercus</i>	4 <i>Phellos Heterop:</i>	Various leaved ditto
	5* <i>Ilex</i>	Evergreen ditto
	6* <sup>t</sup> Var: fol: oblong:	Long leaved ditto
	7* <sup>t</sup> <i>Gramundia</i>	Holly leaved ditto
	8* <sup>t</sup> <i>Suber</i>	Cork Tree
	9* <sup>t</sup> <i>Coccifera</i>	Kermes Oak
	10 * <i>Prinus</i>	Sinuated ditto
	11 * <i>Nigra</i>	Black ditto
	12 * <i>Rubra</i>	Scarlet ditto
	13 * <i>Montana</i>	Mountain ditto
	14 * <i>Alba</i>	White Virginian ditto
	15 * <i>Aesculus</i>	Chestnut leaved ditto
	16 * <i>Aegilops</i>	Prickly Cap'd Spanish ditto
	17 * <i>Carpinis</i>	Turkey ditto
	18* <sup>t</sup> <i>Carolinianis</i>	Carolina Live ditto
	19 * <i>Robur</i>	English ditto
	20 *Var: fol: Varieg:	Striped leaved ditto
	21 * <i>Humilis</i>	Dwarf American Oak
	22 * <i>Exoniensis</i>	Exeter Oak, commonly cal- led Luccombe's Oak
	23 *-----	Commonly called Turner's Oak
<i>Rhamnus</i>	1 <i>Catharticus</i>	Common Buckthorn
	2 <i>Alpina</i>	Alpine ditto
	3 * <i>Frangula</i>	Berry Bearing ditto
	4* <sup>t</sup> <i>Alaternus</i>	Common Alaternus
	5* <sup>t</sup> Var: fol: Varieg:	Blotched ditto

<i>Rhamnus</i>	6*; Var: fol: argentea 7*; Folia dentata 8*; Var: fol: variegata 9 *Pallidus 10 *Lineatus	Silver striped ditto Jagged leav'd ditto Striped ditto ditto Chaff's thorn Supple jack Of the above, numbers 6, 7, 8, 9, should be planted in warm situations
<i>Rhadinodendron</i>	1*; Maximum 2*; Ponticum 3*; Ferrugineum 4*; Hirsutum	Great American dwarf Rose- Bay, most beautiful Pontic ditto, with violet-co- looured flowers, most fine Dwarf Alpine ditto, with rose- coloured flowers and murry coloured leaves Ditto ditto, with very hairy shining leaves
<i>Rhodora</i>	1 *Canadensis	Canada rose bay
<i>Rhus</i>	1 Coriaria 2 Typhitum 3 *Glabra 4 *Vernix 5 Copalimum 6 Radicans 7 Toxicodendron	Myrtle leaved Sumach Virginian ditto, commonly called flags horns Scarlet ditto Varnish tree ditto Lenticous leaved ditto Upright poison oak Trailing ditto

<i>Xba</i>	+	8 * <i>Cotinus</i>	Venus's Sumach
		9 * <i>Sinensis</i>	Lac tree
<i>Robinia</i>	-+	1 * <i>Pseudo Acacia</i>	Falso Acacia
		2 <i>Caragana</i>	<i>Caragana</i> , with oblong thick leaves
		3 <i>Frutescens</i>	Shrubby ditto, with yellow bark
		4 <i>Pigmenta</i>	Four leaved ditto
	-+	5 * <i>Hippida</i>	Scarlet Acacia
<i>Rosa</i>		1 <i>Alpina</i>	Alpine Rose
	-+	2 * <i>Spinoflissima</i>	Red Scotch ditto
	-+	3 *Var: <i>Variegata</i>	Marble ditto ditto
	-+	4 Var: <i>Flava</i>	Yellow ditto ditto
	-+	5 <i>Eglanteria</i>	Common Sweet Briar
		6 *Var: <i>Muscifera</i>	Mossy ditto
		7 *Var: <i>Flore pleno</i>	Double ditto
		8 *Var: <i>Sempervirens</i>	Evergreen ditto
	-+	9 Var: <i>Incarnata</i>	Double blush ditto
		10 *Var: fol. <i>Varieg.</i>	Striped ditto
	-+	11 <i>Cinnamomea</i>	Double cinnamon rose
		12 <i>Caroliniana</i>	Carolina ditto
	-+	13 <i>Villoso floce pleno</i>	Double apple-bearing ditto
	-+	14 * <i>Centifolia Batavica</i>	Dutch hundred leaved ditto
	-+	15 Var: <i>Rubens</i>	Blush ditto ditto
		16 Var: <i>Vulgo</i> ditto:	Singleton ditto ditto
	-+	17 *Var: <i>Vulgo</i> ditto:	Pompono ditto, the most delicate of all roses

*Rosa*

<i>Rosa</i>	18	<i>Gallica</i>	Red officinal
	19	* <i>Vericolor</i>	Red mundi
	20	<i>Vulgo</i> ditto	Virgins rose
	21	* <i>Marmorata</i>	Double marbled rose
	22	* <i>Sempervirens</i>	Evergreen ditto
	23	* <i>Moschata</i> fl. pl.	Double musk rose
	24	<i>Pendulina</i>	Greater buntet leaved ditto with long hanging fruit
	25	<i>Germesia</i>	Frankfort ditto
	26	<i>Alba</i> flore pleno	Double white ditto
	27	<i>Alba Incarnata</i>	Maidens blush ditto
	28	*Var: major	Royal ditto ditto
	29	<i>Provincialis</i>	Common red Provence ditto
	30	Var: major	Cabbage ditto ditto
	31	* <i>Muskata</i>	Musk ditto ditto
	32	*Var: <i>Incarnata</i>	Blush ditto ditto
	33	*Unique	Large double white ditto ditto
	34	<i>Vulgo</i> ditto	Childings ditto ditto
	35	<i>Belgica rubra</i>	Red Belgic ditto
	36	*Var: <i>Incarnata</i>	Blush ditto ditto
	37	* <i>Vulgo</i> ditto	Great royal ditto
	38	<i>Menstrualis rubra</i>	Red monthly ditto
	39	Var: <i>Canges</i>	Blush ditto ditto
	40	Var: <i>Alba</i>	White ditto ditto
	41	Var: <i>Variegata</i>	Striped ditto ditto
	42	* <i>Damascena</i>	Double red damask ditto
	43	*Var: <i>alba</i>	Whitr ditto ditto

<i>Rosa</i>	44 *Var: Incarnata	Blush ditto ditto
+	45 *Var: Vericolor	York and Lancaster ditto
✓	46 *Burgundensis rubra	Dwarf red Burgundy ditto
-	47 Internis	Thornless ditto
	48 Indica	Smooth five leav'd China ditto
		This should be planted against a south wall
-	49 *Bicolor	Red Austrian rose
-	50 *Lutea	Yellow ditto ditto
-	51 *Hispanica	Double yellow ditto
-	52 *Pennsylvanica	Double Pennsylvania ditto
-	53 *Rose de Meux	A beautiful small blush co- lored French rose
+	54 *Portlandia	Portland ditto
	55 Sebonensis	Sebon ditto
	56 Velgo ditto.	Bromley ditto
+	57 *Holofernia plena	Double velvet ditto
	58 Pimpinellifolia	Burnet leaved ditto
	59 Francois	St. Francis's ditto
<i>Rubus</i>	1 +Officinalis	Common Rosemary
	2 *Var: fol: argent:	Silver striped ditto
	3 *Var: fol: aur: varieg:	Gold ditto ditto
<i>Rubus</i>	4 - 1 Hispida	Canada Raspberry
	2 *Frueticosus fl: pl:	Double flowering Bramble
	3 Var: Fruite albo	Bramble with white fruit
	4 *Odoratus	Flowering Raspberry

<i>Rubus</i>	1	1 + Aculeatus	Butchers broom, or knee holly
	2	2 * + Hypoglossum	Tonges upon tongues
	3	3 * + Racemosus	Alexandrian laurel
<i>Ruta</i>	1.	1 + Graveolens	Common Rue
	2.	2 + Latifolia	Broad leaved ditto
<i>Salix</i>	1.	1 Hermaphroditica	Willow, with smooth shining ferrated leaves
	2	Triandra	White barked willow
	3	* Pentandra	Sweet scented ditto
	4	Virellina	Yellow barked ditto
	5	* Amygdalina	Almond leaved ditto
	6	Fragilis	Most brittle or crack ditto
	7	* Purpurea	Purple or Norfolk ditto
	8	Reticulata	Round smooth leaved ditto
	9	Rubra	Red ditto
	10	Arenaria	Sand willow
	11	Rosmarinifolia	Rosemary leaved ditto
	12	Caprea	Sallow or black ditto
	13	* Var: fol: varieg:	Striped leaved ditto
	14	* Babylonica	Weeping ditto
	15	Viminalis	Swallow tailed ditto, or Oler
	16	* Alba	White ditto
	17	Fusca	Brown ditto
	18	Helix	Rose or dwarf yellow ditto
	19	Glaucia	Alpine glaucous leaved ditto

*Salix*

<i>Salix</i>	20	Lanata	Woolly ditto
	21	Aurita	Hoary round leaved ditto
	22	Hartacea	Lapland creeping willow, with round smooth serrated leaves
<i>Saxifraga</i>	—	Fruicosa	Shrubby glass-wort
<i>Sambucus</i>	1	Nigra	Common black Elder
	2	Canadensis	Canada ditto
	3	Fruitosa albo	White berried ditto
	— 4	*Varieg: argente:	Silver striped ditto
	5	*Varieg: aureo	Gold striped ditto
	— 6	Fol: Laciniat:	Parsley leaved ditto
	— 7	Racemosa	Scarlet berried ditto
<i>Santolina</i>	—	1 +Chamæcypræflus	Lavender cotton
	2	+Rosmarinifolia	Rosmary leaved ditto
	3	+Minor	Lesser ditto
<i>Sideroxylon</i>		Lycioides	Canada thorny ironwood
<i>Smilax</i>	1	Alpina	Rough bindweed
	2	*Sarsparilla	Oval leaved ditto
	3	*Rotundifolia	Round leaved ditto
	4	*Ternoides	Briony leaved ditto
	5	*Laurifolia	Laurel leaved ditto
<i>Solanum</i>	—	*Dulcamara fol: var:	Striped solanum
<i>Sorbus</i>	—	1 *Aucuparia	Mountain ash
	— 2	Domestica	True service
<i>Spartium</i>	—	1 *+Juncatum	Spanish broom
	— 2	*Junceum plan:	Double ditto

<i>Spiraea</i>	† 3. †Scoparium	Common English ditto
	† 4. †Album	White Portugal ditto
	5. Monospermum	White Spanish broom
	6. Luteum Lut:	Yellow Portugal ditto
<i>Spiraea</i>	1. Salicifolia	Willow leaved Spirea
	2. Tomentosa	Scarlet woolly leaved ditto
	† 3. *Hypericifolia	Hypericum frutesc.
	4. *Crenata	White Spirea
	5. *Ovalifolia	Virginian golden rose
<i>Syphyllea</i>	1. Pinnata	Five leaved bladder nut
	2. Trifoliata	Three leaved ditto
<i>Sassafras</i>	† 1. *Malaccodendron	This plant takes its name from the Right Hon. the Earl of Bute, who first introduced it into England from Virginia. It has very sharp pointed broad serrated leaves, with red foot-stalks and noble large white flowers
	2. *Var: Marylandica	<i>Stewartia</i> , from Maryland, with broad sharp pointed leaves, and green foot stalks
<i>Syrac</i>	1. Officinalis	Syrian officinal florax N. B. This should be planted against a south wall.

<i>Syringa</i>	1. <i>Grandiflora</i>	Large leaved ditto
	2. <i>Vulgaris Cerulea</i>	Common blue Lilac
	3. *Var: <i>Purpurea</i>	Purple flowering ditto
	4. *Var: <i>Alba</i>	White ditto
	5. *Var: fol: varieg:	Gold striped ditto
	6. * <i>Perfusa Cerulea</i>	Blue Persian ditto
	7. *Var: <i>Alba</i>	White ditto
	8. *Var: <i>Laciniosa</i>	Cut leaved ditto
<i>Tamarix</i>	1. * <i>Gallica</i>	French Tamarisk, with a red dish bark
	2. * <i>Germanica</i>	German ditto, with yellow bark
<i>Taxus</i>	- 1. † <i>Baccata</i>	Common Yew tree
<i>Teucrium</i>	- 1. <i>Flavum</i>	Shining leaved Germander
<i>Thea</i>	1. *† <i>Viridis</i>	True Chinese green tea tree
	2. *† <i>Bohea</i>	True Chinese Bohea ditto
<i>Thuya</i>	1. † <i>Occidentalis</i>	American Arbor Vitae
	2. *† <i>Orientalis</i>	China ditto
<i>Thymus</i>	- 1. † <i>Mastichina</i>	Marlwick thyme
	- 2. † <i>Vulgaris</i>	Common ditto
	3. † <i>Cephalotes</i>	Portugal ditto
	- 4. *† <i>Folia varieg:</i>	Striped leaved ditto
<i>Tilia</i>	1. <i>Europaea</i>	Common Lime tree, with grey bark
	2. Var: <i>Viminibus</i> <i>rubris</i>	Ditto with red twigs

	3 * <i>Virginica</i>	Virginian ditto, with large smooth green leaves and mottled bark.
	4 * <i>Carolinensis</i>	Large leaved Carolina woolly ditto
<i>Ulmus</i>	1 <i>Campbellis</i>	English Elm, with the leaves doubly serrated
	2 *Var: <i>fol: varieg:</i>	Ditto, with silver-striped leaves
	3 <i>Angustifolia</i>	Narrow leaved Cornish ditto
	4 <i>Belgica</i>	Dutch ditto, with very spongy bark.
	5 <i>Americana</i>	American ditto, with the leaves singly and equally serrated
	6 Var: <i>scabra</i>	Rough leaved American ditto
	7 <i>Glabra</i>	Smooth barked Wych Elm, with oblong leaves, doubly serrated
<i>Fascinium</i> -+	1 <i>Myrtillus</i>	Bilberry, or Whortle berry
	2 * <i>Uliginosum</i>	Great ditto, with oval glaucous leaves
	3 * <i>Album</i>	Pennsylvanian white ditto
	4 *† <i>Vitis Idaea major</i>	Greater red whorts, with dotted leaves
	5 *†Var: <i>minor</i>	Lesser ditto

<i>Vaccinium</i>	6. <i>Oxycoleum</i>	Cranberries, Mallowberries, or Moorberries, with small oval leaves and creeping thready stalks
	7. <i>Tenellum</i>	<i>Vaccinium</i> , with small entire oval shining leaves, and wiry stalks
	8. <i>Fundatum</i>	<i>Vaccinium</i> , with wiry bunches set very close, with oblong entire leaves
	9. <i>Aureum</i>	<i>Vaccinium</i> , with beautiful reddish, yellowish, bluish flowers, blended like the colours of a rainbow
	10. <i>Mucronatum</i>	<i>Vaccinium</i> , with sharp pointed smooth entire leaves, and bluish green stalks
	11. <i>Corymbosum</i>	<i>Vaccinium</i> , with oblong sharp pointed entire leaves, and the flowers in oval clusters
	12. <i>Stamineum</i>	<i>Vaccinium</i> , with the stamens longer than the flowers, and oblong sharp pointed leaves
	13. <i>Ligustrinum</i>	Privet leaved <i>vaccinium</i>
	14. <i>Hippodulum</i>	<i>Vaccinium</i> , with entire oval leaves and creeping prickly stalks

<i>Filicaceae</i>	$\frac{1}{+}$	1*† <i>Tinus</i>	Common Laurel
	$\frac{2}{+}$	2*† <i>Folii varieg.</i>	Striped leaved ditto
	$\frac{3}{+}$	3*† <i>Lucidum</i>	Shining leaved ditto
	$\frac{4}{+}$	4*† <i>Var. fol. varieg.</i>	Striped ditto ditto
	$\frac{5}{+}$	5*† <i>Var. fol. hirsut.</i>	Hairy shining ditto ditto
	6	<i>Nudum</i>	Oval leaved Viburnum
	7	<i>Prunifolium</i>	Plum leaved ditto
	8	<i>Dentatum</i>	Indented ditto ditto
	$\frac{9}{+}$	9 <i>Lantana</i>	Common Wayfaring Tree
	10	<i>Var. latifolium</i>	Broad leaved American ditto
	11	<i>Var. variegatum</i>	Striped leaved ditto ditto
	12	<i>Acerifolium</i>	Maple leaved ditto
	13	<i>Opulus</i>	Marl elder, or Guelder rose
	14	* <i>Var. flore pleno</i>	Double ditto
	15	<i>Lentago</i>	Canada Viburnum
	16	<i>Cassinoides</i>	Cassiberry Bush
	17	<i>Pyrifolium</i>	Pear leaved Viburnum
<i>Ficus</i>	$\frac{1}{+}$	1 † <i>Major</i>	Great Periwinkle
	$\frac{2}{+}$	2 † <i>Minor</i>	Lesser ditto
	$\frac{3}{+}$	3*† <i>Fol. varieg. argentea</i>	Silver striped ditto
	$\frac{4}{+}$	4*† <i>Var. auricis</i>	Gold striped ditto
<i>Ficus</i>	1	<i>Agnus castus</i>	Chaste Tree
	2	<i>Latifolius</i>	Broad leaved ditto
<i>Ficus</i>	1	<i>Vulpina</i>	Fox grape
	2*† <i>Arborescens</i>	Winged leaved ditto	
<i>Ficaria</i>	$\frac{1}{+}$	1*† <i>Aloifolia</i>	Adam's Needle

	+	<i>† Filamentaria</i>	Thready Yucca, a very curious plant
Zanthoxylum		<i>Clava Herculis</i>	Tooth-ach plant tree

---

## H E R B A C E O U S   P L A N T S.

		<i>Latin Names.</i>	<i>English Names.</i>
<i>Buxaceæ</i>	+	1. * <i>Mollis</i>	Smooth leaved Bear's Breech
	+	2. * <i>Spinofus</i>	Prickly
		3. * <i>Spinolifimus</i>	Most prickly ditto ditto
<i>Asteraceæ</i>	1.	<i>Santolina</i>	Lavender cotton leav'd Milk-leaf
	2.	<i>Ageratum</i>	Sweet maudlin ditto
	3.	<i>Falcata</i>	Indented leaved ditto
	+	4. * <i>Tomentosa</i>	Yellow ditto
	5.	<i>Pubescens</i>	Downy ditto
	6.	<i>Abrotanifolia</i>	Southernwood leaved ditto
	7.	<i>Egyptica</i>	Egyptian ditto
	8.	<i>Clavennæ</i>	Silver leaved ditto
	9. *	<i>Parmica</i>	Double Snazzarwort
	10.	<i>Alpina</i>	Alpine Milk-leaf
	11. *	<i>Milefolium fl: rub:</i>	Red ditto
	12.	<i>Nobilis</i>	Noble ditto
	13.	<i>Macrophylla</i>	Feverfew leaved ditto
	14.	<i>Atrata</i>	Camomile leaved ditto
	15.	<i>Odorata</i>	Sweet scented ditto
	16.	<i>Cretica</i>	Cretan ditto
<i>Accidæ</i>	1.	<i>Cannabina</i>	Virginia hemp

<i>Aurantium</i>	1	<i>Lycottonum</i>	Yellow Wolfsbane
	2	<i>Uncinatum</i>	American ditto
<del>+</del>	3	<i>Variegatum</i>	Variegated ditto
<del>+</del>	4	* <i>Napellus</i>	Early blue ditto
	5	<i>Pyrenaeum</i>	Fennel leav'd ditto
<del>+</del>	6	<i>Anthora</i>	Wholesome ditto
<del>+</del>	7	<i>Album</i>	White ditto
<i>Aurea</i>	8	<i>Calamus</i>	Sweet Ruth
<i>Aurea</i>	9	<i>Spicata</i>	Spiked Herb Christopher
	10	<i>Alba</i>	White berried ditto
	11	* <i>H. acerina</i>	American branching ditto
	12	<i>Cimicifuga</i>	Siberian ditto
<i>Adonis</i>	13	* <i>Vernalis</i>	Yellow perennial Adonis
<i>Adonis</i>	14	<i>Molchata</i>	Hollow root
<i>Ajuncus</i>		<i>Altissimum</i>	Perennial Hemp Agrimony
<i>Agrimonia</i>	1	<i>Eupatoria</i>	Common Agrimony
	2	<i>Agrimonoides</i>	Three leaved ditto
	3	<i>Odonata</i>	Sweet-scented ditto
<i>Aegopodium</i>	15	<i>Coronaria</i>	Rock Campion
	16	* <i>Flore pleno</i>	Double ditto
	17	<i>Flos Jovis</i>	Umbellated ditto
<i>Angea</i>	18	<i>Orientalis</i>	Eastern Bugle
	19	<i>Pyramidalis</i>	Pyramidal ditto
	20	<i>Reptans</i>	Crooping ditto
<i>Alcea</i>	21	<i>Ficifolia</i>	Fig-leav'd Hollyhock
<i>Alchemilla</i>	22	<i>Valgaris</i>	Common Ladies Mantle
	23	<i>Hirsuta</i>	Hairy ditto

<i>Abronia</i>	3	Alpina	Alpine ditto
	4	Pentaphylla	Five leaved ditto
<i>Alocasia</i>	4.	*Uvaria	Alocasia with upright sword-shaped Leaves
<i>Allium</i>	+	1 Vittorialis	Broad-leaved Garlick
	2	Subhirsutum	White umbellated ditto
	3	Sativum	Manured ditto
	4	Serotinoprasum	Roccambole
	5	Sphaerocephalon	Round-headed Garlick
	6	Flavum	Yellow ditto ditto
	7	Chamom-Molly	Bastard ditto
	8	Cepa	Onion
	9	Moly	Yellow Moly
	10	Postrum	Leek
	11	*Magicum	Purple Moly, bearing Bulbs on its branches
	12	Rofatum	Starry Garlick
	13	Ursinum	Ramson ditto
	14	*Canadiana	Canada Tree Onion, singular
	15	Senescens	Narcissus leav'd ditto
<i>Aldera</i>	1	Officinalis	Marsh Mallow
	2	Cannabina	Hemp leav'd ditto
<i>Alpinia</i>	1	Montanum	Mountain Madwort
	2	Halimifolium	Sweet ditto
	3	*Sasatille	Yellow ditto
	4	Incanum	Hairy ditto
	5	Creticum	Cretan ditto

<i>Aegle</i>	+	6	Utriculatum	Bladder-podded ditto
	+	7	Hyperboreum	Northern ditto
		8	Alpestris	Italian ditto
	-	9	Vesicaria	Ditto with indented leaves
<i>Amarilis</i>	+	1	*Lutea	Autumnal Narcissus, com- monly called Yellow Au- tumn Crocus
	+	2	*Belladonna	Belladonna Lily, most beau- tiful
	+	3	*Samiensis	Guernsey Lily, most beautiful
	-	4	Atamasco	Narrow-leaved Spring Vir- ginian Lily, with one Flower
				N. B. The three last Sorts should be planted in a sandy rich soil, under a south wall, and covered in very severe weather with fern or straw
<i>Anemone</i>		1	Majus	Greater Bishops' Weed
		2	Glaucifolium	Perennial ditto
<i>Archangelica</i>	+	1	*Orientalis	Eastern yellow Bugloss
	+	2	Sempervirens	Evergreen broad-leaved ditto
<i>Asperula</i>	+		Lancea	Downy Sow Thistle
<i>Aster</i>	+	1	*Hepatica	Double red Hepatica
	..	2	*Flora Carol:	Double blue ditto
	..	3	Flore Albo	White ditto

<i>Anemone</i>	4	*Pulsatilla	Paque flower
	5	Hortensis	Broad-leav'd double Garden
	6	*Nemorosa	Anemony, many sorts
	7	Apennina	Double Wood Anemony
	8	*Narcissiflora	Blue Apennine ditto
	9	Thalictroides	Narcissus flower'd ditto
	10	Dichotoma	Goats Rue-leav'd ditto
	11	Alpina	Ditto with forked stalks
	12	*Coronaria	Alpine ditto.
			Single narrow-leaved Garden
			ditto, commonly called Pap-
			py Anemony
<i>Angelica</i>	1	Archangelica	Common Angelica
	2	Atropurpurea	Purple ditto
	3	Lucida	Shining ditto
<i>Aanthemis</i>	1	Nobilis fl: pl:	Double Camomile
	2	Pyrethrum	Pellitory of Spain
	3	Tinctoria	Tansey leaved ditto
<i>Aspericum</i>	1	Lilago	Grafs-leaved Spiderwort
	2	*Liliastrium	Savoy ditto
	3	Olfersiæ	Yellow Marsh Aphyllæ
<i>Astyphæ</i>	+	Vulneraria	Scarlet Kidney Vetch
<i>Astirrhium</i>	1	Montpellierianum	Montpelier Snap-dragon
	2	Genistellum	Broom-leaved ditto
	3	Linaria	Yellow Toads Flax
	4	*Nigra	Greater Snap-dragon
	5	*Folia varieg:	Striped leaved ditto

Apoget

<i>Apocynum</i>	1 * <i>Andrographisefolium</i>	Tutfan-leav'd Dogbane, com- monly called Fly-catching <i>Apocynum</i>
	2 <i>Cannabinum</i>	Canada ditto
<i>Aquilegia</i>	1 <i>Vulgaris</i> flo: ros:	Ros-coloured Columbine
	2 * <i>Flore variegat:</i>	Stripe-flower'd ditto
	3 <i>Alpina</i>	Alpine ditto
	4 * <i>Canadensis</i>	Canada ditto, with red and yellow flowers
<i>Arabis</i>	1 <i>Alpina</i>	Alpine Baffard Tower Mu- stard .
<i>Artemisia</i>	1 <i>Grandiflora</i>	<i>Artemaria</i> , with one large flower on a stalk
<i>Artemis</i>	<i>Alpina</i>	<i>Arctis</i> , with hoary stalks and alternate leaves
<i>Arifolochia</i>	1 <i>Pittochria</i>	Spanish Birthwort, with up- right flowers standing singly
	2 <i>Clematitis</i>	Common Birthwort, with an upright stalk and heart sha- ped leaves
	3 <i>Longa</i>	Long-rooted ditto
	4 <i>Rotunda</i>	Round-rooted ditto
	5 * <i>Odoratissima</i>	American sweet-scented ditto
<i>Arnica</i>	1 <i>Montana</i>	Mountain Arnica, with plan- tain leaves
	2 <i>Scorpioides</i>	Scorpion-rooted ditto, with alternate serrated leaves

<i>Arenaria</i>	1	Santonicum	Tartarian Southerswood
	2	Maritima	Sea Wormwood
	3	Absinthium	Common ditto
	4	Integerrima	Entire leaved ditto
	5	Caerulea	Lavender leaved ditto
	6	Dianthus	Tamagon
<i>Arum</i>	—	1 Dracunculus	Dragons, or Wake Robin
	—	2 Triphyllum	Three leaved ditto
	—	3 *Maculatum	Common spotted ditto
	—	4 *Ariferum	Italian ditto
	—	5 *Var: Fol: Varieg:	Striped ditto
	—	6 Virginicum	Virginian Arum
	7	Betafolium	Wake Robin, with narrow heart-shaped leaves, com- monly called Scunk Weed by the Americans
<i>Arundo</i>	1	Dosax	Manured Reed
	2	Phragmitis	Common ditto
	3	Epigejos	Small ditto
+	4 *Verticolar		Indian ditto, with broad va- riegated leaves most beau- tiful
			N. B. This should be planted under a south wall, and covered up in severe wea- ther

<i>Aforsia</i>	+	1. Europaeum	Common Aflanaceous
		2. Canadense	Canada ditto
		3. Virginicum	Virginian ditto
<i>Aflopisus</i>	-/	1. Syriaca	Syrian Dogbane
		2. *Exaltata	White ditto, most delicate
		3. Purpureaſcens	Purple ditto
		4. Amena	Oval purple leaved ditto
		5. *Incarnata	Flesh coloured ditto
		6. Vinctoroxicum	Official Swallow Wort
	+	7. Nigra	Black ditto
	-	8. *Tuberaria	Orange Apocynum, most beautiful
		9. Siberica	Siberian dwarf ditto
<i>Aforsia</i>	+	Odontia	Sweet-scented Woodroof
<i>Afphodius</i>	-	1. Lutrus	Yellow Kings Spear
	-	2. *Ramosus	Large white branching ditto
	+	3. Filiolatus	Dwarf hollow leaved ditto
<i>Afplexium</i>	-/	1. Scopendrium	Harts Tongue
	-	2. Crispa	Ditto with curled leaves
	-/-	3. Ceterach	Spleen wort
		4. Trichomanes	Common Maiden Hair
	+	5. Ruta Muraria	Wall Rue
		6. Viride	Green Maiden Hair
<i>Afir</i>	+	1. Alpinus	Alpine Star Wort
		2. Alienatus	Strange flowered ditto
		3. Virgatus	Slender branched ditto
	+	4. Salicifolius	Willow leaved ditto

<i>Aster</i>	5	<i>Purpureus</i>	Purple ditto
	6	<i>Aculeatus</i>	Prickly leaved ditto
	7	<i>Umbellatus</i>	Umbellated ditto
	8	<i>Repens</i>	Broad leaved creeping ditto
	9	<i>Corymbosus</i>	White ditto, with heart shaped leaves
+ -	10	<i>Miler</i>	Aster, with a few scattering flowers
+ -	11	* <i>Grandiflorus</i>	Noble blue pyramidal Aster, with a scaly calix
	12	<i>Novi Belgii</i>	New Holland ditto
	13	<i>Tradescanti</i>	Tradescantia ditto
	14	<i>Mutabilis</i>	Variable ditto
	15	<i>Levis</i>	Smooth ditto
+ -	16	<i>Punicos</i>	Purple stalked ditto
+ -	17	<i>Cordifolius</i>	Aster, with heart shaped leaves
	18	<i>Nova Angliae</i>	New England ditto
	19	<i>Undulatus</i>	Aster, with waved leaves
+ -	20	<i>Rigidus</i>	Ditto, with rough hard leaves
	21	<i>Concolor</i>	Ditto, with blue leaves, ending in a loose spike
	22	* <i>Linfolius</i>	Narrow leaved ditto
+ -	23	* <i>Linariifolius</i>	Flax leaved ditto
	24	* <i>Tenuifolius</i>	Slender leaved ditto
	25	* <i>Ericoides</i>	Heath leaved ditto
	26	* <i>Dumosus</i>	Bushy ditto
	27	<i>Divaricatus</i>	Various branching ditto

*Astergales*

<i>Ajor</i>	+	28 * <i>Apellus</i>	Italian ditto of Virgil
		29 <i>Tripodium</i>	Sea ditto
<i>Ajragalus</i>	+	1 <i>Alopecuroides</i>	Fox-tail Milk Vetch
		2 <i>Galegiformis</i>	Goats rue leaved ditto
	+	3 <i>Cicer</i>	Bladder podded ditto
		4 <i>Glycyphyllos</i>	Liquorice ditto
	+	5 <i>Arenarius</i>	Sand ditto
		6 <i>Alpinus</i>	Alpine ditto
<i>Ajrenaria</i>	+	1 * <i>Major</i>	Great black Matherwort
		2 * <i>Minor</i>	Lesser ditto
<i>Akemone</i>	+	<i>Meum</i>	Spignel
<i>Aropa</i>	-	1 <i>Mandragora</i>	Mandrake
		2 <i>Belladonna</i>	Deadly Night-shade
<i>Bella</i>	-	1 * <i>Perennis</i> fl: rub: pl: Var: fl: carmine varieg:	Double red Daisy
			Double flesh-coloured striped ditto
	-	3 *Var: fl: alb: pl:	Double white ditto
	-	4 * <i>Prolifera</i>	Hen and Chicken ditto
		5 * <i>Cristata alba</i>	White Coxcomb ditto
		6 *Var: rubra	Red ditto ditto
<i>Betonica</i>		1 <i>Officinalis</i>	Common Betony
	-	2 * <i>Danica</i>	Danish ditto
		3 <i>Alpina</i>	Alpine ditto
	+	4 * <i>Orientalis</i>	Oriental ditto
<i>Beychelium</i>	+	1 <i>Grandiflorum</i>	Great Ox Eye
	-	2 <i>Helianthoides</i>	Tall autumnal ditto
<i>Bapharion</i>		<i>Longifolium</i>	Long-leaved Hares-fear

<i>Cassia</i>	1	<i>Hedysaria</i>	Spear-leav'd Alpine Coltsfoot
	2	<i>Sweetolens</i>	Sweet-scented ditto
	3	<i>Atriplicifolia</i>	Oval-leaved ditto
	4	<i>Alpina</i>	Alpine ditto
<i>Colts</i>	-	<i>Palostris</i>	Marsh Balsam Arum
<i>Colts</i>	-	<i>Palustris</i>	Double Marsh Marigold
<i>Companula</i>	1	<i>Rotundifolia</i>	Round-leaved Bell Flower
	-	2 <i>Patula</i>	Field ditto
	-	3 <i>Rapunculus</i>	Rampion
	-	4 <i>Latifolia</i>	Giant Throatwort
	-	5 <i>Trachelium</i>	Great ditto
	-	6 <i>Flore pleno albo</i>	Double white ditto
	-	7 <i>Var: Carol:</i>	Double blue Campanula
	-	8 <i>*Glomerata</i>	Lesser Campanula
	-	9 <i>Thyrsoidea</i>	Echium ditto
	-	10 <i>*Pyramidalis</i>	Pyramidal ditto
	-	11 <i>Persicifolia</i>	Peach leaved ditto
	-	12 <i>*Var: fl: pl: cerulea</i>	Double blue ditto ditto
	-	13 <i>*Var: fl: pl: albo</i>	Double white ditto ditto
	-	14 <i>Spatula</i>	Dairy leaved ditto
	-	15 <i>Rhomboidea</i>	Triangular leaved ditto
<i>Cardamine</i>	-	1 <i>*Pratensis fl: albo pl:</i>	Double white Ladies Smock
	-	2 <i>Trifoliata</i>	Three leaved ditto
<i>Carduus</i>	1	<i>Catalpae</i>	Fish Thistle
	-	2 <i>Hebecarpa</i>	Melancholy ditto
<i>Cassia</i>	-	3 <i>*Marylandica</i>	Maryland Senna
<i>Catananche</i>	-	1 <i>Carulosa</i>	Blue Candy Lion's Foot

*Continued.*

<i>Centaurea</i>	1 Phrygia	Ciliate Centaury
	2 Peftinata	Peftinated ditto
	3 *Cineraria	Greater Blue Bottle
+	4 Montana	Lesser ditto
	5 Sibirica	Siberian ditto
	6 Scabiosa	Scabious-leaved ditto
	7 *Jacea	Knap Weed
	8 Splendens	Shining-leaved ditto
+	9 Glaucifolia	Wood-leaved ditto
	10 Crocodylium	Great yellow ditto
	11 Centaureum	Cut leaved ditto
<i>Ceratium</i>	1 Repens	Creeping Mouse Ear Chick- weed
	2 Arvense	Ditto, with linear leaves
+	3 Latifolium	Broad-leaved ditto
<i>Ceratibe</i>	Minor	Lesser Honeywort
<i>Chrysanthemum</i>	Aureum	Yellow wild Chervil
<i>Cheiranthus</i>	Cheiri fl: pl:	Double Wall Flower
<i>Cleidionium</i>	Flo: pleno	Double Celandine
<i>Chelone</i>	1 *Glabra	Red Chelone
	2 *Alba	White ditto
	3 Hirsuta	Pale blue hairy ditto
+	4 Pendulum	Lesser ditto
<i>Corydalis</i>	Leucanthemum	Great Ox-eye Daisy
	2 Atratum	Alpine ditto

<i>Chrysanthemum</i>	3	Balsamita	Rustard Cistmary
	4	Serotinum	Great Creeping Ox-eye Daisy
<i>Chrysanthemum</i>	1	*Linosyris	German Goldy Locks
	2	Biflora	Siberian ditto
<i>Chrysanthemum</i>	1	Alternifolium	Golden Saxifrage
- /	2	Oppositifolium	Opposite-leaved ditto
<i>Circassia</i>	1	Lutetiana	Common Enchanters Night-shade
	2	Alpina	Alpine ditto
	3	Canadensis	Canada ditto
<i>Clematis</i>	1	Recta	Upright Virgins Bower
- /	2	Integritolia	Entire-leaved ditto
<i>Clinopodium</i>	1	Vulgare	Common Field Balm
	2	Incanum	Hoary ditto
<i>Collinsonia</i>	1	Canadensis	Collinsonia, with opposite heart-shaped serrated leaves and pale red flowers.
<i>Clypeola</i>		Maritima	Spanish Train: Mulfard
<i>Comarum</i>	1	Palustre	Marsh Cinquefoil
<i>Convallaria</i>	1	*Majalis	Lily of the Valley
	2	*Flore pleno	Double ditto ditto
	3	Flore subro	Red ditto ditto
	4	*Verticillata	Whirled Solomon's Seal

<i>Carex</i>	γ	5 * <i>Polygonatum</i>	Upright ditto
	6	* <i>Multiflora</i>	True ditto
	7	* <i>Latifolia</i>	Broad-leaved ditto
	8	* <i>Racemosa</i>	Spiked ditto
	9	<i>Bifolia</i>	Two-leaved ditto
<i>Cassularia</i>	γ	1 <i>Lineata</i>	Dwarf Bindweed
	γ	2 <i>Solidanella</i>	Sea ditto
<i>Ceratostylis</i>		<i>Candida</i>	White Fleabane
<i>Cernuus</i>	γ	1 <i>Alternifolia</i>	Alternate-leaved Tick-seeded Sunflower
	2	<i>Alba</i>	White ditto
	γ	3 <i>Triptera</i>	Three-leaved ditto
	4	<i>Lanceolata</i>	Long-leaved ditto
	γ	5 * <i>Verticillata</i>	Larkspur-leaved ditto
<i>Cercocarpus</i>	†	1 <i>Canadensis</i>	Dwarf Canada Dogberry
<i>Ceratopteris</i>		1 <i>Matthioli</i>	Saxie, with the calyx shorter than the flower
	2	<i>Gmelini</i>	Saxie, with the calyx longer than the flower
<i>Crambe</i>		<i>Maritima</i>	Sea Cabbage
<i>Crotalaria</i>	1	* <i>Alba</i>	White Crotalaria
	γ	2 * <i>Cerulea</i>	Blue ditto
<i>Cyclamen</i>	γ	1 * <i>Europaeum</i>	Autumnal ivy-leaved Sow Bread
	γ	2 * <i>Purpureum</i>	Round-leaved Autumnal Cyclamen, with purple flowers

<i>Cyclamen</i>	3 *Coum	Winter Cyclamen, with orbicular plain smooth leaves, and bright purple flowers
<i>Corydalis</i>	✓ 1. <i>Omphalodes</i>	Blue Venus's Navelwort
<i>Cypripedium</i>	✓ 1 *Calceolus	English Ladies Slipper, with small yellow flowers
	2 *Virginianum	Virginian ditto, with large yellow flowers
✓	3 *Canadensis fl: pur:	Canada ditto, with large purple flowers, most delicate, striking, and singular
	4 *Var: fl: albo	Canada ditto, with large white flowers
	5 *Bulbosum	Bulbous rooted ditto, with round leaves
<i>Danica</i>	<i>Cannabina</i>	Bastard Hemp
<i>Daphne</i>	✓ 1 *Grandiflorum	Great flowering Larkspur
	✓ 2 *Elatum	Siberian Bee ditto
	3 *Americanum	American ditto
	4 <i>Staphyfagria</i>	Seaver's Acre
<i>Dentaria</i>	1 <i>Pentaphyllos</i>	Five-leaved Toothwort
	2 <i>Bulbilera</i>	Bulb-bearing ditto
<i>Dianthus</i>	✓ 1 *Barbatus fl: pl: pur:	Double purple Dutch Sweet William
	✓ 2 * Var: fl: pl: cocc:	Double pink-coloured Sweet William, commonly called Fairchild's Mule

*Dianthus*

<i>Dianthus</i>	✓ 3	<i>Armeria</i>	Deptford Pink
	✓ 4	* <i>Caryophyllus</i>	Clove July flower
	✓ 5	<i>Deltoides</i>	Maiden Pink
	✓ 6	* <i>Glaucus</i>	Dwarf Mountain ditto
	✗ 7	<i>Arenarius</i>	Stone ditto
	/ 8	* <i>Superbus</i>	Fringed Pink
	9	<i>Alpinus</i>	Alpine ditto
<i>Dianthus</i>	✗ 1	* <i>Albus</i>	White Fraxinella
	✓ 2	* <i>Flore rubro</i>	Red ditto
<i>Digitalis</i>	✗ 1	* <i>Purpurea</i>	Purple Fox Glove
	✓ 2	* <i>Flore albo</i>	White ditto
	✓ 3	<i>Lutea major</i>	Greater yellow ditto
	✗ 4	Var: <i>minor</i>	Lesser ditto
	✓ 5	<i>Ferruginea</i>	Iron-coloured ditto
	6	<i>Thapsi</i>	Verbascum leaved ditto
<i>Dicentra</i>	✗	* <i>Meadia</i>	American Cowslip most elegant, delicate and beautiful
<i>Dierama</i>	✓ 1	<i>Pardaliandra</i>	Great Leopards Bane
	✓ 2	<i>Plantagineum</i>	Plantain leaved ditto
	3	<i>Bellidiflorum</i>	Daisy-leaved ditto
<i>Diclis</i>	✗ 1	<i>Alpina</i>	Alpine Whitlow Grass
	2	<i>Pyrenaica</i>	Trifid-leaved ditto
<i>Dicranopalma</i>	✗ * 1	<i>Virginicum</i>	Virginian Dragons Head
	✗ 2	<i>Austriacum</i>	Austrian ditto
	✗ 3	<i>Ruyfchiana</i>	Hyllop-leaved ditto

<i>Dryas</i>	✓	Ottopetala	Hibernian Dryas, with eight petals to each flower
<i>Echinops</i>	✓	* Ritro	Lesser Globe Thistle
<i>Echium</i>	✓	* Vulgare	Vipers Bugloss
<i>Epilobium</i>	✓	Angustifolium	French Willow, with narrow leaves and red flowers
	2	* Latifolium	Broad-leaved ditto
	3	* Flores albo	White narrow-leaved ditto
	4	Hirsutum	Hairy-leaved French Willow
	5	* Folia varieg.	Striped-leaved ditto
<i>Equisetum</i>		Hyemale	Winter Horse-tail, or Shave Grass
<i>Epimedium</i>	✓	Alpinum	Alpine Barren West
<i>Eriogonum</i>	✓	1 Acre	Bluish Mountain Eriogonum
	2	* Purpureum	Labrador's After, with pink-coloured flowers
<i>Erinus</i>	✓	Alpinus	Alpine Erinus, with branching flowers
<i>Eryngium</i>	1	Festidum	Stinking Sea-holly
	2	Aquaticum	Marsh ditto
	3	* Planum	Broad-leaved ditto
	4	* Maritimum	Sea-holly, with round foliæ prickly leaves
	5	* Alpinum	Blue Alpine ditto
	6	* Amethystinum	Sea-holly, with beautiful and blue leaves and stalks

<i>Eryngium</i>	1	Campion	Common Sea Holly, with pinnated cut leaves
<i>Eryngium</i>	2	*Barbata fl: pl:	Double Winter Cabbage, commonly called Double yellow Rocket
<i>Erythronium</i>	1	*Dens Canis	Purple Dogs Tooth Violet
	2	*Var: fl: albo	White ditto
<i>Eupatorium</i>	1	Serratifolium	Virginian Hemp Agrimony
	2	Altissimum	High-growing ditto
	3	Purpureum	Purple ditto
	4	Cannabinum	Common ditto
	5	Maculatum	Spotted ditto
	6	Perfoliatum	Ditto, with perfoliated leaves
	7	Aromaticum	Virginian sweet-scented ditto,
	8	Odoratum.	Sweet-scented ditto
<i>Euphorbia</i>	1	Coralloides	Coral-stalked Spurge
	2	*Myrsinites	Dwarf ditto, with alternate leathery sea-green leaves
<i>Ferula</i>	1	Communis	Common Fennel Giant
	2	Glaucia	Glaucous-leaved ditto
	3	Canadensis	Shining Canada ditto
	4	*Tingitana	Giant Fennel
<i>Festuca</i>	1	Larvata	Smooth Sea-heath
	2	Hirsuta	Hairy-stalked ditto

<i>Fritillaria</i>	✓ 1 *Imperialis	Crown Imperials, many varieties
	✓ 2 *Meleagris	Fritillarias, many varieties
<i>Fumaria</i>	✓ 1 *Bulbosa rubra	Red Bulbous Fumitory
	2 *Var: fl: albo	White ditto
	✓ 3 *Radix Cava pur.	Purple hollow-rooted ditto
	4 *Var: fl: albo	White ditto ditto
	5 *Sempervirens alb:	White Evergreen ditto
	✓ 6 *Var: Lutea	Yellow ditto
<i>Galega</i>	✓ 1 Officinalis	White Goats Rue
	2 Var: fl: purp.	Purple ditto
<i>Gaultheria</i>	✓ 1 Gaultheria: fol: varieg.	Striped-leaved Hedge-nettle
	✓ 2 Var: fl: Lutea	Yellow flowering ditto
<i>Gallium</i>	✓ 1 Boreale	Northern Ladies Bed-straw
	2 Verum	Yellow ditto
<i>Gaura</i>	1 Biennis	Virginian Loofe Strife
<i>Gentiana</i>	✓ 1 *Lutea	Yellow Gentian
	2 *Purpurea	Purple ditto
	✓ 3 Asclepiadea	Swallow-wort leaved ditto
	✓ 4 Pucumananthe	Marsh ditto
	✓ 5 Saponaria	Soapwort-leaved ditto
	✓ 6 *Acaulis	Gentianella
	✓ 7 *Cruciata	Crosswort Gentian
	8 *Imperialis	Imperial ditto
<i>Geranium</i>	1 Maritimum	Sea Cranes Bill
	✓ 2 Macrothizum	Long rooted ditto

<i>Geranium</i>	✓ 3	<i>Phaeum</i>	Black ditto
	✓ 4	<i>Nodosum</i>	Knobby ditto
	✓ 5	<i>Striatum</i>	Streaked ditto
	✓ 6	<i>Sylvaticum</i>	Wood ditto
	✓ 7	<i>Palustre</i>	Marsh ditto
	✓ 8	<i>Pratense</i>	Meadow ditto
	✓ 9	<i>Maculatum</i>	Spotted-leaved ditto
	✓ 10	* <i>Sanguineum</i>	Bloody ditto
	✓ 11	* <i>Lancastriense</i>	Lancashire ditto
	✓ 12	<i>Robertianum</i>	Herb Robert
<i>Gron</i>	✓ 1	<i>Virginianum</i>	Virginian Avena
	✓ 2	<i>Urbanum</i>	Common ditto
	3	<i>Rivale</i>	Marsh ditto
	4	<i>Montanum</i>	Mountain ditto
	5	<i>Pyrenaicum</i>	Pyrenean ditto
<i>Gladish</i>	✓ 1	<i>Communis</i>	Corn Flag
	2	Fol: varieg:	Striped ditto
<i>Globularia</i>	✓ 1	<i>Vulgaris</i>	Common blue Globe Daisy
	✓ 2	<i>Acaulis</i>	Dwarf ditto
<i>Glycyrrhiza</i>	1	<i>Echinata</i>	Prickly Liquorice
	2	<i>Globosa</i>	Common ditto
<i>Gnaphalium</i>	1	<i>Plantagineum</i>	Plantain-leaved Everlasting
	✓ 2	<i>Dioicum</i>	Dwarf ditto
	✓ 3	<i>Sylvaticum</i>	Wood ditto
<i>Gratiola</i>	✓	<i>Officinalis</i>	Hedge Hyssop
<i>Gundelia</i>		<i>Tournefortia</i>	Acanthus-leaved Gundelia

<i>Gypsophila</i>	+	1 Prostrata	Gypsophila, with smooth spear-shaped leaves
		2 Perfoliata	Many - flowered perfoliated ditto
<i>Hedysarum</i>		1 Canadense	Canada St. Foin.
		2 Violaceum	Violet ditto
		3 Paniculatum	Virginian ditto
		4 Onobrychis	Common ditto
	+	5 Caput Galli	French Honey-fuckle
<i>Helianthus</i>		1 Autumnale	Autumn Bastard Sun-flower
		2 Pubescens	Soft ditto
		3 Latifolium	Broad-leaved ditto
<i>Helianthus</i>		1 Multifl. fl. pl.	Many-flowered double Sun- flower
		2 Var: fol: varieg:	Striped ditto
		3 Tuberosus	Jerusalem Artichoke
		4 Decapetalus	Ten petal'd Sun-flower
		5 Althaeus	Tallish ditto
		6 Giganteus	Giant ditto
		7 Divaricatus	Opposite-leaved ditto
<i>Helonias</i>	+	1 Bullosa	Helonias, with spear-shaped leaves and arbutus like flow- ers disposed in spikes
		2 "Asphodeloides"	Helonias, with crocus-like spreading leaves, and most beautiful cream - coloured flowers

<i>Helleborus</i>	+	1. Niger	Christmas Rose
	+	2. Hymalis	Winter Aconite
	+	3. Foetidus	Bear's Foot Hellebore
	+	4. Viridis	Green flowered ditto
	5.	Trifolius	Three-leaved ditto
<i>Hemerocallis</i>	+	1. *Flava	Yellow Day Lily
	+	2. Fulva	Day Lily, with reddish flowers
<i>Hesperis</i>	+	1. Trifolia	Night-smelling Dames Violet
	+	2. Matronalis	Common ditto
	+	3. *Fl: pl: albo	Double white Rocket
	+	4. Fl: pl: purp:	Double purple ditto
<i>Heschiera</i>	+	Americana	American Sanicle
<i>Hibiscus</i>		Palustris	Marsh Althea
<i>Hieracium</i>	1.	Pilosella	Mouk-ear Hawk-weed
	2.	Aurantiacum	Garden ditto
	3.	Subcaudatum	Oval hairy-leaved ditto
	4.	Fol: varieg:	Variegated ditto
	5.	Umbellatum	Umbellated ditto
<i>Hippocratea</i>	+	Comosa	Horseshoe Vetch
<i>Himantium</i>		Pyrenaicum	Pyrenean Clary
<i>Humulus</i>	1.	Lupulus Mas:	Male Hop
	2.	Femina	Female ditto
<i>Hyacinthus</i>	1.	*Mustari	Musk Hyacinth, with sili-
			coloured flowers

<i>Hyacinthus</i>	✓ 2. <i>Berryoides</i> Atm	Cerul: Grape ditto, with deep blue flowers
	3 "Var: Cerul:	Ditto ditto, with delicate azure blue flowers
	4 "Var: albus	Ditto ditto, with white flowers
✓	5 "Monstrosum	Feather'd ditto
✓	6 "Comosus	Tufted hairy ditto
✓	7 Orientalis	Oriental ditto, many varieties
✓	8 Non Scriptus fl: Cerul:	Common blue Hare bells
	9 Var: fl: albo	Ditto with white flowers
✓	10 Var: fl: rub:	Ditto with light red flowers
<i>Hydrophyllis</i>	<i>Canadensis</i>	Yellow root
- <i>Hydrophyllum</i>	1 <i>Virginicum</i>	Virginian Water-leaf
	2 <i>Canadense</i>	Canada ditto
<i>Hyoscyamus</i>	<i>Phyloclades</i>	Siberian Henbane, with oval entire leaves, and a globe-like bladder like calyx
" <i>Hypericum</i>	✓ 1 "Alcyron	Great flower'd St. John's Wort
	2 <i>Virginicum</i>	Virginian ditto
✓	3 <i>Quadrangulum</i>	Square stalked ditto
✓	4 <i>Perforatum</i>	Perforated ditto
✓	5 <i>Humifolium</i>	Trailing ditto
	6 <i>Montanum</i>	Mountain ditto

<i>Hypericum</i>	7	<i>Tomentosum</i>	Downy ditto
	8	<i>Eliodes</i>	Marsh St. Peter's Wort
	9	* <i>Pulchrum</i>	Upright St. John's Wort
	10	* <i>Prolificum</i>	Bartmanns Hypericum.
<i>Hypoxis</i>		<i>Erecta</i>	Canada Star of Bethlehem
<i>Hysopus</i>	✓	Fol: Varieg:	Striped leaved Hyslop
<i>Iberis</i>	1	<i>Rotundifolia</i>	Round leaved Alpine Candy Tuft
	2	* <i>Sempervirens</i>	Evergreen ditto, commonly called Perennial Candy Tuft
<i>Imperatoria</i>		<i>Ostruthium</i>	Bastard Pellitory
<i>Inula</i>	✓	1 <i>Helenium</i>	Elecampane
	2	<i>Salicina</i>	Willow-leaved Fleabane
	3	<i>Hirta</i>	Hairy ditto
	4	<i>Oculus Christi</i>	Fleabane, with very hairy leaves and stalks
	5	<i>Crichtonides</i>	Samphire-leaved ditto
	6	<i>Hirta</i>	Hairy Willow-leaved Elecampane
<i>Iris</i>	✓	1 * <i>Sibirana</i>	Calcedonian Fleur de Luce, with large black and white spotted flowers, very striking and singular
	2	* <i>Florentina</i>	Florentine Iris, with white flowers

<i>Iris</i>	<del>✓</del>	3 *Germanica	German, or Dalmatian Iris, with large light blue flowers
	<del>✓</del>	4 Sambucina	Elder smelling ditto
	<del>✓</del>	5 Squalens	Dingy brown-coloured ditto
	<del>✓</del>	6 *Variegata	Yellow variegated ditto
	<del>✓</del>	7 Pumila	Dwarf ditto, with one purple flower on a stalk
	<del>✓</del>	8 *Sibirica	Graffy-leaved Siberian ditto, with a three-sided germen
	<del>✓</del>	9 Vericolor	Broad-leaved Virginian ditto, with purple variegated flowers, commonly called Painted Lady Iris
		10 Virginica	Virginian ditto, with a three- sided germen
		11 Spuria	Narrow-leaved Bastard ditto, with a six-sided germen
	<del>✓</del>	12 *Graminea	Austrian Graff-leaved ditto, with a six-sided germen
		13 *Verna	Dwarf Virginia Spring ditto, with bluish purple sweet- scented flowers
	<del>✓</del>	14 *Tuberosa	Snakes Head ditto, with a small black flower
	<del>✓</del>	15 *Xiphium	English bulbous-rooted ditto, of many colours

<i>Iris</i>	✓ 16 *Persica	Dwarf striped Persian Iris, beautiful
	✓ 17 Sisyrinchium	Crocus-rooted ditto, with purple spotted flowers
✓	✓ 18 Pseudacorus	Yellow Water Iris
✓	✓ 19 Fertidiflora	Stinking Gladwin
✓	✓ 20 *Var: Fol: Varieg:	Striped-leaved ditto
	21 Riziosa	Greater Dwarf Iris, with two deep purple flowers on a stalk
	22 *Ochroleuca	Oriental erect white flower- ing Iris, with upright chan- nelled leaves
	23 Martinicensis	Iris from Martinico, with yellowish and black flowers
✓	✓ 24 *Hispanica	Spanish bulbous Iris, many sorts
<i>Iris</i>	✗ Tinctoria	Broad leav'd cultivated Wood, or Dyer's Weed
<i>Iris</i>	✗ Bulbocodium	Crocus-leaved Iris, with a large white flower
<i>Lamium</i>	1 Orvala.	Great purple Archangel
	2 Garganicum	Pale flowered ditto
	3 Helveticum	Switzerland ditto
<i>Lagerpitium</i>	1 Trilobatum	Three-leaved Laserwort
	2 Siler	Mountain ditto

<i>Lessertia</i>	Aureum	Golden Dandelion
<i>Lemna</i>	Cardiaca	Motherwort
<i>Lepidium</i>	Latifolium	Dittander
<i>Leucanthemum</i>	1. *Vernum	Greater Spring Snow-drop
	2. *Ælrium	Greater Summer ditto
	3. *Autumnale	Autumn ditto
<i>Ligustrum</i>	1. Leviticum	Common Ligage
	2. Scoticum	Scotch ditto
<i>Lilium</i>	1. *Candidum	Common white Lily
	2. *Var: fol: varieg:	Striped-leaved ditto
	3. Var: flore varieg:	Striped flowered ditto
	4. Var: flore pleno	Double ditto ditto
	5. *Bulbiferum	Bulb-bearing Orange ditto
	6. *Var: fol: varieg:	Striped-leaved ditto ditto
	7. Var: flore Purpureo	Purple flowering ditto
	8. Pomponium	Commonly called Pompony Martagon
	9. Chalcedonicum	Greater Scarlet Martagon
	10. Martagon	Martagon, with verticillated leaves and purple flowers
	11. Var: fl: albo	Ditto, with white flowers
	12. *Canadense	Canada Martagon, with ver- ticillated leaves, and se- cond bell-shaped spotted flowers

<i>Lilium</i>	✓	13 * <i>Philadelphicum</i>	Philadelphian Lily, with small yellow flowers spotted with black
		14 * <i>Superbum</i>	American Lily, with spreading verticillated spear-shap'd leaves; the stalk ending in a most superb pyramid of large orange and yellow flowers, spotted with large black spots: most beautiful
<i>Linen</i>	✓	Perenne	Perennial flax
<i>Lithospermum</i>	✓	<i>Officinale</i>	Common Gromwell
		2 <i>Virginicum</i>	Virginian ditto
<i>Lobelia</i>	✓	1 * <i>Cardinalis</i>	Scarlet Cardinal Flower
	✓	2 <i>Siphilitica</i>	Blue ditto
	-	3 Var: fl: albo	White ditto
<i>Lotus</i>	✓	1 <i>Maritimus</i>	Sea-bird's Foot Trefoil
	✓	2 <i>Corniculatus</i>	Hotned Trefoil
	-	3 <i>Cytisoides</i>	Cytisus-leaved ditto
<i>Lupinus</i>	✓	* <i>Perrunia</i>	Perennial Lupine
<i>Lunaria</i>	✓	<i>Radicosa</i>	Purple Honesty
	✓	Var: fl: albo	White ditto
<i>Lychnis</i>	✓	1 * <i>Chalcedonica</i> fl: pl:	Double Scarlet Lychnis
	✓	2 <i>Flos Cuculi</i> fl: rub:	Double Red Ragged Robin
	✓	3 Var: fl: albo	Double White ditto
	-	4 * <i>Viscaria</i> fl: pl: pur:	Double Purple Catch-fly
		5 <i>Alpina</i>	Alpine Lychnis

<i>Lysimachia</i>	1	<i>Europaea</i>	Water Horehound
	2	<i>Virginicus</i>	Virginian ditto
<i>Lysimachia</i>	1	<i>Vulgaris</i>	Common Lookstrife
+	2	<i>Ciliata</i>	American ditto
+	3	<i>Nemorum</i>	Wood ditto
+	4	<i>Nummularia</i>	Moneywort
.	5	<i>Tenella</i>	Purple flowering ditto
.	6	<i>Hispanica</i>	Spanish ditto
<i>Lythrum</i>		<i>Salicaria</i>	Purple-spiked Willow-herb
<i>Malva</i>	+	1 <i>Aloea</i>	Cut-leaved Mallow
	+	2 <i>Moschata</i>	Musk-scented ditto
<i>Marrubium</i>	1	<i>Candidissimum</i>	White Horchound
	2	<i>Volgare</i>	Common ditto
<i>Microrhiza</i>	+	* <i>Parthenium</i> fl: pl:	Double white Feverfew
<i>Medicago</i>	1	<i>Sativa</i>	Common Lucern
	2	<i>Falcata</i>	Dwarf Moon Trefoil
<i>Melissa</i>	+	1 <i>Officinalis</i>	Common Balm
	2	<i>Grandiflora</i>	Great flower'd ditto
	3	<i>Calamintha</i>	Calamint
	4	Var: fol: <i>Variegata</i> :	Striped leaved ditto
<i>Mentha</i>	1	* <i>Melittophyllum</i>	Bastard Balm, with striped flowers
<i>Mentha</i>	1	<i>Sylvestris</i>	Wild Mint
	2	<i>Rotundifolia</i>	Round-leaved ditto
+	3	<i>Crispa</i>	Curled ditto
	4	<i>Aquatica</i>	Water ditto
+	5	<i>Piperita</i>	Peppermint

	6	Sativa	Spear ditto
	7	Arenaria	Field ditto
	8	Pulegium	Pennyroyal
<i>Mercurialis</i>		Perennia	Perennial Mercury
<i>Mimulus</i> <del>+</del>	1	Rubens	Monkey Flower
	2	Luteus	Yellow ditto
<i>Mimulus</i> <del>+</del>	1	*Didyma	Oswego Tea, or Scarlet Lion's Tail
	2	Filiolata	Canada purple Lion's Tail
	3	Clinopodia fl: also	Virginian white ditto
	4	Dito fl: purp:	Ditto pale purple ditto
<i>Nepeta</i>	1	Hermaphrodita	Virginian Mallow, with hermaphrodite flowers
	2	Dioica	Ditto, with dioicous flowers
<i>Narcissus</i> <del>+</del>	1	Poeticus fl: pl:	Common double white Narcissus
	2	Pseudo Narcissus	Daffodil
	3	Eicolor	Two-coloured Narcissus
	4	Minor	Lesser ditto
	5	Modestus	Musk ditto
	6	Tazetta	Polyanthos ditto, many sorts
	7	Odorus	Sweet-scented ditto
	8	Jonquilla fl: pl:	Double sweet-scented Jonquil
	9	Var: fl: pl. max:	Large double ditto without scent, commonly called Queen of France Jonquil
	10	Var: flore Simpl:	Large single ditto

<i>Narcissus</i>	✓	11	Bulbocodium	Hoop Petticoat ditto
<i>Nepeta</i>		1	Cataria	Common Catmint
-	✓	2	Violetta	Violet-coloured ditto
		3	Italica	Italian ditto
		4	Hirsuta	Hairy ditto
<i>Osmunda</i>	✓		Sensibilis	Sensitive Fern
<i>Osmundea</i>	✓	1	Fruicosa	Tree Primrose
		2	*Pumila	Dwarf ditto
		3	*Grandiflora	Largest flowering ditto
<i>Oxybaphus</i>		1	Orientalis	Eastern Oxybaphus, with hang-
		2	Echioides	ing fruit
<i>Ophioglossum</i>			Vulgatum	Oxybaphus, with erect fruit
<i>Ophrys</i>		1	Spiralis	Common Adder's Tongue
	✓	2	Ovata	Spiral Orchis, or Triple La-
		3	*Monochroa	dies Traces
		4	Anthropophora	Twayblade
		5	*Inflata	Sweet-smelling Monk Orchid
		6	Nidus avin	Man ditto
		7	*Apifera	Fly ditto
<i>Orchis</i>	✓	1	Pyramidalis	Bird's Nest ditto
		2	Morio	Bee ditto
		3	Mascula	Pyramidal ditto
	✓	4	Maculata	Female ditto
		5	Militaris	Male ditto
		6	Papilionacea	Spotted-leaved ditto
				Soldier-like ditto
				Butterfly ditto

<i>Origanum</i>	+	<i>Vulgare</i>	Common Marjoram
<i>Orrhagium</i>	X	<i>Luteum</i>	Yellow Star of Bethlehem
	2	* <i>Pyramidalis</i>	Great White Pyramidal ditto
	3	<i>Pyrenaicum</i>	Long-spiked greenish flowered ditto
	4	<i>Umbellatum</i>	Umbelliferous ditto
	5	* <i>Arabicum</i>	Arabian ditto
<i>Oreaster</i>	+	1 * <i>Vernus</i>	Purple Spring bitter Vetch
	2	<i>Lathyroides</i>	Siberian ditto
	3	<i>Latessa</i>	Yellow ditto
	4	<i>Tuberosus</i>	Tuberous-rooted ditto
	5	<i>Niger</i>	Black ditto
	6	<i>Sylvaticus</i>	Wood ditto
	7	<i>Varius</i>	Upright variegated ditto
<i>Osmunda</i>	1	<i>Regalis</i>	Royal flowering Fern
	2	<i>Spicant</i>	Rough Spleenwort
	3	<i>Crispa</i>	Stone Fern
	4	<i>Struthiopteris</i>	Ruffian ditto
	5	<i>Lunaria</i>	Moonwort
<i>Othonna</i>	+	<i>Cheirifolia</i>	African Ragwort
<i>Oxalis</i>	1	<i>Acetosella cerasif.</i>	Blue flowering Wood Sorrel
	2	<i>Strigata</i>	Upright Virginian ditto
<i>Paeonia</i>	+	1 <i>Officinalis</i>	Common Piony
	2	* <i>Feminea</i>	Female ditto
	3	<i>Mascula</i>	Male ditto
	4	* <i>Tenuifolia</i>	Larkspur-leaved ditto
	5	* <i>Flore albo pl.</i>	Double white ditto

<i>Paeonia</i>	+	6 *Flore rub: pl:	Double red ditto
	+	7 *Flore pl: Incarna:	Double Rose, or flesh-colour'd ditto
		8 Vulgo dicitur:	Commonly called Coral Piony
<i>Panax</i>	:	Quinquefolium.	Canada five-leaved Ginseng
	:	Trifolium	Virginian three-leaved ditto
<i>Pancratium</i>	?	*Maritimum	Sea Narcissus, with beautiful white flowers
<i>Papaver</i>	-f	1 *Oriентale	Eastern Poppy, with large scarlet flowers
	-f	2 Cambicum	Welch Poppy
<i>Paris</i>	-f	Quadrifolia	True Love, or One Berry
<i>Partenocissus</i>		Integritifolia	Bastard Feverfew
<i>Peltaria</i>		Alliacea	Austrian Peltaria, with spear and heart-shaped leaves
<i>Pennisetum</i>		Officinale	Hog's Fennel
<i>Phlomis</i>	~	1 Tuberosa	Nettle-leav'd tuberous-rooted Jerusalem Sage
	~	2 Herba Venti	Purple flowering herbaceous ditto
<i>Phlox</i>	~	1 *Alba	White flowering Lychnidea
	~	2 *Divaricata	Early blue ditto
	~	3 *Glaberrima	Smooth-leaved ditto
	~	4 *Carolina	Carolina pyramidal ditto, with rough stalks
	~	5 *Maculata	Spotted stalked ditto

<i>Pithecellobium</i>	✓ 6 *Paniculata	Broad-leaved ditto, with panicles of purple flowers
	7 *Var: fl: pallido	Ditto with pale purple flowers
<i>Physalis</i>	✓ Alkekengi	Winter Cherry
<i>Phytomyza</i>	1 Passiflora	Leafy spik'd Horned Rampion
	✓ 2 Orbicularis	Round-headed ditto
<i>Phytolacca</i>	Decandra	Virginian Poke, or Nightshade with purple stalks
<i>Plantago</i>	1 *Africana	Siberian Plantain
	2 Alpina	Alpine ditto
	3 Maritima	Sea ditto
	4 Coronopus	Buck's Horn ditto
	5 Pityllum	Branching ditto
✓	6 *Refra	Rose ditto
<i>Plumbago</i>	Europaea	Common Leadwort
<i>Podophyllum</i>	✓ Peltatum	Duck's Foot, or May Apple
<i>Polemonium</i>	✓ 1 Ceruleum	Blue Greek Valerian
	✓ 2 Flore albo	White ditto ditto
	✓ 3 Reptans	Creeping Virginian ditto
<i>Polygonum</i>	✓ 1 Bistorta	Bistort, or Knot Grass
	✓ 2 Viviparum	Narrow-leaved ditto
	3 Virginianum	Virginian ditto
<i>Polypanthia</i>	1 Uvedalia	Opposite leaved Virginian Chrysanthemum
	2 Canadensis	Canada ditto, with alternate leaves
		<i>Polypanthia</i>

<i>Polygonia</i>	3	<i>Tetragonotheca</i>	Yellow Virginian Baffard Sun flower with oblong rough leaves
<i>Polypodium</i>	1	<i>Vulgare</i>	Common Polypody
	2	<i>Cambricum</i>	Welch ditto
	3	<i>Lonchitis</i>	Great Spleenwort
	4	<i>Fragrans</i>	Sweet-scented ditto
	5	<i>Filix Mas</i>	Male Fern
	6	<i>Filix Femina</i>	Female ditto
	7	<i>Aculatum</i>	Prickly ditto
	8	<i>Rhizaticum</i>	Stone Polypody
+	9	<i>Fragile</i>	Brittle ditto
-	10	<i>Dryoeris</i>	Branching ditto
<i>Potentilla</i>	1	<i>Fragarioides</i>	Strawberry-leaved Cinquefoil
	2	<i>Rupiflora</i>	Rock ditto
	3	<i>Recta</i>	Upright ditto
	4	<i>Argentea</i>	Silver-leaved ditto
	5	<i>Hirta</i>	Hairy ditto
	6	<i>Areca</i>	Golden ditto
	7	<i>Canadensis</i>	Canada ditto
	8	<i>Reptans</i>	Creeping ditto
<i>Polygonum</i>		<i>Sanguisorba</i>	Garden Burnet
<i>Primula</i>	-	1 <i>Veris</i>	Common Primrose
	+	2 *Fl: pl: Lac:	Double yellow ditto
	-	3 *Fl: pl: Rub:	Double Crimson ditto
	-	4 *Elegans	Polyanthus, many varieties
	-	5 *Farinosa	Bird's Eye Primrose

<i>Primula</i>	✓ 6 *Auricula	Auricula's, many varieties
<i>Primula</i>	1 Laciniata	Cut-leaved Self Heal
	2 Grandiflora	Great flowered ditto
	3 Vulgaris	Common ditto
<i>Pteris</i>	1 Aquilina	Common Brake
	2 Atropurpurea	Virginian ditto, with purple stalks
<i>Polygonia</i>	✓ 1 *Officinalis	Common spotted rough-leav'd
	✓ 2 Var: fl: alba	Lungwort, with red, purple, and blue flowers
	✓ 3 "Virginia	Ditto, with white flowers
		American Lungwort, with blue, purple, and red flowers, commonly called blue American Cowslip
<i>Polygonia</i>	✓ 1 Rotundifolia	Round-leaved Winter Green
	2 Maculata	Winter Green, with striped arbutus-like leaves
<i>Ranunculus</i>	✓ 1 Fiammula	Lesser Spear-Wort
	✓ 2 Gramineus	Grass-leaved Crowfoot
	✓ 3 Tuberifer	Tuberous-rooted ditto
	✓ 4 Auricoma	Wood ditto
	✓ 5 Heris fl: pl.	Double Upright ditto
	6 Alpestris	Little Alpine ditto
	✓ 7 *Aflacicus	Double Garden, or Persian Ranunculus, many varieties

<i>Ranunculus</i>	X 6	Ilyricus	Illyrian Crow Foot
	✓	9 *Aconitifolius fl: pl:	Double white Mountain Ra-nunculus, commonly called Fair Maid of France
	10	Thora	Alpine Crow Foot
	✓	11 Ficaria fl: pl:	Double Ficewort
	✓	12 Aplexicorolla	Plantain-leaved ditto
<i>Rheum</i>	✓	1 Rhaboticum	Rapontic, commonly called English Rhubarb
	2	Undulatum	Rhubarb, with undulated leaves
	✓	3 *Palmatum	True Rhubarb, with palmated leaves
	4	Compactum	Rhubarb, with heart-shaped smooth sinuated leaves
	5 *Ribes		Eastern Rhubarb, with granulated leaves, called by the Arabians Ribes, a most curios plant
<i>Rhebia</i>	✓	1 *Marianna	Maryland Loofeistrake
	2	*Virginiana	Virginian ditto
<i>Rhodiola</i>	✓	Rosa	Rose Root
<i>Rubia</i>	✓	1 Tinctorum	Six-leav'd cultivated Dyer's Madder
	✓	2 Peregrina	Foreign four-leaved ditto

<i>Kaluz</i>	<i>✓</i>	1. * <i>Aethiops</i>	Cloud Berry, or Dwarf Bramble
		2. <i>Chamæmorus</i>	Dwarf Mulberry, with one stalk
<i>Rubertia</i>	<i>✓</i>	1. <i>Laciniosa</i>	Cut-leaved American Sun-flower on a stalk
	-✓-	2. <i>Hirta</i>	Hairy-leav'd dwarf ditto
	-✓-	3. * <i>Purpurea</i>	Purple flowering ditto, with long narrow petals
	<i>✓</i>	4. * <i>Atropurpurea</i>	Deep purple flowering ditto
		5. <i>Angustifolia</i>	Rudbeckia, with opposite narrow leaves
<i>Rumex</i>		1. <i>Patientia</i>	Garden Patience
	-✓-	2. * <i>Sanguineus</i>	Bloody Dock
		3. <i>Acetosa</i>	Broad - leaved Garden Sorrel
		4. <i>Scutatus</i>	French Sorrel
		5. <i>Britannica</i>	Water Dock
		6. <i>Crispus</i>	Curled-leaved ditto
<i>Salvia</i>	-✓-	1. <i>Officinalis</i>	Common Greater Sage
	-✓-	2. Var: fol: varieg:	Striped green-leaved ditto
		3. Var: fol: rubescens:	Red-leaved ditto
		4. Var: fol: rubescens:	Red striped-leaved ditto varieg:
		5. <i>Tomentosa</i>	Broad woolly-leaved ditto
	-✓-	6. <i>Auriculata</i>	Sage of Virtue

<i>Sabice</i>	✓ 7	<i>Glaucina</i>	Ground-leaved Clary
	8	<i>Schreva</i>	Garden ditto
<i>Sambucus</i>		<i>Ebulus</i>	Dwarf Elder
<i>Sambucus</i>		<i>Valerandi</i>	Round-leaved Water Pimper-
			nel
<i>Sanguisorba</i>	✓ 7	* <i>Canadensis</i>	Canada Puccoon
<i>Sanguisorba</i>	1	<i>Officinalis</i>	Officinal Burnet
	→ 2	<i>Canadensis</i>	Greatest Canada ditto
<i>Saponaria</i>	1	<i>Europaea</i>	Common Saponaria
	2	<i>Mariandica</i>	Maryland ditto
<i>Saponaria</i>	✓ 1	* <i>Officinalis</i> fl. pl.	Double Saponaria
	✓ 2	<i>Hybrida</i>	Hollow-leaved ditto
<i>Sarracenia</i>	1	* <i>Purpurea</i>	Purple Side-saddle Flower
	2	* <i>Flava</i>	Yellow ditto
<i>Satureja</i>	1	<i>Virginiana</i>	Virginian Savory
	2	<i>Capitata</i>	Headed ditto
<i>Saxifrage</i>		<i>Cernua</i>	Lizard's Tail
<i>Saxifrage</i>	✓ 1	<i>Hypnoides</i>	Hypnum-leaved Saxifrage, or Ladies Cushion
	2	<i>Rivularia</i>	Palmated-leaved ditto
	→ 3	* <i>Granulata</i> fl. pl.	Double white ditto, with granulated roots
	✓ 4	<i>Rotundifolia</i>	Round-leaved ditto
	✓ 5	<i>Autumnalis</i>	Autumnal ditto
	✓ 6	<i>Oppositifolia</i>	Opposite-leaved ditto
	✓ 7	* <i>Gram</i>	London Pride
• ✓	8	<i>Cuneifolia</i>	Wedge-leaved ditto
	9	<i>Panctata</i>	Dotted ditto

<i>Saxifrage</i>	✓ 10 Umbrosa	Hairy-foot stalked ditto
	✓ 11 Nivalis	Snowy ditto
	✓ 12 *Crassifolia	Siberian thick-leaved ditto
	✓ 13 *Var: Orbicularia	Siberian thick round-leaved ditto
	✓ 14 Pensylvanica	Pensylvanian ditto
	✓ 15 *Cotyledon	Pyramidal ditto
	16 Mutata	Leffler ditto
	17 Stolonifera	Chinese ditto, with Cyclamen leaves
	18 Cespitosa	Ladies Mantle ditto
<i>Scabiosa</i>	1 Alpina	Alpine Scabious
	2 Leucantha	Snowy ditto
	✓ 3 Succisa	Devil's Bit
	4 Gramineifolia	Cut-leaved
	5 Graminifolia	Grass-leaved Scabious
	6 Alpiflora	Tallish growing ditto
<i>Scandix</i>	✓ 1 Odonata	Myrrh
<i>Scolia</i>	✓ 1 *Peruviana	White Peruvian Squill, or Hyacinth
	✓ 2 *Var: fl: caerulea	Blue ditto
	✓ 3 *Amanea	Light blue starry Hyacinth
	✓ 4 *Bifolia	Earliest deep blue ditto
	✓ 5 *Var: fl: albo	Earliest white ditto
	✓ 6 Italica	Italian Squill, with clusters of pale blue flowers

	7	<i>Autumnalis</i>	Autumnal blue-flowered Hyacinth
<i>Sesquibularia</i>	1	* <i>Aquatica</i> fol: varieg:	Striped Figwort
	2	<i>Sambucifolia</i>	Elder-leaved ditto
	3	<i>Lucida</i>	Shining-leaved ditto
	4	<i>Peregrina</i>	Nettle-leaved ditto
	5	<i>Frutescens</i>	Vervain-leaved ditto
<i>Saxifraga</i>	1	<i>Alpina</i>	Alpine Skull Cap
	2	<i>Galeruculata</i>	Common Helmet flower
	3	<i>Peregrina</i>	Florentine ditto
	4	<i>Altissima</i>	Nettle-leaved ditto
	5	<i>Cretica</i>	Cretan ditto
<i>Sedum</i>	1	<i>Tetraphyllum</i>	Common purple Orpine
	2	Var: <i>Album</i>	White ditto
	3	Var: purp: majusc	Greater purple ditto
	4	<i>Anacampferos</i>	Evergreen Lesser House Leek
	5	<i>Aizoon</i>	Yellow ditto
	6	<i>Hibridum</i>	Germander-leaved ditto
	7	<i>Reflexum</i>	House Leek, with reflexed leaves
	8	<i>Rupicola</i>	Creeping Rock ditto
	9	<i>Sesangelare</i>	Smallest six-sided ditto
	10	<i>Acre</i>	Sedum, with oval crest alternate leaves, and a trifid stalk
<i>Sempervivum</i>	1	<i>Tectorum</i>	Common House Leek
	2	* <i>Globiferum</i>	Round-headed ditto
	3	<i>Arachnoideum</i>	Cobweb ditto

<i>Sarcococca</i>	1. <i>Doria</i>	Sea Lavender-leaved Ground- sel
	2. <i>Saracenicus</i>	Saracens All Heal
<del>✓</del>	3. <i>Doronicum</i>	Alpine Groundsel
	4. <i>Luridus</i>	Purple-leaved dino
<i>Sarcococca</i> <del>✓</del>	1. <i>Latifolia</i>	Broad-leaved Baffard Helle- bore
	2. <i>Longifolia</i>	White flowering dino
<i>Serrula</i> <del>✓</del>	1. <i>Tinctoria</i>	Common Saw Wort
	2. <i>Praeculta</i>	Virginian dino, with oblong pear-shaped sawed leaves
	3. <i>*Squarrofa</i>	Ditto, with narrow leaves, and a sharp-pointed scaly calyx
	4. <i>*Scariola</i>	Ditto, with broad-shaped en- tire leaves, and an obtuse scaly calyx
<del>✓</del>	5. <i>*Spicata</i>	Ditto, with long spikes of pur- ple flowers
<i>Sibbaldia</i>	<i>Procumbens</i>	Trailing Baffard Cinquefoil
<i>Sibiraea</i>	<i>Europaea</i>	Baffard Moneywort
<i>Sideritis</i>	<i>Hyssopifolia</i>	Hyssop Ironwort
<i>Silene</i>	1. <i>Nutans</i>	Nodding viscous Campion
<del>✓</del>	2. <i>*Amara</i>	Sea dino
	3. <i>*Virginia</i>	Virginian dino, with red flowers

<i>Silphium</i>	1	Laciniatum	Cut-leaved Ballard Chrysanthemum.
	+	2 Perfoliatum	Ditto, with perfoliate leaves
	3	Connatum	Ditto, with opposite leaves
	+	4 Trifoliatum	Three-leaved ditto
<i>Sisyrinchium</i>	5	Bermudiana	Virginian Sisyrinchium, with small blue and yellow flowers
<i>Smyrnium</i>	+	Oleasterum	Alexanders
<i>Solidago</i>	1	Sempervirens	Ever-green Golden Rod
	2	Var: Latifolia	Broad-leaved ditto
	3	Canadensis	Canada ditto
	4	Altissima	Tallest ditto
+	5	Lateriflora	Lateral flowered ditto
+	6	Cerifera	Smooth - stalked Maryland ditto
	7	Flexicaulis	Flexible-stalked ditto
	8	Latifolia	Broad-leaved ditto
+	9	Virga Aurea	Common ditto
+	10	Var: minor	Lesser ditto
+	11	Novaeboracensis	New York ditto
	12	Rugosa	Rough leaved ditto
	13	Odorata	Sweet-scented ditto
	14	Alba	White golden Rod
	15	Minuta	Smallest Alpine ditto

<i>Solidago</i>	✓ 16	<i>Cambriæ</i>	Welch ditto
<i>Sophora</i>	1	<i>Alopecurusides</i>	Foxtail Cytisus, with long fruit
	2	<i>Tinctoria</i>	Yellow-flowering Virginian trifoliolate <i>Sophora</i>
	3	* <i>Floret albo</i>	White <i>Sophora</i>
<i>Spiraea</i>	✓	<i>Marylandica</i>	Asperula, or four-leaved American Worm-grass, with deep red flowers, commonly called Carolina India Pink
	1	* <i>Aruncus</i>	Gout Beard-Spiraea
	✓ 2	* <i>Filipendula</i>	Single Dropwort
	✓ 3	*Var: flor plena	Double ditto
	✓ 4	* <i>Trifoliate major</i>	Greater three-leaved <i>Spiraea</i>
	5	*Var: minor	Lesser ditto
	✓ 6	* <i>Ulmaria fl: pl:</i>	Double white Meadow-sweet
	✓ 7	* <i>Lobata</i>	Purple ditto
<i>Stachys</i>	1	<i>Palustris</i>	Marsh Basil Horsemint
	2	<i>Germanica</i>	German ditto
	3	<i>Cretica</i>	Cretan ditto
<i>Statice</i>	✓ 1	<i>America</i>	Common red Thrift
	2	Var: fl: albo:	White ditto
	3	Var: Latifolia	Broad-leaved ditto
	✓ 4	<i>Limonium</i>	Sea Lavender
	✓ 5	<i>Speciosa</i>	Plantain-leaved ditto
<i>Syrinx</i>	✓ 1	* <i>Pennata</i>	Feather Grass
	2	<i>Junccea</i>	Rush-leaved ditto

<i>Sweertia</i>	+	<i>Peregris</i>	Marsh Gentian
<i>Symplyrum</i>	1	<i>Officinale</i>	Comfrey
	+	2 <i>Tuberosum</i>	Tuberous-rooted ditto
<i>Tabernamontana</i>		<i>Amsinca</i>	Tabernamontana, with alternate broad spear-shaped leaves
<i>Tanacetum</i>	1	<i>Vulgaris</i>	Common Tansey
	2	Var: fol: <i>Crispis</i>	Curled-leaved ditto
	3	<i>Balticum</i>	Costmary
<i>Tephritis</i>	+	<i>Imperati</i>	True Orpine
<i>Teucrium</i>	1	<i>Scordonia</i>	Wood Sage
	2	<i>Scordium</i>	Water Germander
	3	<i>Lucidum</i>	Shining-leaved ditto
	4	<i>Chamaedrys</i>	True ditto
	5	<i>Montanum</i>	Mountain ditto
	6	<i>Pyrenaicum</i>	Pyrenean ditto
	7	<i>Canadense</i>	Canada ditto
	8	<i>Virginicum</i>	Virginian ditto
	+	9 * <i>Hircanicum</i>	<i>Hircanicum Teucrium</i> , with long spikes of purple flowers
<i>Thalictrum</i>	+	1 <i>Alpinum</i>	Alpine feather'd Columbine
	2	<i>Tuberosum</i>	Tuberous-rooted ditto
	3	<i>Cornuti</i>	Canada ditto
	+	4 <i>Minus</i>	Leaffit ditto
	5	<i>Augustifolium</i>	Narrow-leaved ditto
	6	<i>Florum</i>	Yellow Meadow Rue
	7	<i>Lucidum</i>	Shining-leaved ditto

<i>+ 8</i>	<i>*Aquilezifolium</i>	Columbine-leav'd ditto, com- monly called Feather'd Co- lumbine
	<i>9 Fenidum</i>	Stinking narrow-leav'd ditto
<i>Thymus</i>	<i>Villofa</i>	Yellow woolly Thyme
<i>Thymus</i> <i>+</i>	<i>1 Valgaria</i>	Common Garden Thyme
<i>+</i>	<i>2 Var: vulgo dict:</i>	Lemon ditto
<i>+</i>	<i>3 *Var: fol: varieg:</i>	Striped-leaved ditto
	<i>4 Virginicus</i>	Virginian ditto
<i>+</i>	<i>5 Zygis</i>	Upright narrow-leav'd ditto
	<i>6 Cephalotus</i>	Portugal ditto
<i>+</i>	<i>7 Scrypillum</i>	Mother of Thyme
	<i>8 Villous</i>	Hairy-leaved ditto
<i>Tiarella</i>	<i>+</i> <i>Cordifolia</i>	American Sanicle, with heart- shaped leaves
<i>Termentilla</i>	<i>1 Erecta</i>	Upright Tormentil
	<i>~ 2 Reptans</i>	Creeping ditto
<i>Trachelium</i>	<i>+</i> <i>Ceruleum</i>	Blue Throatwort
<i>Tradescantia</i> <i>pl.</i>	<i>1 *Virgin:</i>	Virginian deep-blue Spider- wort
<i>+</i>	<i>2 *Var: Ceruleum</i>	Light blue ditto
<i>+</i>	<i>3 *Var: fl: albo</i>	White ditto
	<i>4 *Var: fl: rub:</i>	Red ditto
<i>Tragopogon</i>	<i>1 Pratense</i>	Greater Meadow yellow Goats- Beard
	<i>2 Dalechampii</i>	Greater Spanish ditto
<i>Tribonias</i>	<i>Tunbridge</i>	Tunbridge Maiden Hair

<i>Trifolium</i>	1. <i>Lupinaster</i>	Bastard Lupine
	2. <i>Alpinum</i>	Alpine Trefoil
	3. <i>Alpetre</i>	Long-spiked ditto
	4. <i>Fragiferum</i>	Strawberry ditto
7.	5. * <i>Rubens</i>	Trefoil, with a long spike of red flowers
<i>Trillium</i>	✓	Erectum
<i>Triglochin</i>	1. <i>Perfoliatum</i>	Paris, or Herb Truelove
	2. <i>Angustifolium</i>	Broad-leaved fallopia
<i>Trollius</i>	†	1. * <i>Europaeus</i>
	†	2. * <i>Afasicus</i>
<i>Tulipa</i>	†	1. * <i>Sylvestris</i>
	2. *Var; fl; min:	Ditto, with a lesser flower
	—	3. * <i>Gigantea</i>
<i>Tussilago</i>	1.	Glabra
	—	2. <i>Hirsuta</i>
<i>Typhlops</i>	—	1. <i>Alpina</i>
	2. * <i>Alba</i>	White ditto
	3. <i>Paradoxa</i>	Common ditto
	4. <i>Petalites</i>	Putter Bur

<i>Trollius</i>	5	Hybrida	Long-stalked ditto
<i>Urtica</i>	1	Nicca	Snowy Nettle
	2	Canadensis	Canada ditto
	3	Cannabina	Tartarian ditto
<i>Uvularia</i>	1	*Amplexifolia	Bohemian Uvularia, with white flowers and leaves, surrounding the stalks
	-/-	2 *Perfoliata	Virginian yellow Uvularia with perfoliated leaves
<i>Valeriana</i>		Crucifera	Cross Wort
<i>Valeriana</i>	1	*Ruba	Red Garden Valerian
	2	*Fl; albo	White ditto
	3	Dicica	Marsh ditto
	4	Officinalis	Wild ditto
	5	Phu	German ditto
	6	Tripteria	Small alpine ditto
	7	Montana	Mountain ditto
	8	Pyrenaica	Pyrenean ditto
<i>Helleborus</i>	1	*Album	White Hellebore
	2	*Nigrum	Black ditto
	3	*Giganticum	Tallest ditto, with broad plated leaves, and large yel- lowish green flowers
<i>Verbascum</i>	1	*Thapsus	Great Moth Mullein
	2	Lychnitis	White flowered ditto
	3	Phoenicoides	Alpine ditto

<i>Verbenum</i>	4	Nigrum	Sage-leaved black ditto
	5	*Phoeniceum	Purple ditto
	6	Blattaria	Yellow ditto
	7	Myconi	Bears Ear ditto
<i>Verbena</i>	1	Bonariensis	Tall Verbain
	2	Hastata	Spear-shaped ditto
	3	Officinalis	Officinal ditto
<i>Veronica</i>	1	*Virginica	Tall Virginian white spiked Speedwell
	2	*Var: Incognita	Ditto, with bluish - coloured flowers
	3	*Maritima	Upright three-leaved sea ditto
	4	*Var: fl: Incarn:	Ditto, with bluish - coloured flowers
	5	*Var: fl: albo	Ditto, with white flowers
	6	*Longifolia	Long-leaved ditto
	7	*Incana	Woolly-leaved ditto
	8	*Spicata	Lesser spiked ditto, with opposite, obtuse, crenated leaves
	9	*Hybrida	Welch ditto, with rough obtuse sawed leaves
	10	*Officinalis	Officinal ditto, with opposite oval sawed leaves
	11	*Austriaca	Austrian ditto, with narrow opposite jagged leaves

<i>Foeniculum</i>	12. * <i>Montana</i>	Mountain, or German ditto, with round leaves, and a hairy calyx
	13. * <i>Acinifolia</i>	Upright blue ditto, with smooth oval crenated leaves
✗	14. * <i>Sibirica</i>	Tallest blue ditto, with seven verticillated leaves
	15. * <i>Mariolandica</i>	Maryland ditto
✗	16. * <i>Teucrium</i>	Upright ditto, with oval, rough, dentated leaves
<i>Foxtia</i>	1. <i>Sylvatica</i>	Wood Vetch
	2. <i>Narbonensis</i>	Narbonne ditto
<i>Fornicia</i>	✓ 1. * <i>Major</i>	Greater Periwinkle
	✓ 2. * <i>Minor</i>	Lesser ditto
	✓ 3. *Var: fl: pleno	Double ditto
	✓ 4. *Var: fl: argent: varieg:	Silver striped ditto
	✗ 5. *Var: fl: aur: varieg:	Gold striped ditto
<i>Viola</i>	1. <i>Palmata</i>	Handed Violet
	2. <i>Pedata</i>	Seven-leaved pedated ditto
✓	3. <i>Palustris</i>	Marsh ditto
✓	4. <i>Montana</i>	Mountain ditto
	5. <i>Bidens</i>	Two-flowered ditto
	6. <i>Canadensis</i>	Canada ditto
	7. <i>Micabilis</i>	Violet, with the petals fixed to the stalk
✗	8. <i>Lutea</i>	Yellow ditto

<i>Fistula</i>	✓ 9. <i>Obovata</i>	Single sweet-scented ditto
	✓ 10. *Var: fl: pleno albo	Double white ditto
	✓ 11. *Var: fl: pleno cerat:	Double blue ditto
	✓ 12. *Var: fl: pleno rub:	Double red ditto
	✓ 13. *Foli: varieg:	Striped-leaved ditto
<i>Zygophyllum</i>	✓ * <i>Fabago</i>	Bean caper, with purplish leaves

---

G R E E N - H O U S E  
P L A N T S.

	<i>Latin Name.</i>	<i>English Name.</i>
<i>Achillea</i>	1. <i>Clavennae</i>	Silver-leaved Milfoil
	2. <i>Egyptiaca</i>	Egyptian ditto
<i>Ajuncum</i>	* <i>Capillus Veneris</i>	True Maiden Hair
<i>Agave</i>	1. * <i>Americana</i>	Large American Aloe
	2. *Var: fol: varieg:	Striped-leaved ditto
	3. * <i>Vivipara</i>	Silk Graph, or Chilling Aloe
	4. * <i>Virginica</i>	Virginian Aloe, with dentated leaves and a simple stalk.
	5. * <i>Festuca</i>	Agave, with light green, entire pointed leaves

*Agave*

<i>Aloe</i>	6 *Karatta	Ditto, with long deep green leaves, edged with brown, and lightly sawed
	7 *Vera Cruz	Broad-leaved Vera Cruz ditto, with black spines
<i>Aloe</i> ↗	1 Maximus	Greatest Baffard Star of Bethlehem
	2 Major	Greater ditto
	3 Minor	Lesser ditto
<i>Aloe</i> ↘	*Uvaria	Iris Uvaria, with sword-shap'd leaves, and orange-colour'd flowers, beautiful
<i>Aloe</i>	1 *Glauca	Dwarf Glaucous Aloe
	2 *Maculata	Aloe, with broad spotted leaves, commonly called Soap Aloe
	3 *Mitriformis	Mitre-shaped ditto
	4 *Succotrina	True succotrine ditto, with long narrow succulent leaves inclining inwards
	5 *Perfoliata	Sword ditto, with a shrubby stalk, and long reflexed perfoliated indented leaves
	6 *Humilis	Dwarf Hedge-hog Aloe, with glaucous warty leaves

<i>Alo</i>	7 * <i>Variegata Latifol:</i>	Broad-leaved upright white striped Aloe, commonly called Partridge Breast Aloe
	8 * <i>Var: Angustifolia</i>	Narrow-leav'd croft Partridge Breast ditto
	9 * <i>Diflora Nigra</i>	Black Tongue ditto, with smooth blackish green leaves
	10 * <i>Var: Linguisiforme</i>	Dwarf ditto, with tongue-shaped light green spotted leaves
+	11 * <i>Var: Verrucosa</i>	Pearl-tongue ditto, with the leaves much warted, and beautiful red flowers
	12 * <i>Var: Plicata</i>	Aloe, with a shrubby stalk and sea-green smooth leaves, commonly called Fan Aloe
	13 * <i>Casinata</i>	Dwarf ditto, with keel-shaped spotted leaves, triangular at their extremities
	14 * <i>Spiralis</i>	Spiral ditto, with small croft round leaves ending in sharp points
	15 * <i>Reticula</i>	Cushion ditto, with the shortest and thickest smooth green leaves
	16 * <i>Virosa</i>	Aloe, with triangular vicious leaves

<i>Aloe</i>	17 *Pumila	Dwarf Aloe, with whitish green leaves spreading every way
	18 *Margaritifera	Large Pearl ditto, with triangular pointed leaves
	19 *Var. Minor:	Lesser ditto ditto
	20 *Arachnoides	Cobweb ditto, with sheet plain fleshy leaves, connected by woolly filaments
<i>Alstroemeria</i>	1 *Pelegrina	Alstroemeria, with beautiful contorted enamelled leaves, and most beautiful large purple spotted flowers
	2 *Ligata	Alstroemeria, with a rising stalk, and delicate purple and white striped flowers
<i>Amelanchier</i>	Mexicana	Shrubby Mexican Amelanchier
<i>Anemone</i>	✓ *Lychnitis	Ever-flowering Cape Anemone
<i>Anagallis</i>	✓ *Monelli	Upright Pimpernel, with violet coloured flowers
<i>Anemone</i>	✓ Maritima	Sea Chamomile
<i>Anthriscus</i>	Fritschiana	Shrubby Spiderwort
<i>Antidesma</i>	Athiopicum	Amber Tree
<i>Anthelyza</i>	1 *Maura	Yellow Anthelyza, with upright white stamens
	2 *Meriana	Anthelyza, with pale pink-colour'd flowers, most beautiful
	M	

<i>Anthelyza</i>	3 "Ringens	Scarlet Anthelyza, with one declining stamen
	<del>✓</del> 4 "Cunonias	Anthelyza, with a long spike of most beautiful upright scarlet flowers
<i>Anthrallis</i>	1 "Barba Jovis 2 "Heterophylla 3 "Cytoides	Silver Bush, or Kidney Vetch Various-leaved ditto Spanish ditto
<i>Astrorhizus</i>	1 "Trile ~ 2 "Majus: variety:	Dwarf black Snap-dragon Striped leaved ditto
<i>Astrotris</i>	1 "Superba  2 Plantaginea ✓ 3 Aspera	Large flowering Arctotis, with pinnated and dentated leaves Plantain leaved ditto Arctotis, with yellow and purple flowers
	✓ 4 "Flora Austrantia	Arctotis, with orange-colour'd flowers
<i>Ardisia</i>	Bijpineola	Cape Buckthorn
<i>Ardisiachlor</i>	1 "Maxima  2 "Semprevirens 3 "Serpentaria	Great Climbing Birthwort, with obolong, sharp-pointed leaves
<i>Artemisia</i>	1 Nilotica ~ 2 Arboricola	Ever-green ditto Virginian Snake-root
<i>Asclepias</i>	"Fruticosa	Egyptian Wormwood
<i>Asplenium</i>	"Crux Andreae	Tree ditto Willow-leaved Apocynum St. Andrew's Cross
		<i>Asplenium</i>

<i>Asperula</i>	1	Cretica	Cretan Broom
	2	Albena	White ditto
<i>Asparagus</i>	1	*Retrofractus	Larix-leaved Asparagus, with reflexed branches
	2	*Albus	Deciduous ditto, with horrid reflexed spines
	3	*Acutifolius	Needle-leaved ditto
	4	*Sarmentosus	Triple spined ditto
<i>Aphyllanthus</i>	X	Fistulosus	Lesser King's Spear
<i>Acer</i>		Fratriculosus	Shrubby Starwort
<i>Aegopodium</i>	X	Tragacantha	Goat's Thorn
<i>Athyrium</i>	1	Trifurcatum	Goldylocks, with the leaves divided into three parts
	2	Crithmifolia	Trifid narrow-leaved ditto
<i>Atrapaxia</i>		*Undulata	Atrapaxia, with curled alternate leaves
<i>Bartsia</i>		*Ivifolia	Peruvian Flaxman's Spike-nard
		*Nerifolia	Olcander-leaved ditto
<i>Berberis</i>		Cretica	Box-leaved Cretan Barberry
<i>Bignonia</i>		*Unguis Cati	Ever-green four-leav'd Trumpet Flower
<i>Bischofia</i>		Verramora	Baileya Golden Rod Tree
<i>Bubra</i>	1	Macedonicum	Macedonian Parsley
	2	Galbanum	Gum Galbanum
	3	Gummiferum	Mynth-leaved ditto

<i>Bupleurum</i>	1. <i>Fratetorum</i>	Shrubby Ox-eye
	2. <i>Auboreolum</i>	Tree ditto
	3. <i>Maritimum</i>	Sea ditto
<i>Bupleurum</i>	1. <i>Diforme</i>	Hare's Ear, with leaves of different forms
	2. <i>Longifolium</i>	Long-leaved ditto
<i>Carica</i>	1. * <i>Ficoides</i>	Bahadur Ficoides
	2. * <i>Kleinia</i>	Cabbage Tree
	3. <i>Repens</i>	Creeping ditto
<i>Coffea</i>	* <i>Moniliformis</i>	Jointed Indian Fig
<i>Calceolaria</i>	1. <i>Graminifolia</i>	Graft-leaved Cape Marigold
	2. <i>Frufulosa</i>	Shrubby ditto
	3. <i>Nudicollis</i>	Naked stalked ditto
<i>Cola</i>	* <i>Aethiopica</i>	White sweet-scented African Arum
<i>Callicarpa</i>	<i>Americana</i>	Carolina Callicarpa, with opposite leaves
<i>Camellia</i>	* <i>Japonica</i>	Ever-green Japan Rose, with broad thick shining leaves, and most beautiful large fanlet flowers
<i>Convolvulus</i>	1. * <i>Campanula</i>	Broad-leaved tuberous-rooted Canary Campanula
	2. *Var. <i>Angustifolii</i>	Narrow-leaved ditto
<i>Caffirina</i>	<i>Paleoferns</i>	Downy Caffirina
<i>Caffiria</i>	1. <i>Parviflora alternifolia</i>	Vapaa, with alternate leaves
	2. <i>Oppositiflora</i>	Ditto, with opposite leaves

<i>Caffra</i>	3	Maurecenia	Greater Hottentot Cherry
	4	*Cerasus	Lesser ditto
	5	*Capensis	Cape Phyllira
	6	Americana	American Caffrae
<i>Comites</i>		*Africanus	African Alaternoides
<i>Coleosaurus</i>	1	Buxifolius	Box-leaved Staff Tree
	2	*Pyracanthus	Pyracantha-leaved ditto
<i>Centauria</i>	1	Fruticosa	Shrubby Centaury
	2	*Rugiflava	Rugiflava silvery ditto
	3	*Sempervirens	Ever-green ditto
<i>Ceratonia</i>		Siliqua	Cashew Tree, or St. John's Bread
<i>Cyrilla</i>		Racemiflora	Carolina Cyrilla, with light green leaves, and branches terminated by white flowers
<i>Chrysanthemum</i>	1	Capense	Wild Cape Orach
	2	Multifidum	Shrubby ditto, with divided leaves
<i>Chrysanthemum</i>	1	*Frutescens	Shrubby African Centaury,
	2	Bacciferum	- with enamelled flowers.
<i>Chrysanthemum</i>	Floriculorum	Berry-bearing ditto	
	2	Frutescens	Cretan Corn Marigold
<i>Chrysanthemum</i>	1	Coma Aurora	Shrubby ditto
	2	Cerina	African Goldylocks
	3	Ciliata	Nodding ditto
			Heath-leaved ditto

<i>Cosmaria</i>	1	<i>Gedolia</i>	Sea Ragwort, with Ground-ivy leaves
	2	<i>Othonnaitea</i>	Shrubby African ditto
	3	* <i>Amelloides</i>	Blue Cape Aster
	4	* <i>Purpurata</i>	Purple flowering ditto
<i>Citrus</i>	✓	1 <i>Cestica</i>	Cretan Citrus
	✓	2 <i>Filifera</i>	Hairy ditto
	✓	3 * <i>Populifolia</i>	Poplar-leaved ditto
	✓	4 * <i>Hallimifolia</i>	Atriplex leaved ditto
<i>Citrus</i>	1	* <i>Medica</i>	Large oblong Citron
	2	* <i>Limonium</i>	Common Lemon
	3	*Var: <i>Spineolum</i>	West India Lime
	4	*Var: fl: pleno	Double flowering Lemon
	5	*Var: fol: variegat:	Striped-leaved ditto
	✓	6 * <i>Aurantium Sinense</i>	China Orange
	7	*Var: fol: argent: var:	Silver striped ditto
	8	*Var: fol: aur: var:	Gold striped ditto
	9	*Var: fol: & fruct: variegat: .	Orange, with variegated leaves and fruit
	10	* <i>Orientalis</i>	Willow-leaved ditto
	11	*Var: fol: variety	Striped Willow-leaved ditto
	12	* <i>Aurantium Acre</i>	Scville Orange
	13	*Var: Foliis crisp:	Curled-leaved ditto
	14	*Var: fol: variety	Strip'd curl'd-leav'd ditto
	15	* <i>Myrtifolia</i>	Mystic-leaved ditto
	16	*Var: fol: variety	Striped Myrtle-leaved ditto
✗	17	* <i>Hamile</i>	Dwarf Nutmeg ditto

<i>Citrus</i>	18 *Var: fol: varieg:	Striped ditto
	19 *Flora pleno	Double flowering ditto
	20 *Decumana	Shaddock
	21 *Trifoliata	Three-leaved ditto
<i>Clifforia</i>	Ilicifolia	Holly-leaved Clifforia
<i>Clutia</i>	1 Alaternoides	Narrow-leaved Clutia
	2 *Palibella	Broad-leaved ditto
<i>Colutea</i>	- / 1 *Pratensis	Scarlet Colutea
<i>Cosmocalyx</i>	*Canariensis	Canary Bindweed, with <i>widely</i> heart-shaped leaves
	2 *Cacorum	Erect silvery-leaved ditto
	3 Cantabrica	Flax-leaved ditto
	4 Dorycnium	Eastern ditto
<i>Coumoa</i>	*Candida	Woolly-leaved Cretan Fleabane
<i>Coussarea</i>	1 Juncea	Montpelier Colutea
	2 *Glauca	Seven-leaved ditto
	3 *Coronata	Nine-leaved ditto
	4 *Argentea	Silver-leaved ditto
	5 *Valentina	Rue-leaved ditto
<i>Cotula</i>	Taraxacoides	Shrubby Tanky
<i>Cotyledon</i>	1 *Oviflora	Round-leaved Navelwort
	2 *Hemisphaerica	Semi-globular ditto
	3 Spuria	Spatula-leaved ditto
<i>Croftia</i>	- / 1 *Coccinea	Scarlet Ospine
	2 *Tetragona	Square-leaved ditto
	3 *Cultivata	Ospine-leaved ditto
<i>Crotalaria</i>	2 *Laburnifolia	Laburnum-leaved Crotalaria

<i>Cratae</i>	* <i>Sibiricum</i>	Chinese Tallow Tree
<i>Cussonia</i>	* <i>Capensis</i>	Cunonia from the Cape
<i>Cupressus</i>	* <i>Juniperoides</i>	Cape Cypress
<i>Cyclamen</i>	✓ 1 * <i>Indicum</i>	Persian Saw-bread, with white and purple flowers
	✓ 2 * <i>Odoratissimum</i>	Purple flowering Anemone- rooted tree sweet-scented Cyclamen
	✓ 3 * <i>Rotundifolium</i>	Round-leaved purple flower- ing Spring Cyclamen
<i>Digitalis</i>	1 * <i>Canariensis</i>	Canary Foxglove
	2 * <i>Obscura</i>	Black Spanish ditto
<i>Diosma</i>	1 * <i>Oppositifolia</i>	Opposite-leaved Diosma
	✓ 2 * <i>Hirsuta</i>	Hairy-leaved ditto
	3 * <i>Rubra</i>	Red flowering ditto
	4 * <i>Ericoides</i>	Heath-leaved ditto
	5 * <i>Ciliata</i>	Ciliated-leaved ditto
	6 * <i>Cupressina</i>	Cypress-leaved ditto
	7 * <i>Lanceolata</i>	Spear-shaped leaved ditto
<i>Dracunculus</i>	* <i>Canariensis</i>	Balm of Gilead
<i>Ebenus</i>	<i>Cretica</i>	Purple Cretan Ebony
<i>Empetrum</i>	<i>Album</i>	White Portugal Crowberry
<i>Erica</i>	✓ 1 * <i>Multiflora</i>	Many-flowered dwarf pink Heath
	✓ 2 * <i>Triflora</i>	White three-flowered Africa Heath
	✓ 3 * <i>Mediterranea</i>	Purple Mediterranean Heath

<i>Erica</i>	4 *Scoparia	Three-leav'd ditto, with white bark.
	5 *Vireli purpurea	Three-leaved ditto, with greenish purple flowers
✓	6 *Tubiflora	African Heath, with hairy leaves, and long pink-coloured flowers.
		N. B. This is one of the most admirable and delicate of all plants
—	7 *Carnea	Flesh-coloured ditto, with procumbent branches
	8 *Cerinthoides	African Heath, with most beautiful clusters of scarlet flowers terminating the branches
✓	9 *Abietina	Juniper-leaved Erica, with oblong purple flowers
—	10 *Planifolia	African Heath, with extended leaves, and white pitcher-shaped flowers
	11 *Perfoliata	Garland Heath, with bell-shaped flowers, most fine
✓	12 *Australis	Spanish Heath, with long spikes of most beautiful purple flowers

<i>Eruca</i>	✓	13 *Baccans	Three-leaved African Heath, with pink-colour'd, globose, bell-shaped flowers, most delicate
		14 *Curvibea	African Heath, with hairy branches and smooth leaves
<i>Eruca</i>	✓	Alpina	Purple Alpine Erinus
<i>Eriocaulas</i>	1	*Africanus	African Eriocaulas, with entire and divided leaves
	2	Racemosus	Ditto, with entire silvery leaves
	3	Peltinifolius	Ditto, with comb-like leaves
<i>Erythrina</i>		*Barbarea	Dwarf Carolina Coral Tree, with long spikes of scarlet flowers
<i>Euphorbia</i>	1	*Caput Medusae	Medusa's Head Spurge, with procumbent stalks
	2	*Var: Caul: Eructa	Ditto, with upright stalks
	3	*Viminalis	African Spurge, with naked, thread-like twining stalks
	4	*Tithymaloides	Mystic-leaved ditto
	5	*Characias	Red stalked ditto
	6	*Amygdaloidea fol: var:	Striped-leaved wood ditto
	7	*Spinosa	Prickly ditto
	8	*Heterophylla	Euphorbia, with leaves re- sembling Pan's seven-necked pipe
			<i>Eri-</i>

<i>Fritillaria</i>	✓ 1 *Regia	Royal Fritillary, with a crown of leaves over the flowers
	2 *Nana	Dwarf round-leav'd ditto
<i>Gaura</i>	Africana	Shrubby Rosemary-leaved <i>Atriplex</i>
<i>Grevillea</i>	1 Canariensis	Canary Broom
	2 Candicans	Marspeier ditto
<i>Crocosmia</i>	✓ 4 *Inquinans	Scarlet-flowered Crane's Bill
	— 2 *Papilionaceum	Butterfly ditto
	3 *Betulinum	Birch-leaved ditto
✓	4 *Cucullatum	Hollow-leaved ditto
✓	5 *Angulosum	Marsh Mallow leaved ditto
✓	6 *Peltatum	Ivy-leaved ditto
✓	7 *Acetosella	Sorrel-leaved ditto
✓	8 *Zonalis	Scarlet Horse-thoe ditto
✓	9 *Var: variegatum	Striped-leaved ditto
✓	10 *Var: margin: argent:	Silver edged ditto
✓	11 *Var: fol: aur: varieg:	Gold striped ditto
✓	12 *Var: flore igneo	Flaming Horse-thoe ditto
	13 *Visifolium	Balm-scented ditto
✓	14 *Capitatum	Roso-scented ditto
✓	15 *Alchemilloides	Lady's Mantle-leaved ditto
✓	16 *Oderatissimum	Musk ditto
	17 *Grossularioides	Goutberry-leaved ditto
✓	18 *Coriandrilolum	Coriander-leaved ditto
✓	19 *Maritimum	Sea ditto
✓	20 *Gibbosum	Gouty ditto

<i>Ceratium</i>	21 *Trigonum	Crane's Bill, with three-sided deep green stalks
✓	22 *Teretifolium	Oak-leaved Turpentine-smell- ing ditto, most beautiful
	23 *Multiſidum	Crane's Bill, with much di- vided leaves
	24 *Acaule	Dwarf white stalkless ditto
+	25 *Glutinosum	Glutinous ditto
	26 *Alcooides	Mallow-leaved ditto
	27 *Pallidofolium	Parsnip-leaved ditto
	28 *Myrrhisfolium	Myrrh, or Anemone-leaved ditto
+	29 *Triticum	Carrot-leaved night-scented ditto
	30 *Hirsutum	Hairy-leaved ditto
✓	31 *Lavigatum	Smooth Ranunculus leaved ditto, with very long foot- stalks
<i>Sesquillaria</i>	1 Arboreum	Tree Everlasting
	2 Niveum	Snowy ditto
✓	3 Stachys	Common ditto
	4 *Oriente	Eastern ditto
	5 Cymosum	Long-leaved ditto
	6 *Odoratissimum	Sweet-scented ditto
	7 *Ericoides	Heath-leaved ditto
+	8 *Cylindricum	Downy oblong-leaved ditto
<i>Claudia</i>	*Triplis	Square stalked Corn-flag

<i>Gnidia</i>	* <i>Pinifolia</i>	Gnidia, with verticillated pine-like leaves .
<i>Gordonia</i>	1. * <i>Lafamthus</i>	Loblolly Bay, with smooth leaves
	2. * <i>Pubescens</i>	Ditto, with downy leaves
<i>Gorteria</i>	1. * <i>Ringers Vigilant</i>	Gorteria, with beautiful orange and black flowers .
	2. * <i>Ciliaris</i>	Hairy-leaved ditto
<i>Grewia</i>	* <i>Ocidentalis</i>	Elm-leaved Grewia, with purple flowers.
<i>Holarrhena</i>	<i>Lucida</i>	African Fly Honeysuckle
<i>Holostrophium</i>	<i>Auboreum</i>	Tree Turnsole
<i>Hermininia</i>	1. * <i>Althaeifolia</i>	Marshmallow-leaved Hermininia
	2. <i>Alnifolia</i>	Alder-leaved ditto
	3. <i>Lavendulifolia</i>	Lavender-leaved ditto
	4. * <i>Groffulariafolia</i>	Gooseberry-leaved ditto
<i>Hippia</i>	<i>Fruitifera</i>	Ethiopian shrubby Tansey
<i>Hopea</i>	<i>Tinctoria</i>	This plant takes its name from Dr. Hope of Edinburgh
<i>Hyoscyamus</i> ↗ 1. * <i>Aureus</i>		Golden Henbane
<i>Hypericum</i> ↗ 1. 2. * <i>Balkanicum</i>		Warted St. John's Wort
↗ 2. 2. * <i>Monogynum</i>		Chinese ditto
<i>Jasminum</i> ↗ 1. 2. * <i>Grandiflorum</i>		Catalonian Jasmino
2. * <i>Azoricum</i>		Azorian ditto
↗ 3. * <i>Odoratissimum</i>		Yellow Indian ditto
		<i>Boris</i>

<i>Beris</i>	-/-	1 * <i>Sempervirens</i>	Tree Candytuft
	-/-	2 * <i>Variegata</i>	Striped-leaved diccio
<i>Bix</i>		* <i>Africana</i>	Pepito Tree
<i>Blindia</i>		<i>Paronychia</i>	Mountain Knot Grass
<i>Billaria</i>	-/-	* <i>Floridana</i>	Starry Aniseed, with broad, spear-shaped, sweet-scented leaves
<i>Juniperus</i>		* <i>Bermudiana</i>	Bermudas Cedar
<i>Juglans</i>		<i>Adhatoda</i>	Malabar Nut
<i>Iris</i>		1 * <i>Uniflora</i>	Iris, with one violet-coloured flower on a stalk
		2 * <i>Corymbosa</i>	Blue flowering palmated Iris
		3 * <i>Africana</i>	White African diccio
		4 * <i>Chinenica</i>	Chinese diccio, with spotted flowers
	-/-	5 * <i>Crocata</i>	Saffron-coloured diccio
		6 * <i>Flexuosa</i>	Iris, with flexible branches
		7 * <i>Bulbifera</i>	Bulb-bearing diccio
		8 * <i>Scillaris</i>	Iris, with a long spike of violet coloured flowers
		9 * <i>Maculata</i>	Iris, with yellow spotted flowers
<i>Kiggelaria</i>		<i>Africana</i>	Kiggelaria, with serrated leaves
<i>Lachnaea</i>		* <i>Conglomerata</i>	Lachnaea, with conglomerate flowers
<i>Lantana</i>	-/-	1 <i>Salvifolia</i>	Sage-leaved Viburnum
		2 * <i>Africana</i>	Ilex-leaved African Jasmine
<i>Lavandula</i>	1	<i>Multifida</i>	Canary Lavender

<i>Lemnaceae</i>	2	Dentata	Sawed-leaved ditto.
<i>Lemna</i>	1	Obla	Shrubby Lavatera, with leaves having five lobes
	2	Triloba	Ditto, with three lobes to each leaf
<i>Lavatera</i>	1	*Borbonia	Carolina Bay
	2	*India	Broad-leaved Royal Portuguese ditto
	3	*Ethiopica	Lesser Carolina deciduous ditto
	4	*Camphora	Camphire Tree
<i>Leontice</i>		Leontopetalum	Grecian Leontice, with compound leaves
<i>Linen</i>	1	*Maritimum	Sea Flax
	2	Arboeum	Tree Flax
	3	Flavum	Yellow Austrian Flax
<i>Lobelia</i>	~	*Cardinalis	Scarlet Cardinal Flower
<i>Lotus</i>	1	*Creticus	Silvery-leaved Bird's Foot
	2	Hirsutus	Turffoil
	3	Doryenium	Hairy ditto
	4	*Jacobiensis	Montpellier ditto
	5	Rectus	Black Lotus
			Upright ditto
<i>Lysimachia</i>	1	Africana	Narrow-leaved Box Thorn
	2	Barbarensis	Oval-leaved prickly ditto
	3	Capitulare	Mexican ditto
<i>Masdevallia</i>		Tomentosa	Masdevallia, with woolly leaves
<i>Mirabilis</i>		Pseudodictamnus	Bastard Dittany of Crete
<i>Mitchella</i>	1	Aspergoides	Myrtle-leaved Asparagus

<i>Melaleuca</i>	2	Var: Angustifolia	Narrow-leaved ditto
	3	Virginiana	Small verticillated ditto
<i>Medicago</i>		Arborescens	Shrubby Moon Trefoil
<i>Afelia</i>	1	*Azederach	Bead Tree, with compound leaves
	2	*Azadirachta	Ditto, with pinnated leaves
<i>Melittis</i>	1	*Major	Great Honey-flower
	2	*Minor	Lesser ditto
<i>Melissa</i>		Cretica	Cretan Balm
<i>Mentha</i>		Canariensis	Shrubby Canary Mint
<i>Mesembryanthemum</i>	1	*Geniculiforme	Jointed Fig Marigold
	2	*Noctiflorum	Sweet Night flowering ditto
	3	*Splendens	Shining flowered ditto
	4	*Umbelliforme	Umbelliforme ditto
	5	*Calimiforme	Quill-leaved ditto
	6	*Tripolium	Trailing plain-leaved ditto
	7	*Bellidiforme	Daisy-flowering ditto
	8	*Deltoides	Delta-shaped ditto
	9	*Var: Major	Great ditto ditto
	10	*Var: Minor	Lesser ditto ditto
	11	*Barbatum	Bearded ditto
	12	*Var: Humile	Dwarf ditto ditto
	13	*Hispidum	Prickly stalked ditto
	14	*Striatum	Striped flowering ditto
	15	*Villosum	Hairy ditto
	16	*Scabrum	Rough ditto
	17	*Emarginatum	Notched flowered ditto

<i>McGaudry-</i>	} 18	* <i>Uncinatum</i>	Hooked-leaved ditto
<i>...bernum</i>		*Var: <i>Major</i>	Greater ditto
	19	* <i>Spinosum</i>	Prickly ditto
	20	* <i>Tuberifex</i>	Tuberous-rooted ditto
	21	* <i>Tenuifolium</i>	Slender-leaved ditto
	22	* <i>Stipulaceum</i>	Upright shrubby ditto
	23	* <i>Craspedium</i>	Creeping ditto
	24	* <i>Falcatum</i>	Scytalar shaped ditto
	25	* <i>Glomeratum</i>	Crowded ditto
	26	* <i>Loreum</i>	Leathery stalked ditto
	27	* <i>Filamentosum</i>	Purple ditto
	28	* <i>Acinaciforme</i>	Scymitar-shaped ditto
	29	* <i>Fortificatum</i>	Forked Fig Marygold
	30	* <i>Edule</i>	Eatable ditto
	31	* <i>Bicolorum</i>	Two-coloured ditto
	32	* <i>Serratum</i>	Sawed-leaved ditto
	33	* <i>Micans</i>	Glistening ditto
	34	* <i>Rofratum</i>	Heron-beaked ditto
	35	* <i>Veruculatum</i>	Spit-leaved ditto
	36	* <i>Glaucum</i>	Glaucom ditto
	37	* <i>Corniculatum</i>	Horned ditto
	38	*Var: <i>Minor</i>	Lesser ditto
	39	* <i>Expansum</i>	Broad-leaved ditto
	40	* <i>Textosum</i>	Twisted-leaved ditto
	41	* <i>Ringen: Canis:</i>	Dog's-chops ditto
	42	* <i>Ringen: Feline:</i>	Cat's-chops ditto

<i>Afrodenry-</i>	} 44 *Dolabiforme 45 *Difforme 46 *Albidum 47 *Linguiforme 48 *Var: Latifol: 49 *Var: Angustifol: 50 *Var: Longifol: 51 *Pugioniforme 52 *Aureum	Nibbed-leaved ditto
		Deformed ditto
		White ditto
		Tongue-leaved ditto
		Broad-leaved ditto
		Narrow-leaved ditto
		Long-leaved ditto
		Dagger-leaved ditto
		Orange flowered ditto
		Prolate ditto
<i>Africana</i>	53 *Decumbens 54 *Aufiale	Southern ditto
	1 V-pinn	Moraa, with sword-shaped leaves
	2 Juncia	Moraa, with rush-like leaves
<i>Myrtus</i>	1 *Quercifolia	African Oak-leaved Candleberry Myrtle
	2 *Var: Pubescens.	Downy-leaved ditto
	3 *Var: Caroliniana	Carolina ditto
	4 *Cordifolia	Round-leaved ditto
	5 *Trifoliata	Three-leaved ditto
<i>Ajefas</i>	*Africana	Round-leaved African Box
<i>Ajefas</i>	1 *Communis	Common broad-leaved Myrtle
	2 *Var: Romanus	Roman ditto
	3 *Var: Tarentina	Box-leaved ditto
	4 *Var: Italica	Upright Italian ditto
	5 *Var: Pol: Variety:	Upright striped ditto

<i>Ajuga</i>	+	6 *Var: Borealis	Oval-leaved Myrtle
		7 *Var: Lusitanica	Portuguese ditto
		8 *Var: Belgica	Broad-leaved Dutch ditto
		9 *Var: Flores pleno	Floral ditto
	+	10 *Var: Macrantha	Nutmeg ditto
	+	11 *Var: Rosmarinifolia	Rosemary-leaved ditto
	+	12 *Var: Maculata	Yellow blotched ditto
		13 *Var: Latifolia: reflexa	Broad curled ditto
		14 *Var: Angustifolia: reflexa	Narrow ditto
		15 *Var: Trifoliata	Three-leaved ditto
<i>Kirkia</i>	-	1 *Oleander	Common red Redbay
		2 *Var: fl: alba	White ditto
	+	3 *Var: fl: plena	Double red ditto
		4 *Var: Fol: variegata	Gold striped-leaved ditto
		5 *Zeylanicum	Lesser sweet-scented ditto
<i>Olea</i>		1 *Americana	Carolina Olive, with elliptical leaves
		2 *Myrtifolia	Carolina Myrtle-leaved ditto
	+	3 *Odoratissima	Sweet-scented Chinese ditto
		4 *Europea Latifolia	Common broad-leaved ditto
		5 *Var: Angustifolia	Narrow-leaved ditto
		6 *Var: Buxifolia	Haz-leaved ditto
		7 *Capensis	Cape Olive, with rounded thick leaves
<i>Origanum</i>	+	1 Narrix	Yellow shrubby Reth Ha.
	+	2 Crispa	Curled-leaved ditto
	+	3 Rotundifolia	Round-leaved ditto
<i>Oriopanax</i>	+	1 Egyptianum	Egyptian Marjoram

<i>Orientalis</i>	† 2 * <i>Xanthusia</i>	Dittany of Crete
	— 3 * <i>Sipylum</i>	Dittany of Mount Sipylus
	4 * <i>Majorana</i>	Sweet or knotted Majorana
<i>Osteospermum</i>	† <i>Pistillatum</i>	African Chrysanthemum, with sharp-pointed leaves
	2 <i>Moniliforme</i>	Ditto, with oval leaves
<i>Otidea</i>	1 <i>Coronopifolia</i>	Shrubby Ragwort, with a hart's horn leaf
	2 <i>Peltata</i>	Ditto, with comb-shaped leaves
	3 <i>Arborescens</i>	Tree Ragwort
	— 4 <i>Chairifolia</i>	Ditto, with spear-shaped entire leaves
	5 <i>Parviflora</i>	Small flowering ditto
<i>Pascalia</i>	* <i>Carolinianum</i>	Narrow-leaved Carolina Lily Narcissus
<i>Pastinaca</i>	<i>Filiformis</i>	Thread-leaved African Spar- row Wort
<i>Pattersonia</i>	1 <i>Incarnata</i>	Italian Passion Flower
	2 <i>Lutea</i>	Yellow ditto
<i>Pavonia</i>	* <i>Aurea</i>	Pavonia, with panicles of yellow flowers
<i>Perrisia</i>	<i>Africana</i>	Climbing African Apocynum
<i>Philodendron</i>	† * <i>Aromaticum</i>	Broad-leaved New Zealand Tea
	2 * <i>Var. Angustifolium</i>	Narrow-leaved ditto
	3 * <i>Hirsutum</i>	Hairy-leaved ditto
	4 * <i>Lucidus</i>	Shining-leaved ditto

<i>Pollonia</i>	1. <i>Purpurea</i>	Purple Jerusalem Sage
	2. <i>Nepetifolia</i>	Cat Mint-leav'd Lion's Tail
	3. * <i>Leonurus</i>	African Lion's Tail
<i>Phyllis</i>	1. * <i>Ericoides</i>	Bastard African Heath
	2. * <i>Buxifolia</i>	Box-leaved ditto
<i>Phyllis</i>	<i>Nobilis</i>	Bastard Canary Hare's Ear
<i>Physalis</i>	* <i>Somnifera</i>	Shrubby Winter Cherry Tree
<i>Pistacia</i>	1. * <i>Vera</i>	True Pistacia Nut-tree
	2. * <i>Terebinthus</i>	Turpentine Tree
	3. * <i>Trifolia</i>	Trifoliate Pistacia
	4. * <i>Lenticus</i>	Broad-leaved Gum Mastic-tree
	5. *Var: <i>Angustifolia</i>	Narrow-leaved ditto
<i>Polygonia</i>	1. * <i>Myrtifolia</i>	African Milkwort
	2. * <i>Spinosa</i>	Prickly ditto
<i>Potentilla</i>	* <i>Spinulum</i>	Prickly shrubby Burnet
<i>Prostanthera</i>	<i>Majus</i>	Spanish Hedge-nettle
<i>Protea</i>	1. * <i>Argentea</i>	Round-leaved Silver Tree
	2. * <i>Lepidocarpodendron</i>	Protea, with sessile, spear-shaped, alternate leaves
	3. * <i>Parviflora</i>	Protea, with oblong, obovate, spear-shaped leaves
	4. * <i>Racemosa</i>	Branching ditto, with the branches terminated by tufts of leaves
	5. * <i>Conifera</i>	Upright narrow-leaved ditto
		<i>Prunus</i>

<i>Protea</i>	6. * <i>Saligna</i>	Protea, with oblique, spear-shaped, downy leaves
<i>Pterosphaera</i>	1. <i>Pinnata</i>	Blue African Jupiter's Beard
	2. <i>Aculeata</i>	Prickly-leaved ditto
	3. <i>Bituminosa</i>	Bituminous ditto
	4. <i>Cytisoides</i>	Cytisus-leaved ditto
	5. <i>Angustifolia</i>	Narrow-leaved ditto
<i>Passiflora</i>	1. * <i>Grenadina</i>	Pomegranate
	2. *Var: fl: plena	Double flowering ditto
	3. * <i>Nana</i>	Dwarf ditto
<i>Rhus</i>	1. <i>Tomentosum</i>	Hairy-leaved ditto
	2. <i>Angustifolium</i>	Narrow-leaved ditto
	3. <i>Lucidum</i>	Shining leaved ditto
	4. Var: <i>Major</i>	Larger ditto
	5. <i>Lavigatum</i>	Smooth three-leaved ditto
	6. <i>Odonata</i>	Sweet-scented ditto
<i>Riccia</i>	<i>Ciliata</i>	Hairy African Campanula
<i>Rosa</i>	* <i>Indica</i>	Chinese Rose, with pinnated leaves
<i>Rosmarinus</i>	1. *Var: <i>Officinalis</i> : fol: argent: varieg:	Silver-striped Rosemary
	. . . 2. *Var: fol: aur: varieg:	Gold striped-leaved ditto
<i>Rubus</i>	1. * <i>Lucida</i>	Hair. rt, with oval, shining, roughish leaves
	2. * <i>Glabra</i>	Smooth myrtle-leaved ditto, with hanging flowers
	3. * <i>Hirta</i>	Hairy-leaved ditto

<i>Rapistrum</i>	1. <i>Hippolytum</i>	Broad-leaved Alexandrian laurel
	2. *Var: <i>Nanum</i>	Dwarf ditto
	3. * <i>Androgynus</i>	Tree ditto, with flowers on the margin of the leaves
<i>Ruta</i>	1. <i>Egyptica</i>	Egyptian Sage
	2. <i>Canariensis</i>	Canary ditto
	3. <i>Africana</i>	Blue African ditto
	4. * <i>Aurea</i>	Yellow ditto
	5. <i>Mexicana</i>	Great Mexican ditto
	6. <i>Paniculata</i>	Lesser Ethiopian ditto
<i>Saxifraga</i>	1. <i>Africana</i>	African Scabious
	2. <i>Cortica</i>	Cretan ditto
	3. <i>Rigida</i>	Rough stalked ditto
<i>S. Aenea</i>	1. * <i>Mollis</i>	Peruvian Maffick Tree, with winged sawed leaves and flexible stalks
	2. * <i>Aurea</i>	Ditto, with winged leaves, whose lobes are equal and entire
<i>Schizanthus</i>	1. <i>Sambucifolius</i>	Elder-leaved Figwort
	2. <i>Fratetia</i>	Vervain-leaved ditto
<i>Selago</i>	1. <i>Corymbosa</i>	Selago, with upright stalks, ending in a corymbus
	2. <i>Spatia</i>	Ditto, with narrow, notched leaves
<i>Sempervivum</i>	1. * <i>Arborescens</i>	Tree Sedum, or Houtz-leek
	2. *Var: fol: varieg:	Variegated ditto

<i>Sempervivum</i>	3	*Canariense	Broad thick-leaved Canary ditto
	-	4 *Arachnoideum	Cobweb Sedum
<i>Sideritis</i>	1	Syriaca	Syrian Stachys
	2	Canariensis	Canary ditto
<i>Sidagyrion</i>	1	*Tenax	Carolina Iron Wood
	2	Lycioides	Prickly ditto
	3	Oppositifolium	Opposite-leaved ditto
<i>Silene</i>	1	Fruticosa	Myrtle-leaved vicious Cam- pion
	-		
	2	Gigantea	Large ditto, with concave leaves
<i>Sisyrinchium</i>	1	Bermudinum	Small blue Sisyrinchium
	2	Var: variety:	Ditto, with striped flowers
	3	Palmifolium	Ditto, with palmated leaves
<i>Spiraea</i>		Excelsa	Eastern Bindweed
<i>Spiraea</i>	1	*Pseudocapsicum	Winter Cherry
	2	*Quercifolium	Oak-leaved ditto
<i>Solidago</i>	-	Alpina	Round-leaved alpine Solidago
<i>Spartium</i>	1	Spinosum	Three-leaved prickly Broom
	2	Radiatum	Starry Broom
	3	*Monsperrum	White Spanish Broom
<i>Statice</i>	1	Speciosa	Plantain-leaved Thrift
	2	Suffruticosa	Shrubby ditto
	---	3 Monopetala	Narrow-leaved ditto
	4	Tartarea	Tartarian ditto

<i>Struthiopteris</i>	* <i>Vergata</i>	Struthiopteris, with opposite, spear-shaped leaves
<i>Succowia</i>	* <i>Officinalis</i>	Quince-leav'd Storax
<i>Tamnus</i>	<i>Camphoratus</i>	African Fleabane
<i>Taxus</i>	1 * <i>Elongata</i>	Ethiopian broad-leav'd Yew- tree
	2 * <i>Nudifera</i>	Deciduous nut-bearing Ja- ponese Yew-tree
<i>Tetragonia</i>	1 <i>Fruticosa</i>	Shrubby Tetragonia
	2 <i>Herbacea</i>	Herbaceous ditto
<i>Thlaspias</i>	1 <i>Fruticans</i>	Tree Germander
	2 <i>Latifolium</i>	Broad-leaved ditto
	3 <i>Marum</i>	Hoary-leaved Cat-thyme
	4 <i>Pollum</i>	Poly Mountain
	5 <i>Var: Lutea</i>	Yellow Mountain ditto
	6 <i>Var: alba</i>	White ditto
	7 <i>Creticum</i>	Cretan ditto
<i>Thea</i>	1 * <i>Viridis</i>	Chinese Green Tea-tree, with spear-shaped, serrated, light green leaves
	2 * <i>Bohea</i>	Bohea Tea-tree, with alter- nate, elliptical, dark green leaves
<i>Thymus</i>	1 <i>Spicata</i>	Spiked Mountain Hyssop
	2 <i>Verticillata</i>	Rough narrow-leaved ditto
<i>Thymus</i>	3 <i>Multiceps</i>	Mullick Thyme
<i>Thymus</i>	* <i>Caeruleum</i>	Blue Thymewort
	P	<i>Trichomanes</i>

<i>Trichomanes</i>	* <i>Camariensis</i>	Portugal Fern
<i>Tripteryx</i>	<i>Jamaicensis</i>	Tripteryx, with a twining stalk
<i>Ulex</i>	<i>Capensis</i>	Cape Furze
<i>Fistula</i>	<i>Roxburghii</i>	Tallish spiky Verbain
<i>Fistularia</i>	<i>Glabrum</i>	Smooth Wayfaring Tree
<i>Fiter</i>	1. <i>Trifolia</i>	Three-leaved Chaste Tree
	2. <i>Negundo</i>	Five-leaved ditto
<i>Wachendorffia</i>	1. <i>Thrysiflora</i>	Wachendorffia, with spear-shaped leaves, having five veins
	2. <i>Paniculata</i>	Ditto, with sword-shaped leaves, having three veins
<i>Zizys</i>	1. * <i>Aloifolia</i>	Aloe-leaved Adam's Needle
	2. * <i>Dracunculus</i>	Ditto, with dragon tree leaves
	3. * <i>Gloriosa</i>	Ditto, with entire leaves
<i>Xanthosoma</i>	1. * <i>Reticulatum</i>	Everlasting, with orbited wavy leaves
<i>Zygophyllum</i>	1. * <i>Serratifolium</i>	Sickle Bean Cape:
	2. * <i>Morgiana</i>	{ semi-)leaved ditto

## H O T - H O U S E P L A N T S.

	<i>Latin Name.</i>	<i>English Name.</i>
<i>Abrus</i>	<i>Precatorius</i>	Jamaica wild Liquorice
<i>Abrus</i>	1 <i>Mammelosa</i>	American Marmalade
	2 <i>Sapota</i>	American Mammea
<i>Amaranthus</i>	<i>Afyra</i>	Perennial Amaranthus, with a prickly calyx
<i>Amaranthus</i>	<i>Digitata</i>	Ethiopian Sour-gourd
<i>Amaranthus</i>	<i>Paxtonia</i>	Baffard Flower fence
<i>Amaranthus</i>	1 " <i>Cayllus Veneris</i>	True Maiden Hair, with co- riander leaves
	2 " <i>Pedatum</i>	American ditto, with foot- shaped leaves
<i>Adonis</i>	" <i>Grandiflora</i>	Baffard Sensitive Plant
<i>Aloe</i>	1 " <i>Vivipara</i>	Childing Aloe
	2 " <i>Festuca</i>	Aloe, with long, rough, pale- green falcid leaves
	3 " <i>Karatto</i>	Aloe, with deep-green leaves, edged with brown
<i>Aloe</i>	1 " <i>Major</i>	Great Baffard Star of Bethle- hem, with spear-shaped leaves
	2 " <i>Minor</i>	Lesser ditto, with awl-shaped leaves

<i>Alocasia</i>	1 * <i>Farinosa</i>	Stalkless Alocas., with spear-shaped leaves
	2 * <i>Capensis</i>	Stalkless ditto, with undulated leaves
	3 * <i>Fragrans</i>	Stalky ditto, with white sweet-scented flowers
	4 * <i>Hyacinthoides</i>	Stalkless ditto, with spear-shaped fleshy leaves
	5 <i>Zeylanica</i>	Zeylon ditto, with variegated leaves
- - -	6 <i>Guineensis</i>	Guinea ditto, with jointed roots
<i>Aloe</i>	1 * <i>Villosa</i>	Vilous triangular-leav'd Aloe
	2 * <i>Arachnoides</i>	Cobweb ditto
	3 * <i>Perox</i>	Aloe, with prickly glaucous leaves
<i>Allamanda</i>	1 * <i>Peltophima</i>	Allamanda, with twisted, enamelled leaves, and most beautiful, large, purple-spotted flowers
	2 * <i>Lilacina</i>	Dwarf, with small purple, striped flowers, most delicate
<i>Eucharis</i>	1 * <i>Atamisco</i>	Atamisco Lily
- - -	2 * <i>Normoliflora</i>	Jacobean ditto, most rich and beautiful
- - -	3 * <i>Roxburghii</i>	Mexican Lily, with scarlet flowers

<i>Anemone</i>	4 * <i>Belladonna</i>	Belladonna ditto, with most beautiful large pink and white flowers
	5 * <i>Sarmiensis</i>	Guernsey ditto, with delicate, pink-colour'd flowers, spangled with silver
	6 * <i>Longifolia</i>	Dwarf long-leav'd African ditto
	7 * <i>Zeylanica</i>	Ceylon ditto, with a longitudinal stripe in each leaf
<del>✓</del>	8 * <i>Guttata</i>	Spotted hairy-leaved ditto
	9 * <i>Orientalis</i>	Brunfelsia, with tongue-shaped leaves and red flowers
	10 * <i>Capeensis</i>	Black spotted Cape Lily
<del>✓</del>	11 * <i>Undulata</i>	Purple Cape ditto, with curled flowers
	12 * <i>Vittata</i>	Portugal ditto, with most beautiful, large, sweet-scented, striped flowers
<i>Asperula</i>	1 * <i>Zingiber</i>	True Ginger
	2 * <i>Zerumbet</i>	Wild ditto
<i>Amyris</i>	<i>Balsamifera</i>	Sweet Amyris
<i>Anacardium</i>	<i>Occidentale</i>	Kidney-shaped Indian Plum
<i>Annona</i>	1 <i>Muricata</i>	Prickly-fruited Custard Apple
	2 <i>Squamosa</i>	Scaly ditto
	3 <i>Reticulata</i>	Netted ditto
	4 <i>Afroatica</i>	Afroatic ditto

<i>Antholyza</i>	1. * <i>Maura</i>	Yellow hairy Antholyza.
	2. * <i>Meriana</i>	Antholyza, with pale, pink-colour'd flowers, most beautiful
	3. * <i>Rigens</i>	Scarlet Antholyza, with spreading flowers
	4. * <i>Cusonii</i>	Scarlet papilionaceous Antholyza, with a green trifid root
	5. * <i>Ethiopica</i>	Ethiopian Antholyza
<i>Ajuga</i>	1. * <i>Festucaefolia</i>	Shrubby Dogbane
	2. <i>Reticulatum</i>	Climbing ditto
<i>Arctopus</i>	* <i>Echinatus</i>	Arctopus, with prickly leaves
<i>Ardisia</i>	<i>Indica</i>	Indian Birchwort
<i>Artemisia</i>	<i>Judaica</i>	Sweet-scented Judean Mugwort
<i>Aronia</i>	1. * <i>Colocasia</i>	Greater Wake Robin
	2. * <i>Sequenium</i>	Dumb Cane
	3. * <i>Divaricatum</i>	Wake Robin, with heart-shaped angular leaves
	4. * <i>Peregrinum</i>	Ditto, with obtuse, heart-shaped leaves
	* <i>Aureofolium</i>	Tree ditto, with spear-shaped leaves
	5. * <i>Macrorhizon</i>	Wake Robin, with heart-shaped, pointed, reflexed leaves
	6. * <i>Elatiorum</i>	Escallop ditto

<i>Annona</i>	Bamboo	Bamboo Cane
<i>A. glauca</i>	1. "Gigantea" 2. "Crassifolia"	Auricula Tree Baffard Ipecacuana
<i>Alerce</i>	"Fruticosus"	Shrubby Starwort
<i>Bauhinia</i>	Laurifolia	Laurel-leaved Bauhinia
<i>Burseria</i>	Prionitis	Prickly Burseria
<i>Bryonia</i>	1. Rubra 2. Alba	Red Malabar Nightshade White ditto
<i>Burseria</i>	1. Acuminata 2. Ungulata	Pointed leaf'd mountain ebony Digio, with forked leaves
<i>Bignonia</i>	1. "Leucostylon" 2. "Peruviana" 3. Indica	Jamaica Tulip Flower Peruvian ditto Indian ditto
<i>Bixa</i>	Orellana	Anocca, with heart-shaped leaves
<i>Bocconia</i>	Frutescens	Oak-leav'd Tree Celandine
<i>Borbochia</i>	Scandens	Borbochia, with a climbing stalk
<i>Brosimum</i>	1. Criiba 2. Pentandrum 3. Goffynium	Prickly Silk Cotton Smooth vine-leaved ditto Silk Cotton, with sharp point- ed downy leaves
<i>Brotia</i>	*Diphloides	Barbadoes Wild Olive
<i>B. glauca</i>	*Flabellifer	Palm, with fan-shaped leaves
<i>Bromelia</i>	1. "Ananas." 2. "Var. Folk sing. varieg."	Queen Pine-apple Surinam Pine-apple, with most beautiful, silver-strip'd leaves

<i>Braueria</i>	3 *Var; Fol: aur: varieg: Surinam ditto, with yellow strip'd leaves
	4 *Nigra Black Antigua Pine
	5 *Alba White flesh'd Pine
	6 *Pyramidalis Brown Sugar-loaf Pine
	7 *Lucida Ditto, with smooth, shining, deep green leaves
	8 *Serotina Montserrat Pine
	9 *Pinguin Wild Pine
<i>Bruceia</i>	1 *Lanuginosa $\text{\AE}$ thiopian Tamarisk
	2 *Ciliata Ditto, with oval, sharp-pointed hairy leaves
<i>Brunneofilia</i>	Americana Brunneofilia, with white flowers
<i>Buchsia</i>	* $\text{\AE}$ thiopica Buchnera, with tridentated leaves
<i>Cacalia</i>	1 *Papillaris Foreign Colt's-foot, with a piny stalk
	2 *Antennigerum Cacalia, with a shrubby stalk and oblong oval leaves
	3 *Kleinia Cabbage Tree
	4 *Ticoides Cacalia, with deeply compressed leaves
<i>Caffra</i>	1 *Mammillaris Lesser Melon Thistle
	2 *Melocactus Great Melon Thistle
	3 *Braptageana Upright seven-angled Torch Thistle

<i>Cactus</i>	4 * <i>Tetragonous</i>	Four-angled Torch Thistle
	5 * <i>Hexagonus</i>	Six-angled ditto
	6 * <i>Pentagonus</i>	Five-angled ditto
	7 * <i>Repanus</i>	Compressed octangular ditto
	8 * <i>Lanuginosus</i>	Woolly nine-angled ditto
	9 * <i>Peruvianus</i>	Peruvian ditto
	10 * <i>Roxeni</i>	Upright nine-angl'd ditto
	11 * <i>Grandiflorus</i>	Grand night-flowering Cereus, most superb
	12 * <i>Flagelliformis</i>	Creeping Cereus
	13 * <i>Triangularis</i>	True prickly Pear
	14 * <i>Opuntia</i>	Oval-leaved Indian Fig
	15 * <i>Ficus Indicus</i>	Indian Fig, with oval joints
	16 * <i>Tuna</i>	Branching ditto, with strong, yellow, awl-shaped spines
	17 * <i>Cochenillifer</i>	Cochineal-bearing ditto
	18 * <i>Curassavicus</i>	Small ditto Vulgo Pinpilla
	19 * <i>Phyllanthus</i>	Spleenwort-leaved ditto
	20 * <i>Peregrina</i>	Barbados Gooseberry
	21 * <i>Postulacifolius</i>	Prickly Tree ditto, with pinnate leaves
	22 * <i>Spinosissimus</i>	Ditto, with very long, flat joints, full of long white spines
<i>Convolv.</i>	* <i>Japonica</i>	Evergreen, broad-leav'd, sweet smelling Japonese Rose, most beautiful

<i>Canna</i>	1 "Indica	Broad-leaved red Cannacores
	2 "Var: Foli: varieg:	Striped-leaved ditto
	3 "Var: Lutea	Yellow ditto
	4 "Glossa	Smooth green ditto
<i>Capparis</i>	1 "Spinosa	Prickly Caper Tree
<i>Capsicum</i>	"Frutescens	Shrubby Capsicum
<i>Carica</i>	1 "Papaya	Melon-shaped Papaw
	2 "Populifolia	Pear-shaped ditto
<i>Caryota</i>	"Urens	Date-bearing Palm, with compound leaves
<i>Caffra</i>	1 Fistula	Alexandrian Caffra
	2 Biflora	Two-flowered ditto, with downy stalks
	3 Ligustrina	Privert-leaved ditto
	4 Termitiflora	Slender podded ditto
	5 Mimosoides	Mimosa-leaved ditto
	6 Biocarpularia	Tree ditto, with biocarpular pods
<i>Caffra</i>	*Filiformis	Slender, smooth Caffra
<i>Caffraria</i>	*Equisetifolia	Tinian Pine
<i>Cataphaea</i>	*Spinosa	Lily-flowering Thorn
<i>Cedrela</i>	Odorata	Barbadoes Cedar
<i>Cerbera</i>	1 Ahouai	Oval-leaved Cerbera
	2 Manghas	Cerbera, with spear-shaped leaves

<i>Cyathia</i>	1 " <i>Dianum</i>	Baldard Day-smelling Jasmine
	2 " <i>Nocturnum</i>	Night-smelling ditto
	3 " <i>Montanum</i>	South Sea Laurel
<i>Chamaerops</i>	1 " <i>Humilis</i>	Dwarf Palm
<i>Chironia</i>	1 " <i>Fratelensis</i>	Shrubby Chironia, with very red enamelled flowers
	2 " <i>Baccifera</i>	Berry-bearing ditto
<i>Cirsyphyllum</i>	1 " <i>Cainito</i>	Star Apple, or Durian Tree
	2 " <i>Glabrum</i>	Smooth-leaved ditto
<i>Cissus</i>	1 <i>Cordifolia</i>	Wild Grape, with entire heart-shaped leaves
	2 <i>Acida</i>	Ditto, with oblong trifoliate leaves
<i>Clytanthus</i>	1 <i>Cinereum</i>	American Fiddlewood
	2 <i>Quadrangulare</i>	Ditto, with quadrangular stalks
<i>Clypearia</i>	<i>Portulacaria</i>	Pueblane - leaved Tree - like Claytonia
<i>Clinzia</i>	1 <i>Ternata</i>	White wing-leaved Clinzia
	2 Var: Fl: <i>Ceruleo</i>	Blue ditto
<i>Clyta</i>	<i>Flava</i>	Yellow Balsam Tree.
<i>Coccoloba</i>	1 <i>Uniflora</i>	Sea-side Grape
	2 <i>Punctata</i>	Ditto, with spotted fruit
	3 <i>Rubeficens</i>	Ditto, with orbicular hairy leaves

<i>Cicus</i>	* <i>Nucifera</i>	Cocoa Nut
<i>Coffea</i>	* <i>Arabica</i>	Coffee Tree
<i>Commelinia</i>	1. <i>Africana</i>	Creeping African Commelina
	2. <i>Tuberosa</i>	Tuberous-rooted ditto
	3. <i>Criflata</i>	Crefted ditto
<i>Copaiifera</i>	<i>Officinalis</i>	Balsam of Capri, with pinnated leaves
<i>Cordia</i>	<i>Sebestina</i>	Lignum Aloes
<i>Cornutia</i>	* <i>Pyramidalis</i>	Blue hairy pyramidal Cornuta
<i>Corypha</i>	* <i>Umbeaculifera</i>	Palm, with Fan-shaped leaves
<i>Coflea</i>	<i>Arabica</i>	Arabian Coflea
<i>Cotyledon</i>	1. * <i>Spatia</i>	Long narrow-leaved Navelwort
	2. * <i>Hemispherica</i>	Semi-globular leaved ditto
	3. * <i>Laciniata</i>	Cut-leaved ditto
<i>Croftia</i>	1. * <i>Perfoliata</i>	Orpine, with perfoliated leaves
	2. * <i>Cultivata</i>	Ditto, with oval blunt leaves
	3. * <i>Portulacaria</i>	Tree-like ditto, with purplish leaves
	4. * <i>Quadrata</i>	Dito, with square stalks
<i>Crinum</i>	1. * <i>Africanum</i>	Blue African Hyacinth
	2. * <i>Latifolium</i>	Broad-leaved Lily Alphodel, with purplish leaves, filik and stamina
	3. * <i>Asiticum</i>	Asotic ditto, with striped flowers

<i>Croton</i>	1 *Americanum	American ditto
	2 Zeylanicum	Zeylon ditto, with striped flowers
<i>Crotonaria</i>	1 *Laburnifol:	Laburnum-leaved Crotonaria
	2 *Chinenis	Oval-leaved Chinese ditto
<i>Croton</i>	1 Cascarilla	Sweet-scented Croton, with spear-shaped leaves
	2 Glabellum	Smooth oval-leaved ditto
<i>Curcuma</i>	1 *Rotunda	Round-rooted Turmeric
	2 Longa	Long-rooted ditto
<i>Cyperus</i>	1 *Circinalis	Sago Palm
	2 *Var: Latifolia	Broad-leaved ditto
<i>Cynanchum</i>	Histum	American Sammonia
<i>Cytisus</i>	Cajan	American Pigeon Pea
<i>Dais</i>	Cocconifolia	Dais, with leaves resembling those of fumach
<i>Delima</i>	Sermentosa	Branching Delima
<i>Dioscorea</i>	1 Sativa	Briony-leaved Dioscorea
	2 Bulbifera	West-Indian Yam
<i>Dracaena</i>	1 *Draco	True Dragon-tree
	2 *Endifolia	Sweet-scented ditto
	3 *Ferre	Chinese Iron-tree
	4 *Terminalis	Herbaceous ditto, with spear-shaped leaves
<i>Dracunculus</i>	1 *Portulatum	Perforate-leaved Dragon
	2 *Spinoforum	Prickly Ceylon ditto
<i>Dracontia</i>	1 Flemieri	Creeping prickly Cafforea

*Duranta*

<i>Doranta</i>	a. <i>Ella</i>	Upright ditto
<i>Ehretia</i>	" <i>Tinifolia</i>	<i>Ehretia</i> , with oblong spear-shaped smooth leaves
<i>Eleocarpus</i>	<i>Serrata</i>	<i>Eleocarpus</i> , with serrated leaf-leaves
<i>Elephantopus</i>	1. <i>Scaber</i>	Rough-leav'd Elephant's Foot
	2. <i>Tomentosus</i>	Woolly-leaved ditto
<i>Erythrina</i>	1. * <i>Herbacea</i>	Herbaceous Coal-tree
	2. * <i>Corallodendron</i>	Smooth American ditto
	3. * <i>Picta</i>	Prickly painted ditto
<i>Eugenia</i>	1. * <i>Jambos</i>	West-India Pome Rose
	2. * <i>Malaccensis</i>	East-India ditto
<i>Euphorbia</i>	1. * <i>Antiquorum</i>	Triangular Spurge
	2. * <i>Canariensis</i>	Prickly Canary ditto
	3. * <i>Officinarum</i>	Official ditto, with spines growing by pairs
	4. * <i>Nerifolia</i>	Oleander-leaved ditto
	5. * <i>Cotinifolia</i>	Venus's Sumach-leaved ditto
	6. * <i>Palifolia</i>	Pader-leaved ditto
<i>Fagara</i>	1. <i>Pterota</i>	Ironwood, with indented leaves
	2. <i>Tragedes</i>	Prickly ditto
	3. <i>Piperita</i>	Crenated-leaved ditto
<i>Ferraria</i>	<i>Undulata</i>	Cyclamen rooted Scarry Iris
<i>Ficus</i>	1. * <i>Religiosa</i>	Poplar-leaved Fig-tree
	2. * <i>Benghalensis</i>	Bengal Fig, with roundish leaves
	3. * <i>Racemosa</i>	Branching ditto

<i>Ficus</i>	4. *Pumila	Dwarf Creeping ditto
	5. *Nymphaeifolia	Water Lily-leaved ditto
	6. Sycomorus	Sycamore-leaved ditto
	7. Indica	Indian ditto
	8. Benjamina	Small thick-leaved ditto
<i>Gordonia</i>	1. *Florida	Single Cape Jasmine
	- . 2. *Var: flore pleno	Double ditto, most beautiful
<i>Grewia</i>	Americana	American Janipha
<i>Grewia</i>	Tomentosa	Grewia, with woolly leaves
<i>Grevillea</i>	1. *Lobatum	Vine-leaved Crane's Bill
	2. *Trifolia	Anemone-leaved ditto
	3. *Carnedum	Fleshy stalked ditto
	4. *Fulgidum	Celandine-leaved ditto
	5. *Pinnatum	Wing-leaved ditto
	6. *Lanceolatum	Spear-shaped leaved ditto
	7. *Cotyledonis	Orbicular heart-shaped ditto
	8. *Trigonum	Triangular stalked ditto
	9. *Lexigatum	Smooth Ranunculus - leaved ditto
<i>Gilia</i>	1. *Spicata	Spiked Cornflag
	2. *Trifolia	Ditto, with Bell-shaped flowers
	3. *Angustifolia	Narrow-leaved ditto
<i>Gloriosa</i>	1. *Superba	Superb Lily, with long leaves ending in tendrils
	2. *Simplex	Ditto, with plain, oval, spear- shaped, sharp-pointed leaves

*Glycyrrhiza*

<i>Comptosia</i>	Perennis	Perennial Globe Amaranthus
<i>Coffeum</i>	Arborescens	Cotton Tree, with palmated leaves
<i>Grewia</i>	Orientalis	Eastern Grewia
<i>Gujarum</i>	1. <i>Officinale</i>	Official Lignum Vitæ,
	2. <i>Sandatum</i>	Ditto, with many obtuse lobes, by pairs
	3. <i>Afrum</i>	Myrtle-leaved ditto
<i>Guzera</i>	Trichiloides	Guzera, with branching flowers
<i>Guttarda</i>	* <i>Speciosa</i>	Guttarda from Java, with large oval leaves
<i>Gulmardia</i>	1. <i>Bonduc</i>	Prickly-leaved yellow Nickar
	2. <i>Bonducella</i>	Lesser grey ditto
	3. <i>Moringa</i>	Zeylon ditto
<i>Hancornia</i>	1. * <i>Coccinea</i>	African Blood-flower
	2. * <i>Punicus</i>	Spotted stalked ditto
	3. * <i>Ciliaris</i>	Ditto, with tongue-shaped hairy leaves
<i>Hematoxylum</i>	* <i>Campechianum</i>	Logwood
<i>Hedysarum</i>	1. <i>Styracifolium</i>	Stone-leaved French Honey- fuckle
	2. * <i>Morrens</i>	Chinese Mowing Plant
<i>Heliotrope</i>	<i>Ifora</i>	Screw Tree
<i>Helioscopia</i>	<i>Americanum</i>	Mulberry leaved Tree Mon- tia
		<i>Heliotropium</i>

<i>Hedistropis</i>	~ 1 *Peruvianum	Sweet-scented Turnsole
<i>Hernandia</i>	Sonora	Jack in a Box
<i>Hibiscus</i>	1 Populneus	Poplar-leaved Syrian Mallow
	2 Tiliaceus	Lime-leaved ditto
	3 Rosa Sinensis	China Rose
	4 *Var: flore plen:	Double China Rose
	5 Mutabilis	Mutable Hibiscus
	6 Malvarius	Mallow-leaved ditto
	7 Ficineus	Fig-leaved ditto
	8 Sabdariffa	Cut-leaved ditto
	9 Abelmoschus	Musk ditto
<i>Hippocratea</i>	1 Mancinella	Manchineel, with oval sawed leaves
	2 Biglandulosa	Ditto, with oblong bay leaves
<i>Hura</i>	*Crepitans	Sand-box Tree
<i>Hymenaea</i>	*Courbaril	Locust ditto
<i>Jatropha</i>	1 Multifida	Multifid French Physic-nut
	2 Curcas	Angular-leaved ditto
	3 Urens	Prickly-leaved ditto
<i>Illicium</i>	Lanata	Illicium, with woolly leaves
<i>Jeffreya</i>	Repens	Creeping Indian Primrose
<i>Justicia</i>	1 Echolliana	Tree Justicia, with a reflexed flower
	2 Hyssopifolia	White hyssop-leaved ditto
	3 *Picta	Spotted ditto
<i>Jasminum</i>	1 *Americana	White American Jasmine
	2 *Occidentalis	Scarlet-flowering laurel-leav'd Jasmine

<i>Kamptferia</i>	<i>Galanga</i>	Oval-leav'd Galangal
<i>Lagerstroemia</i>	<i>Indica</i>	Lagerstroemia, with flesh-colored flowers
<i>Lantana</i>	1. <i>Involuta</i>	American Viburnum, with woolly leaves
	2. <i>Camara</i>	Upright sage-leaved ditto
	3. * <i>Aculeata</i>	Prickly orange ditto
	4. * <i>Odorata</i>	White sweet-scented ditto
	5. <i>Trifolia</i>	Three-leav'd purple flowering ditto
	6. <i>Angustifolia</i>	Narrow leaved ditto
<i>Laurus</i>	1. * <i>Cinnamomum</i>	Cinnamon Tree
	2. * <i>Caffia</i>	Ever-flowering ditto
	3. * <i>Peregrina</i>	Alligator Pear
	4. * <i>Ferruginea</i>	Stinking Bay
<i>Lota</i>	1. * <i>Crispa</i>	Lota, with a membranous curled and jointed stalk
	2. * <i>Equata</i>	Ditto, with a round downy stalk
<i>Lindernia</i> ..	* <i>Tuberosum</i>	Purple Helleborine
<i>Labelia</i>	<i>Longiflora</i>	Long-tubed Cardinal Flower
<i>Lathyrus</i>	* <i>Jacobaeus</i>	Black Bird's-foot Trefoil
<i>Lychnis</i>	* <i>Coccinea</i>	Scarlet Chinese Campion
<i>Malpighia</i>	1. <i>Glabra</i>	Smooth Barbadoes Cherry
	2. <i>Nitida</i>	Shining-leav'd ditto
	3. <i>Urera</i>	Prickly ditto
	4. <i>Verbascifolia</i>	Mullein-leaved ditto

<i>Mammea</i>	Americana	American Mammea Tree
<i>Mangifera</i>	*Indica	Mango Tree, with long spear-shaped leaves and kidney-shaped fruit
<i>Morinda</i>	1 Arundinacea	Indian Flowering-seed
	2 Galanga	Indian Arrow-root
<i>Martynia</i>	-- *Pernensis	Perennial Martynia, with serrated leaves
<i>Mitchella</i>	Holofernes	American Goosberry-tree
<i>Mitchella</i>	Ferruginea	Mefua, with (pear-shap'd) leaves
<i>Mitchella</i>	*Obliqua	Metrocedros, with pendulous branches and oblique leaves
<i>Mitchella</i>	Champaca	Yellow sweet-scented Michelia
<i>Mimosa</i>	1 *Latifolia	Broad-leaved Acacia
	2 *Pernambucana	Pernambuco, or Italian Sensitive Plant
	3 *Cornigera	Great horned ditto
	4 *Arborescens	Tree Acacia
	5 *Nilotica	Gum Arabic
	6 *Tamarindifolia	Tamarind-leaved ditto
	7 *Pedica	Sensitive, or Humble Plant
	8 *Farnesiana	Yellow sweet Acacia, or Sponge Tree
	9 *Latiflora	Broad pedaled ditto, with flexible branches

	10 *Pigra	Opposite-leaved ditto, with upright spines
<i>Musa</i>	<i>Paradifolia</i>	Plantain Tree
<i>Myrtus</i>	1 *Zeylanica	Ceylon Myrtle
	2 *Pimenta	Long-leaved Jamaica Allspice
	3 *Var: Rotundifol:	Round-leaved ditto
<i>Munchaufia</i>	<i>Speciosa</i>	Munchaufia, with oblong, oval, sharp-pointed leaves
<i>Nyctanthes</i>	1 *Sambac	Arabian Jasmine
	2 *Var: flore pleno	Double ditto
	3 *Var: fl: ampliss: pl:	Ditto, with very large double - scented flowers, generally known by the name of the Grand Duke of Tucany's Jasmine, most fine
<i>Olea</i>	1 *Odoratissima	Sweet-scented Chinese Olive, or Qicuan
<i>Ophiocystis</i>	<i>Serpentina</i>	Snake-like Ophiocystis, with webbed roots
<i>Oxalis</i>	1 Purpurea	Purple Wood Sorrel
	2 Flava	Yellow ditto
	3 Pes Capre	Umbelliferous ditto
	4 Incarnata	Flesh-coloured ditto
	5 *Tericolor	Many-coloured ditto, most beautiful
<i>Pancratium</i>	1 *Zeylanicum	Sea Daffodil, from Ceylon
	2 *Mexicanum	Mexican ditto

<i>Pseuderium</i>	3 "Cariborum	Cacibe ditto
	4 "Amboynense	Broad-leaved Amboyna ditto
<i>Parkinsonia</i>	* Aculeata	Prickly Parkinsonia
<i>Papiflora</i>	1 Serratifolia	Sawed-leav'd Passion-flower
	2 Maliformis	Apple-shaped ditto
	3 "Quadrangularis	Square stalked ditto
	4 "Laurifolia	Lauri-leaved ditto
	5 "Rubra	Red ditto
	6 "Murexia	Moon-shaped ditto
	7 Suberosa	Corked barked ditto
	8 Holofernes	Silky leaved ditto
	9 Minima	Small ditto
	10 Minuta	Least ditto
	11 Furtida	Stinking ditto
<i>Protapetes</i>	Phoenicea	Scarlet Indian Mallow
<i>Pterocarpus</i>	1 Albiaca	Guinea Hen-weed
	2 Odontandra	Ditto, with night-shade leaves
<i>Pheurus</i>	* Dactylifera	Date Palm
<i>Pithecellobius</i>	1. "Epiphyllanthus	American Sea-side Laurel, with flowers growing out of the indentures of the leaves
	2 "Niruri	Upright Herbaceous ditto
	3 "Embilica	Tree ditto, with winged leaves
	4 "Grandifolia	Tree ditto, with oblique, oval, entire leaves
	5 "Madagascariensis	Ditto, with alternate, sharp-pointed, wedge-shap'd leaves

<i>Physalis</i>	<i>Cerasifera</i>	Winter Cherry of Curaçoa
<i>Physalosia</i>	<i>Dioica</i>	Tree-like American Night-shade
<i>Piper</i>	1. * <i>Reticulatum</i>	Jamaica Black Pepper
	2. * <i>Obtusifolium</i>	'Obtuse-leaved ditto
<i>Pithecellobium</i>	<i>Erythrina</i>	Oval-leaved Dogwood Tree
<i>Pithecellobium</i>	<i>Aculeata</i>	Prickly Finger-tree
<i>Platynandra</i>	4. * <i>Zeylanica</i>	Ceylon Leadwort
<i>Plumeria</i>	1. * <i>Rubra</i>	Red West-Indian Jasmine
	2. * <i>Alba</i>	White ditto
	3. * <i>Ovata</i>	Obtuse, spear-leaved ditto
<i>Pithecellobium</i>	1. * <i>Pulcherrima</i>	Barbadoes Flower Fence, with the spines by pairs, most beautiful
	1. *Var; <i>Coccinea incisa</i>	Chinese ditto, without spines, most delicate and striking
	3. * <i>Bijuga</i>	Ditto, with single spines
<i>Polygonum</i>	<i>Rubrum</i>	Red Greek Valerian
<i>Polygonatum</i>	1. * <i>Tuberose</i>	Common Tube-rose
	2. *Var; fl: <i>pleno</i>	Double ditto, most fine
<i>Polypodium</i>	* <i>Aureum</i>	Golden Polypody
<i>Portulaca</i>	1. * <i>Grandiflora</i>	Portlandia, with the leaves unequal at the base
<i>Portulaca</i>	2. * <i>Hedysaroides</i>	Portlandia, with the leaves equal at the base

<i>Pithecellobium</i>	1 "Pyriflrum	Pear-shaped Guava
	2 Pomiferum	Apple-shaped ditto
<i>Pteris</i>	1 "Caudata	Long-tailed Jamaica Fern
	2 Linicata	Entire-leaved linear ditto
<i>Randia</i>	1 Mitis	Round-leaved Box-thorn
	2 Aculeata	Randia, with prickly branches
<i>Rauvolfia</i>	Nitida	Four-leaved smooth Rauvolfia
<i>Rivinia</i>	1 Humilis	Dwarf Rivinia, with scarlet berries
	2 Var: Canescens	Ditto, with white leaves
	3 Oftandra	Ditto, with single branches
<i>Rondolia</i>	Americana	Tinus-leaved Rondolia
<i>Saccubatum</i>	Officinarum	Sugar Cane
<i>Sapindus</i>	1 Sapozaria	Soap-berry, with unequal winged leaves
	2 Spinatus	Ditto, with a prickly stalk
<i>Succowia</i>	Pseudo China	Yellow China Root
<i>Sida</i>	1 "Cocifolia	Indian Mallow, with Heart-shaped leaves
	2 Abutilon	Ditto, with heart-shaped, un-divided leaves
<i>Sideroxylon</i>	1 Ternatum	Smooth Iron Wood
	2 Spinosum	Thorny ditto
<i>Solanum</i>	1 Guineense	Black-berried Night-shade

<i>Sabicea</i>	1. <i>Sodomaeum</i>	Pomum Asteris, or Apple of Sodom, with deep, jagged leaves
	3. <i>Verbascifolium</i>	Verbascum-leaved ditto
	4. <i>Tomentosum</i>	Downy-leaved ditto
	5. <i>Igneum</i>	Red spined ditto
<i>Sapindus</i>	<i>Tomentosa</i>	Silvery Calotropis of Ceylon
<i>Spindes</i>	1. <i>Mombin</i>	Black West-Indian Plum
	2. <i>Myrobalanum</i>	Ditto, with shining, sharp-pointed leaves
	3. <i>Lutea</i>	Ditto, with yellow fruit
<i>Stapelia</i>	1. "Variegata"	Variegated Stapelia, most beautiful
	2. "Hirsuta"	Ditto, with a fringed flower
<i>Sterculia</i>	<i>Ferrida</i>	Ceylon Nut, with fingered leaves
<i>Suriacaria</i>	* <i>Mahagoni</i>	Mahogany Tree, with opposite, smooth-pinnated leaves
<i>Tamarindus</i>	<i>Indica</i>	Tamarind Tree, with hairy-winged leaves
<i>Theobroma</i>	1. <i>Cacao</i>	Chocolate Nut, with entire leaves
	2. <i>Guayanense</i>	Baldred Cedar, with sawed, leaves
	3. <i>Anisognathus</i>	Angular heart-shaped leaved ditto

<i>Tournefortia</i>	1 Scrotaria	Tournefortia, with oval, serrated leaves
	2 Fortidiflora	Ditto, with oval, spear-shap'd, hairy leaves
	3 Cymosa	Ditto, with entire naked leaves
	4 Volubilis	Ditto, with a twining stalk
<i>Triumfetta</i>	Lappula	Triumfetta, with prickly fruit
<i>Tropaeolum</i>	* Majus fl: pl:	Double Nasturtium
<i>Tulbagia</i>	Capensis	Tulbagia, with green flowers
<i>Turnera</i>	Ulmifolia	Elm-leaved Turnera
<i>Vinca</i>	1 *Roda	Madagascar periwinkle, with rose-coloured flowers
	2 *Var: alba	Ditto, with most beautiful white spotted flowers
<i>Vitis</i>	1 Trifolia	Three-leaved Vine
	2 Indica	Hairy-leaved Indian ditto
<i>Volvomeria</i>	1 Inermis	Smooth-stalked Volkameria
	2 Aculeata	Prickly ditto
<i>Wachendorffia</i>	1 Thyrsiflora	Single-stalked Wachendorffia
	2 Particulata	Ditto, with a divided stalk.
<i>Winteravia</i>	*Canella	Winter's Bark
<i>Xylophyllum</i>	*Longifolia	Long, spear - leav'd Love flower
<i>Zamia</i>	*Pumila	Dwarf Palm, with thick, rigid leaves

## F R U I T - T R E E S.

## A P P L E S.

Those marked thus †, are best for Baking and Kitchen use.

Those marked thus \*, are most in Esteem for the Table.

*The Season in which each Sort  
is suitable or fit for Use.*

1 Juneresting	—	August
2† Margaret	—	Ditto
3† English Codlin	—	August and September
4* Siberian Crab	—	Ditto ditto
5† Dutch Codlin	—	Ditto ditto
6† Nonplus	—	September to November
7* Lemon Pippin	—	September to November
8 Summer Pearmain	—	August and September
9* Golden Rennet	—	October to December
10† Kitchen Rennet	—	October to December
11* Nonpareil	—	November to March
12* Golden Pippin	—	Ditto ditto
13 Winter Pearmain	—	Ditto ditto
14* Loan's Pearmain	—	Ditto ditto
15* Royal ditto	—	Ditto ditto
16† Royal Russet	—	Ditto ditto
17† Golden ditto	—	Ditto ditto
18† Wheeler's ditto	—	Ditto ditto
19† Pike's ditto	—	Ditto ditto

APPLES.

## A P P L E S.

The Season in which each Sort  
is suitable or fit for Use.

20* Aromatic Pippin-----	-----	November to March
21* Holland's ditto -----	-----	Ditto ditto
22 † Kentish Pippin -----	-----	November to March
23 French ditto -----	-----	Ditto ditto
24 Margill Apple -----	-----	Ditto ditto
25 Leadington-----	-----	November and December
26 † Cats Head -----	-----	Ditto ditto
27 † Norfolk Beffin -----	-----	November to February
28* Quince Apple -----	-----	November and December
29 † Newtown Pippin -----	-----	November to February
30 Spitzemberg -----	-----	December to April
31 † John Apple -----	-----	November to June
32 * Lawrence -----	-----	December to May

## C Y D E R      A P P L E S.

33 *Royal Wilding	37 White Sour
34 *Blakemoor	38 Wood Cocks
35 *Mid-year	39 Fox Whelps
36 *Styrt	40 Red Streak

## S T R A W B E R R I E S.

1 *Red Wood	4 White ditto
2 White ditto	5 *Scarlet, best of all for forcing
3 *Red Alpine	6 *Hautboy

STRAW

## S T R A W B E R R I E S.

- |                     |                  |
|---------------------|------------------|
| 7 *Green Pine Apple | 9 Large Carolina |
| 8 Chili             | 10 Bath          |

## R A S B E R R I E S.

- |         |                           |
|---------|---------------------------|
| 1 Red   | 3 Mukov, or Twice-bearing |
| 2 White | 4 Cane                    |

## C U R R A N T S.

- |               |                  |
|---------------|------------------|
| 1 Red Dutch   | 4 Black          |
| 2 White Dutch | 5 Striped leaved |
| 3 Champaign   |                  |

## G O O S B E R R I E S.

- |                   |                                             |
|-------------------|---------------------------------------------|
| 1 White Dutch     | 10 Long yellow                              |
| 2 Common Amber    | 11 Round yellow                             |
| 3 Green Docington | 12 Early green                              |
| 4 Smooth Scarlet  | 13 Raspberry                                |
| 5 Rough ditto     | 14 Lancashire                               |
| 6 Damson          | 15 Green Gage                               |
| 7 Rumbullion      | 16 Warrington red, with many<br>other sorts |
| 8 Hunts Berry     |                                             |
| 9 Long, red hairy |                                             |

P      E      A      R      S.

*Miles in England.*

1 *Little Musk, or Supreme	July
2 *Primitive	August
3 *Citron des Carmes	ditto
4 Red Muscadelle	ditto
5 *Averat, or August Muscat	ditto
6 *Japonel	ditto
7 Windfor	ditto
8 *Quince Madam	ditto
9 Blanquet	ditto
10 *Summer Bon Cretien	September
11 *Summer Bergamot	ditto
12 *Autumn ditto	ditto
13 *Auchin	ditto
14 *Hambden's Bergamot	ditto
15 *Brocas's ditto	October
16 *Gand's ditto	ditto
17 *Brown Beury	ditto
18 Verte longue	ditto
19 Meffine Jean	ditto
20 *Cresfan	November and December
21 *Colas	December and January
22 Virgolene	ditto
23 *St. Germain	ditto
24 Spanish Bon Cretien	ditto
25 Pound Pear, or Black Pear of Worcester for baking	ditto

## P E A R S.

*Flowers in Script.*

26 *Epine d'Hyver	—————	March
27 Holland's Bergamot	—————	April
28 *Winter Boncetration	—————	April
29 *Calilissie (best of all for baking)	—————	December to April
30 *St. Martial, or Poire Douce	—————	March
31 Union, or Uvedale's St. Germain	—————	December to April

## C H E R R I E S.

1 Early May	—————	May and June
2 *May Duke	—————	June and July
3 *Arch, or Holman's Duke	-	Ditto
4 *Kentish	—————	July and August
5 *White Heart	—————	July
6 *Black ditto	—————	Ditto
7 *Amber ditto	—————	July and August
8 Oxheart	—————	Ditto ditto
9 Lukeward	—————	Ditto ditto
10 *Carnation	—————	August
11 *Morello	—————	August and September
12 Bleeding	—————	July and August
13 *Biggeon, or Harrison's Heart	—————	Ditto
14 *Tradescants	—————	August
15 *Black Caroon	—————	September

## P L U M S.

*When ripe.*

1	Damæ Noir, or Morocco	July
2	Little black Damæk	August
3	Great blue Damask	June
4	*Orléan	ditto
5	Fotheringham	ditto
6	*Black Pérdrigou	ditto
7	*Blue ditto	ditto
8	White ditto	ditto
9	*Red Imperial ditto for sweet-meats	September
10	*Bossum magnum ditto	June
11	Chefton	ditto
12	Apricot	ditto
13	*Maitre Claude	ditto
14	Diapre	ditto
15	Little Queen Claudia	ditto
16	Myrobalan	ditto
17	*Semiana	ditto
18	*Green Gage	ditto
19	Drap d'or	ditto
20	Royal Plum	ditto
21	La Mirabelle	ditto
22	Brignole for sweet-meats	ditto
23	*Impératrice	October
24	Cherry Plum	June

## P L U M S.

*When ripe.*

25	*Musk ditto	—	—	September
26	Black Bullock	—	—	October
27	White ditto	—	—	Ditto
28	Danson	—	—	September

## P E A C H E S.

1	White Nutmeg	—	—	July
2	Red ditto	—	—	Ditto
3	*Early Mignon	—	—	August
4	White Magdalen	—	—	Ditto
5	*Early Purple	—	—	dito
6	*Large French Mignon	—	—	dito
7	*Bell Cheverœuf	—	—	dito
8	*Red Magdalen	—	—	dito
9	*Early, or Smith's Newington	—	—	dito
10	*Montebon	—	—	dito
11	*Nobletta	—	—	August and September
12	*Chancellor	—	—	Ditto      dito
13	*Galliard, or Belle Garde	—	—	September
14	Bordins	—	—	Ditto
15	Rosanna	—	—	dito
16	*Admirable	—	—	dito
17	*Old Newington	—	—	dito
18	Rambouillet	—	—	dito
19	La Trous de Veau	—	—	dito

## P E A C H E S.

*When ripe.*

20	Late Purple	—	—	September
21	*Nivette	—	—	Ditto
22	*Royal George	—	—	ditto
23	Monstrous Pavey	—	—	October
24	*Catharine	—	—	Ditto
25	Bloody	—	—	ditto
26	*Swallow	—	—	September
27	*Double Montagne			Ditto
28	Dwarf Malta			ditto

## N E C T A R I N E S.

1	*Fairchild's	—	—	July and August
2	*Elruge	—	—	August
3	*Newington	—	—	August and September
4	Scarlet	—	—	Ditto
5	Bragne, or Italian	—	—	ditto
6	*Red Roman	—	—	September
7	Murray	—	—	Ditto
8	Golden	—	—	ditto
9	*Temple	—	—	ditto
10	Peterborough	—	—	October
11	*White	—	—	August and September

## A P R I C O T S.

*When ripe.*

1	Makuline	-	-	-	June
2	Orange	-	-	-	July and August
3	*Algiers	-	-	-	Ditto ditto
4	Roman	-	-	-	Ditto ditto
5	Turkey	-	-	-	Ditto ditto
6	*Beeda	-	-	-	August and September
7	*Brussels	-	-	-	Ditto ditto
8	*Moor Park, Peach, or Dunmore	?	?	Ditto	ditto
	Apricot				

## G R A P E S.

Those marked thus, \* are best for forcing.

† Denotes the sorts which ripen best in the open ground.

1	†July	-	-	-	July
2	†White Sweet Water	-	-	-	August
3	†Black ditto	-	-	-	ditto
4	*Royal Muscadine	-	-	-	ditto
5	†Black Cluster, Miller, or Burgundy				September
6	*Black Frontinac, or Muscat Noir			ditto	*
7	*Red, or Grifley Frontinac			ditto	
8	White ditto	-	-	ditto	
9	*White Muscat of Alexandria			ditto	
10	*Red Muscat of Alexandria			ditto	

11 \*Black

## G R A P E S.

*When in Season.*

11 *Black Hambur'	-	-	September
12 *Blue ditto	-	-	- ditto
13 *White ditto	-	-	- ditto
14 *Red ditto	-	-	- ditto
15 *St. Peter's	-	-	- ditto
16 Parsley-leaved	-	-	- September
17 Chest	-	-	- September and October
18 *Syrian	-	-	- ditto
19 Rhemish	-	-	- October
20 †Chaffclas	-	-	- September

F I G S.

1 *Brown Ischia	-	-	July and August
2 †Black Genoa	-	-	August
3 †Large white	-	-	- ditto
4 *Black Ischia	-	-	- ditto
5 Brunswick, or Hanover			September
6 Common blue	-	-	- ditto
7 †Brown Naples	-	-	- ditto
8 *Small white	-	-	July and Augu

## FLOWER ROOTS.

## DOUBLE HYACINTHS.

Those marked thus \*, are best for Water.

*White, and White with Red Eyes.*

		L.	i.	d.
Astoria	—	—	—	0 1 6
Grand Monarque	—	—	—	0 4 0
*Dagenaad	—	—	—	0 0 9
*Grawin Van Waffen	—	—	—	0 0 6
Gloria Flora	—	—	—	0 2 0
*Kroon Vuyzel	—	—	—	0 1 6
Berg Velvain	—	—	—	0 1 6
Helle Blanch Incarnate	—	—	—	0 1 6
Illustre Besse	—	—	—	0 2 0
*Koningin Valihi	—	—	—	0 1 6
King of Great Britain	—	—	—	0 1 6
*Maria de Medicis	.	—	—	0 0 9
Mignon de Delft	—	—	—	0 1 6
*Morgenstar	—	—	—	0 0 9
*Rede Triumph Van Pion	—	—	—	0 1 0
Pythagoras	—	—	—	0 3 0
*King David	—	—	—	0 0 6

*Mazar.*

*If white, with purple or violet Eyes.*

	<i>L.</i>	<i>R.</i>	<i>A.</i>
Gekroon Solomon's Jewel	—	—	• 1 0
Paris de Montmarte	—	—	○ 1 0
States General	—	—	○ 3 0
Druzilla	—	—	○ 1 0
La Magnifique	—	—	○ 0 9
*Cœur Aimable	—	—	○ 1 6

*If white, with yellow Eyes.*

Flavo Superb	—	—	○ 3 4
Grand Magnificence	—	—	○ 1 *
*Gulde Vryheid	—	—	○ 1 6
Margrave of Baden-Durlach	—	—	○ 0 9
La Bien Aimee	—	—	○ 1 6

*Red, Rose, and Flye Colour.*

*Prince Louis	—	—	○ 1 0
*Rat Van Staate	—	—	○ 0 6
*Rode de Holland	—	—	○ 1 6
*Margravin Van Anspach	—	—	○ 1 6
Marquise de Bonacque	—	—	○ 3 0
La Beute inexprimable	—	—	○ 1 6
Prince William de Esth	—	—	○ 0 9
*Rose Illustre	—	—	○ 0 9
Red Sacree	—	—	○ 1 0

\*, o/c

£ s. d.

*Roth Kraus Van Flora	—	—	0 1 6
*Roth Cesar	—	—	0 0 9
Selief Brillant	—	—	0 1 6
*Superb Royal	—	—	0 0 9
Roth agreeable	—	—	0 1 0
Roth Invincible	—	—	0 1 6
*Perique Quarree	—	—	0 3 0

*Dark Mar, or purple.*

+Alchimides	—	—	0 1 0
+Arifides	—	—	0 1 0
*Blue Fance	—	—	0 1 0
Duc Lewis de Brunswig	—	—	0 2 0
Graaf Van Bouren	—	—	0 0 9
*Keizer Tiberius	—	—	0 1 6
Overwinner	—	—	0 0 9
*Pourpee Pernaffon	—	—	0 1 0
Pourpee Van Tyrus	—	—	0 1 6
Treforier General	—	—	0 0 9
Grand Sultan	—	—	0 0 9

*Purpura, Rose.*

*Bacchante	—	—	0 2 6
Duc de Luxembourg	—	—	0 1 6
*Gilles			

		L.	s.	d.
*Globe Terrestre	—	—	0	2
Grand Treforier de Bretagne	—	—	0	1

*Griffithia, Bls.*

Alpatic Panachee	—	—	0	2
Belle Pomone	—	—	0	9
Direstre General	—	—	0	3
Grideline Aimable	—	—	0	6
*Perle Pyramide	—	—	0	9
Grand Grideline	—	—	0	6

*Single White.*

*Premier Noble	—	—	0	7
----------------	---	---	---	---

*Single Bls.*

Bishop	—	—	0	7
States General	—	—	0	6
Porcelain Imperial	—	—	0	6

*Early Tulips.*

*Duc Van Thoi	—	—	0	4
*Chrimond	—	—	0	4
Mixtures of white sorts	—	—	0	6
Double mixed Tulip	—	—	0	6

Fine

L. L. S.

Fine late Tulips, in sorts by name, one with the other, per root	—	—	0	2	0
Fine late Tulips, many sorts mixed, per 100	—	—	2	2	0
Good ditto, at per 100	—	—	0	10	0
Common Mixed ditto, at per 100	—	—	0	5	0

*Polygonites Narcissus.*

*Soleil d'or, yellow, with orange cups, at per root,	—	—	0	0	3
*Primo Citronier, white with orange cups	—	—	0	0	6
*Baffelman major ditto	—	—	0	0	7
Double White Italian, or Roman Narcissus	—	—	0	0	4
Single White ditto	—	—	0	0	4
Frittellarias, many sorts mixed, at per 100	—	—	1	5	0
English bulbous Iris, many sorts mixt, per 100	—	—	2	10	0
Spanish ditto, per 100	—	—	0	10	6
Caledonian Iris, at per root	—	—	1	0	0
Perfum Iris, ditto	—	—	0	0	4
Snake's Head Iris, ditto	—	—	0	1	0
Single Winter Flowering Anemones, per root	—	—	0	5	0
Common double ditto	—	—	0	6	0
Best mixed double ditto	—	—	0	8	0
Best Anemones by names, per lb.	—	—	0	12	0
Common double Jonquils, per 100	—	—	0	6	0
Large double ditto	—	—	0	10	0
Large Double Jonquils for Gladiis, per dozen	—	—	0	6	0
					Crown

		L. s. d.
Crown Imperials, many sorts mixed, per dozen		r 0 4 0
Martagon, many sorts mixed, per dozen	-	r 0 4 0
Colchicum ditto ditto	- - -	r 0 3 0
Lilie ditto ditto	- - -	r 0 4 0
Yellow Crocusses, per hundred	-	r 0 1 0
Large ditto for forcing	-	r 0 2 0
Blue ditto, per hundred	-	r 0 1 6
White ditto	-	r 0 1 6
Scotch ditto	-	r 0 3 0
Cloth of Gold ditto	-	r 0 3 0
Saffron Crocusses, per hundred	-	r 0 3 0
Mixed Crocusses, per hundred	-	r 0 1 6
Giliastrum, per hundred	-	r 0 3 0
Tulip-roof, per dozen	-	r 0 3 0
Fineest Persian Ranunculus, 50 sorts by name, one with the other per root	-	r 0 2 0
Ditto ditto	— — —	r 0 1 0
Fineest mixed ditto	-	r 0 0 6
Good ditto, per hundred	-	r 1 1 0
Good mixed ditto for borders	-	r 0 10 0
Common ditto	-	r 0 5 0
Auricula, finest sorts by name, one with the other, at per root	-	r 0 5 0
Fine ditto, at per root	-	r 0 1 6
Common ditto for borders, at per dozen	-	r 0 6 0
U		Ditto

L. s. d.

Carnations, such sorts by names, one with the other

Carpet - - - - - 0 3 0

Double Dives, at per root - - - - - 0 1 0

Nine mixed dives for the borders, per root - - - 0 0 6

Five double Pinks, in sorts, per root one with the

other - - - - - 0 1 0

Double Pinks, many sorts mixed, at per dozen 0 3 0

1000 - - - - - 0 0 0

2000 - - - - - 0 0 0

3000 - - - - - 0 0 0

4000 - - - - - 0 0 0

5000 - - - - - 0 0 0

6000 - - - - - 0 0 0

7000 - - - - - 0 0 0

8000 - - - - - 0 0 0

9000 - - - - - 0 0 0

10000 - - - - - 0 0 0

11000 - - - - - 0 0 0

12000 - - - - - 0 0 0

13000 - - - - - 0 0 0

14000 - - - - - 0 0 0

15000 - - - - - 0 0 0

16000 - - - - - 0 0 0

17000 - - - - - 0 0 0

18000 - - - - - 0 0 0

19000 - - - - - 0 0 0

